VOCC Class Equipment Worldwide



Welcome to the latest edition of our Range Brochure

Welcome to the latest edition of the Sampling Systems Range Brochure.

The feedback and comments of our customers have enabled us to continue to add new products and equipment to our range, which we believe to be our most comprehensive to date.

Over 200 new products have been added to our catalogue. These include a new range of disposable liquid samplers, sample containers, powder samplers and variations of pre-existing items.

We continue to place great emphasis on the development of innovative and advanced devices. Therefore, we are proud to introduce the brand new AccuPod Sampler; the first in a new generation of hybrid samplers. Further details can be found on pages 62 and 63.

Our range is consistently developing and expanding, and we are also able to manufacture custom items on request.


Next day delivery is offered for 95% of our expansive product catalogue, with over one million items currently in stock. We assure the highest standards of quality, with full material certification available upon request.

Contact a member of our team if you require more information. We look forward to hearing from you.

Jonathan Fenner

Simon Fenner

From Design



™ Manufacture

From the initial design to the final stages of manufacturing, we immerse ourselves in the entire process of developing our products. This ensures that our high standards of quality and efficiency are maintained, while allowing us complete control over every detail from prototype to the final delivery.

Implementing the latest design techniques and cutting edge manufacturing technology, we offer a diverse and comprehensive range of sampling equipment, available to order from stock.







contents

Disposables

Pages 7 to 40



Pages 41 to 76



Pages 77 to 100



Pages 101 to 108

Environmental Sampling

Pages 109 to 118

Bottles & Containers

Pages 119 to 136

Accessories

Pages 137 to 172

Labels

Pages 173 to 179

















Tel: +44 (0)1675 466992 www.sampling.com

7



SteriWare PharmaScoop®

The Industry Standard - High Quality, Single Use Powder Scoops

The Sampling Systems range of disposable PharmaScoops® have been specially designed for dispensaries and manufacturing. They are the ultimate in quality and affordability.

SteriWare® PharmaScoops® are used by pharmaceutical and industrial companies all over the world.

- Our entire range is Moulded & Packed in a Cleanroom. This is essential to ensure cleanliness
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 Conforming Materials
- BSE/TSE Free
- · Full Batch Traceability
- Suitable for use in ATEX areas
- · Available Sterile (gamma irradiated) and non-sterile from stock



Cleanroom

All scoops are manufactured, inspected and packed in a cleanroom.



The GMP PharmaScoop

It is Good Manufacturing Practice to keep your hands out of the product as much as possible. In accordance with this we have positioned the ergonomic handles high up on the scoop.



GMP

Correct





PS - Best Seller









Part No.	Nominal Capacity	Pre-sterilised	Colour	Material	Quantity per Box
8045A-30	30ml	No	White	PS	100
8045A-30S	30ml	Yes	White	PS	100
8045A-60	60ml	No	White	PS	100
8045A-60S	60ml	Yes	White	PS	100
8045A-125	125ml	No	White	PS	100
8045A-125S	125ml	Yes	White	PS	100
8045A-250	250ml	No	White	PS	100
8045A-250S	250ml	Yes	White	PS	100
8045A-500	500ml	No	White	PS	100
8045A-500S	500ml	Yes	White	PS	100
8045A-1000	1000ml	No	White	PS	100
8045A-1000S	1000ml	Yes	White	PS	100
8045A-2500	2500ml	No	White	PS	60
8045A-2500S	2500ml	Yes	White	PS	60

PP and HDPE - For Extra Chemical Resistance


Part No.	Nominal Capacity	Pre-sterilised	Colour	Material	Quantity per Box
8045P-60	60ml	No	White	PP	100
8045P-60S	60ml	Yes	White	PP	100
8045P-500	500ml	No	White	PP	100
8045P-500S	500ml	Yes	White	PP	100
8045P-1000	1000ml	No	White	PP	100
8045P-1000S	1000ml	Yes	White	PP	100
8045P-2500	2500ml	No	White	PP	60
8045P-2500S	2500ml	Yes	White	PP	60
8045H-30	30ml	No	White	HDPE	100
8045H-60S	60ml	Yes	White	HDPE	100
8045H-125	125ml	No	White	HDPE	100
8045H-125S	125ml	Yes	White	HDPE	100
8045H-250S	260ml	Yes	White	HDPE	100
8045H-500	500ml	No	White	HDPE	100
8045H-1000	1000ml	No	White	HDPE	100

Tel: +44 (0)1675 466992

e-mail: info@sampling.com



SteriWare RED PharmaScoop®



Red

Cleanroom Manufacture

All our scoops are manufactured and packed in a cleanroom environment















Unique

Benefit

Part No.	Nominal Capacity	Pre-sterilised	Colour	Material	Quantity per Box
8045R-30S	30ml	Yes	Red	PS	100
8045R-60	60ml	No	Red	PS	100
8045R-60S	60ml	Yes	Red	PS	100
8045R-125S	125ml	Yes	Red	PS	100
8045R-250S	250ml	Yes	Red	PS	100
8045R-500S	500ml	Yes	Red	PS	100
8045R-1000	1000ml	No	Red	PS	100
8045R-1000S	1000ml	Yes	Red	PS	100
8045R-2500S	2500ml	Yes	Red	PS	60

11



SteriWare Blue FoodScoop®

Bright, High Quality, Single Use Powder Scoops

Highly visible blue PharmaScoops are a firm favourite with food manufacturing companies. We use a special food grade blue dye to give the scoops their distinctive bright blue colour.

- Available both sterile and non sterile
- Moulded & packed in a class 100,000 clean room
- Each scoop is individually wrapped
 Made from FDA, EC 1935/2004 & EU 10/2011 conforming
 Polypropylene (PP)
- BSE/TSE free
- Large stocks for fast delivery worldwide Suitable for use in ATEX zones 0, 1 and 2




Blue





Part No.	Nominal Capacity	Pre-sterilised	Colour	Material	Quantity per Box
8045B-60	60ml	No	Blue	PP	100
8045B-60S	60ml	Yes	Blue	PP	100
8045B-125	125ml	No	Blue	PP	100
8045B-125S	125ml	Yes	Blue	PP	100
8045B-250	250ml	No	Blue	PP	100
8045B-250S	250ml	Yes	Blue	PP	100





Tel: +44 (0)1675 466992 e-mail: info@sampling.com www.sampling.com



SteriWare® Powder Spatula Easy to use spatulas - made in a cleanroom



Sampling and dispensing small quantities of powders has never been easier thanks to the Powder Spatula.

The Powder Spatula is tough and comfortable to use.

The Powder Spatula is manufactured and packed in a controlled atmosphere (cleanroom) and so can be used straight from the bag.

The Powder Spatula is also available with a special clip-on container, see the PowderSafe on page 14 for details.

RED SteriWare® Powder SpatulaBright red spatulas are highly visible



The SteriWare red Powder Spatulas offer all the features of our classic white range but they are a highly visible red colour. We use a special food grade red dye to colour the spatulas.

- Top seller
- Available both sterile and non sterile
- Moulded & packed in a class 100,000 clean room
- Each spatula is individually wrapped
- Materials conform to: FDA, EU 10/2011 & EC 1935/2004
- BSE/TSE free
- Suitable for use in ATEX zones 0, 1 and 2



Part No.	Blade Length	Colour	Overall Length	Pre-Sterilised	Material	Quantity per Box
8095R-150	150mm	Red	230mm	No	PS	100
8095R-150S	150mm	Red	230mm	Yes	PS	100
8095R-250	250mm	Red	330mm	No	PS	100
8095R-250S	250mm	Red	330mm	Yes	PS	100



WHITE SteriWare® Powder Spatula Our best selling spatulas in classic white

The white SteriWare Powder Spatulas are made from tough High Impact Polystyrene (PS) and are individually bagged. These high quality spatulas are widely used throughout the pharmaceutical industry.

The Powder Spatula is manufactured and packed in a cleanroom and so can be used straight from the bag.

The Powder Spatula is also available with a special clip-on container, see the PowderSafe on page 14 for details.





- Individually Bagged
- FDA & EU 10/2011 Conforming Materials

SteriWare®

- BSE/TSE Free
- Full Batch Traceability
- Suitable for use in ATEX areas
- Available Sterile (gamma irradiated)
- Available in different colours












Part No.	Blade Length	Colour	Overall Length	Pre-Sterilised	Material	Quantity per Box
8095A-150	150mm	White	230mm	No	PS	100
8095A-150S	150mm	White	230mm	Yes	PS	100
8095A-250	250mm	White	330mm	No	PS	100
8095A-250S	250mm	White	330mm	Yes	PS	100

Blue SteriWare® Powder Spatula Made From Chemically resistant PP



- Available both sterile and non sterile
- Moulded & packed in a class 100,000 clean room
- Each spatula is individually wrapped
- Materials conform to: FDA, EU 10/2011 & EC 1935/2004
- BSE/TSE free
- Suitable for use in ATEX zones 0, 1 and 2
- Made from chemically resistant PP

















13

Part No.	Blade Length	Colour	Overall Length	Pre-Sterilised	Material	Quantity per Box
8095B-150	150mm	Blue	230mm	No	PP	100
8095B-150S	150mm	Blue	230mm	Yes	PP	100
8095B-250	250mm	Blue	330mm	No	PP	100
8095B-250S	250mm	Blue	330mm	Yes	PP	100



SteriWare® PowderSafe

Single Use Powder Spatula with a click-on Cover

The PowderSafe comprises of our best selling Powder Spatula complete with a click-on container. The see-through container slips over the blade of the spatula and is securely locked into place.

At the laboratory the container can be easily removed.

- Moulded & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming Materials
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)











SteriWare® Batch Traceability



Every SteriWare product comes with a label showing the batch no. This gives us full traceability to the date of manufacture, batch of resin used, machine used, inspected by etc.

Batch Traceability



Disposable Sack Sampler

The disposable Sack Sampler is a hygienic, single use device that has been specially designed to take samples through the side of a sack.

- Individually Bagged Made from FDA, EC 1935/2004 & EU 10/2011 Conforming Materials
- BSE/TSE Free
- Full Batch Traceability
- Suitable for use in ATEX areas
- Available Sterile (gamma irradiated)

Operation:

- Insert the sampler through the side of the sack.
- Angle sampler downwards to allow the product to flow into the sample collecting bag
- Seal hole with an Ultra Adhesive label (see pages 174-178 for details)





















15

Part No.	Length	Diameter	Material		Pre-Sterilised	Quantity per Box
8085A-100	400mm	25mm	HDPE		No	100
8085A-100S	400mm	25mm	HDPE		Yes	100
8085N-100	400mm	14mm	HDPE		No	100
8085N-100S	400mm	14mm	HDPE		Yes	100
8080A-450	Sample Collecting Bag 450ml - for hygienic use - sterile			Qty: 1000 bags		
8080A-900	Sample Collecting Ba	ag 900ml - for hygienic u	use - sterile	Qty: 1000 ba	ags	

Tel: +44 (0)1675 466992 www.sampling.com e-mail: info@sampling.com



SteriWare® Mono Slot Sampler

Single Point Sampler - 50ml

The disposable Mono Slot Sampler is ideal for taking a single sample from free flowing powders and granules.

It is designed to take a 50ml powder sample from near the tip. The sampler is made in a cleanroom to ensure cleanliness and can be used straight from the bag.

- Assembled & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming HDPE
- BSE/TSE Free
- Full Batch Traceability
- Suitable for use in ATEX areas
- Available Sterile (gamma irradiated)






Operation

The Disposable Mono Slot Sampler is quick and easy to use:

- 1. Push the sampler into the product
- 2. Rotate handle to open up the slot
- 3. After leaving the sampler for several seconds to allow powder to enter, rotate handle to close the sampler.
- 4. Remove sampler
- 5. Slide the inner rod out of the outer tube
- 6. Deposit the sample into a suitable container













Part No.	Pre-Sterilised	Overall Length	Nominal Sample volume	Overall Diameter	Material	Quantity per Box
8069H-500	No	620mm	50ml	25mm	HDPE	20
8069H-500S	Yes	620mm	50ml	25mm	HDPE	20
8069H-1000	No	970mm	50ml	25mm	HDPE	20
8069H-1000S	Yes	970mm	50ml	25mm	HDPE	20



SteriWare® Slot Sampler

Cross Sectional Multilevel Sampler

The disposable Slot Sampler is ideal for taking a multilevel, cross sectional sample from free flowing powders and granules.

The Disposable Slot Sampler takes a single composite sample from the top, middle and bottom of your powder bed.

- Assembled & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming HDPE
- BSE/TSE Free
- Full Batch Traceability
- Suitable for use in ATEX areas
- Available Sterile (gamma irradiated)








Operation

The Disposable Slot Sampler is quick and easy to use:

- 1. Push the sampler into the product
- 2. Rotate handle to open up slots
- 3. After leaving the sampler for several seconds to allow powder to enter, rotate handle to close the sampler.
- 4. Remove sampler
- 5. Slide the inner rod out of the outer tube
- 6. Deposit the sample into a suitable container





17

Part No.	Pre-Sterilised	Overall Length	Nominal Sample volume	Overall Diameter	Material	Quantity per Box
8073H-500	No	620mm	100ml	25mm	HDPE	20
8073H-500S	Yes	620mm	100ml	25mm	HDPE	20
8073H-1000	No	970mm	170ml	25mm	HDPE	20
8073H-1000S	Yes	970mm	170ml	25mm	HDPE	20
8073J-1000	No	1000mm	500ml	40mm	HDPE	20
8073J-1000S	Yes	1000mm	500ml	40mm	HDPE	20



SteriWare® Powder Probe

The disposable Powder Probe is ideal for taking a cross sectional sample through a bulk powder. It is similar to the Powder Lance (page 19) but has an additional tip on the end. The Powder Probe is suitable for sampling free flowing powders.

- Assembled & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming HDPE
- BSE/TSE Free
- Full Batch Traceability
- Suitable for use in ATEX areas
- Available Sterile (gamma irradiated)

Operation

The disposable Powder Probe is quick and easy to use:

- Push the disposable Powder Probe into the product, rotate the sampler and then withdraw
- Deposit the sample into a suitable container
- Place the used sampler into its plastic bag





















Part No.	Pre-Sterilised	Blade Length	Overall Length	Nominal Sample volume	Material	Quantity per Box
8064H-500	No	500mm	600mm	125ml	HDPE	20
8064H-500S	Yes	500mm	600mm	125ml	HDPE	20
8064H-1000	No	850mm	950mm	200ml	HDPE	20
8064H-1000S	Yes	850mm	950mm	200ml	HDPE	20



SteriWare® Powder Lance

Cross Sectional Sampler for Cohesive Powders



The open blade of the disposable Powder Lance makes it ideal for taking a cross sectional sample through a sticky cohesive powder.

- · Assembled & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming HDPE
- BSE/TSE Free
- Full Batch Traceability
- Suitable for use in ATEX areas
- Available Sterile (gamma irradiated)



Operation

The disposable Powder Lance is quick and easy to use:

- Push the disposable Powder Lance into the product, rotate the sampler and then withdraw
- 2. Deposit the sample into a suitable container
- 3. Place the used sampler into its plastic bag













19

Part No.	Pre-Sterilised	Blade Length	Overall Length	Nominal Sample volume	Material	Quantity per Box
8063H-300	No	300mm	400mm	75ml	HDPE	20
8063H-300S	Yes	300mm	400mm	75ml	HDPE	20
8063H-500	No	500mm	600mm	125ml	HDPE	20
8063H-500S	Yes	500mm	600mm	125ml	HDPE	20
8063H-1000	No	850mm	950mm	200ml	HDPE	20
8063H-1000S	Yes	850mm	950mm	200ml	HDPE	20



SteriWare® Powder Thief Best Selling Powder Thief




The disposable PowderThief is ideal for taking representative samples from known locations within the bulk powder. These devices are available in two convenient lengths and four sample volumes.

- Assembled & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming HDPE
- BSE/TSE Free
- Full Batch Traceability
 Suitable for use in ATEX areas
- Available Sterile







Operation

- Insert the sampler into the product. Ensure that the tip is inside the sampler body
- At the required depth pull up the body to expose the tip. The sample will fall in around the tip
- Push down body of the sampler to trap the sample
- Withdraw sampler
- Pull up body to empty sample





Available with a range of different tip sizes: 1ml, 5ml, 10ml and 20ml



e-mail: info@sampling.com











Part No.	Pre-Sterilised	Nominal Tip Size	Overall Length	Overall Diameter	Material	Quantity per Box
8060H-501	No	1ml	500mm	21mm	HDPE	20
8060H-501S	Yes	1ml	500mm	21mm	HDPE	20
8060H-505	No	5ml	500mm	21mm	HDPE	20
8060H-505S	Yes	5ml	500mm	21mm	HDPE	20
8060H-510	No	10ml	500mm	21mm	HDPE	20
8060H-510S	Yes	10ml	500mm	21mm	HDPE	20
8060H-520	No	20ml	500mm	21mm	HDPE	20
8060H-520S	Yes	20ml	500mm	21mm	HDPE	20
8060H-1001	No	1ml	1000mm	21mm	HDPE	20
8060H-1001S	Yes	1ml	1000mm	21mm	HDPE	20
8060H-1005	No	5ml	1000mm	21mm	HDPE	20
8060H-1005S	Yes	5ml	1000mm	21mm	HDPE	20
8060H-1010	No	10ml	1000mm	21mm	HDPE	20
8060H-1010S	Yes	10ml	1000mm	21mm	HDPE	20
8060H-1020	No	20ml	1000mm	21mm	HDPE	20
8060H-1020S	Yes	20ml	1000mm	21mm	HDPE	20

Other tip sizes are available between 1 and 20ml - subject to minimum order quantities 1500mm long samplers are available on request - subject to minimum quantities Note:

Tel: +44 (0)1675 466992

www.sampling.com



SteriWare® Powder Sampler Large Volume, single use powder sampler

The disposable Powder Sampler is ideal for taking a single large volume sample from a single known point. The SteriWare Powder Samplers can be used with free flowing powders.

- Assembled & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming **HDPE**
- BSE/TSE Free
- Full Batch Traceability
- Suitable for use in ATEX areas
- Available Sterile (gamma irradiated)






Operation

The disposable Powder Sampler is quick and easy to use:

- Push the sampler into the product 1.
- Rotate handle to open up slots 2.
- 3. After leaving the sampler for several seconds to allow powder to enter, rotate handle to close the sampler.
- 4. Remove sampler
- Deposit the sample into a suitable container













Part No.	Overall Length	Nominal Sample Volume	Pre-Sterilised	Outer Diameter	Material	Quantity per Box
8240H-1000	1000mm	100ml	No	40mm	HDPE	20
8240H-1000S	1000mm	100ml	Yes	40mm	HDPE	20



Disposable Tray

The disposable Tray is ideal for hygienic applications within hospitals and pharmaceutical factories.

- Moulded & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming PP
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)







Part No.	Dimensions (L x W x H)	Nominal Volume	Pre-Sterilised	Material	Quantity per Box
8081P-3000	310 x 265 x 55mm	3000ml	No	PP	40
8081P-3000S	310 x 265 x 55mm	3000ml	Yes	PP	40

SteriWare[®] Knife Hygienic Knife, made in a cleanroom

The disposable Knife can be used for preparing samples as well as general laboratory use.

Each knife is moulded and packed in a Cleanroom and can be used straight form the bag.

- Moulded & Packed in a Cleanroom
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming HDPE
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)















23

Part No.	Individually Bagged	Pre-Sterilised	Overall Length	Blade Length	Material	Quantity per Box
8039A-100	No	No	160mm	60mm	HDPE	100
8039H-100	Yes	No	160mm	60mm	HDPE	100
8039H-100S	Yes	Yes	160mm	60mm	HDPE	100





SteriWare® Sample Spoons

deal for dispensing and sampling small quantities

Our range of low cost single use spoons allow quick and efficient surface sampling of powders and granules. Alternatively they can be used for dispensing small quantities.

- Moulded & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming polystyrene (PS)
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)






















SteriWare® FoodSpoon

Highly Visible Sampling spoon

The blue FoodSpoon from Sampling Systems is ideal for sampling small amounts of powder and dispensing small quantities.

The sampling spoons are manufactured from food grade material. The bright blue colour means they are highly visible and easy to spot if left in most powders or granules (in line with HACCP guidelines).

Each spoon is individually bagged and can be used straight from the bag.

- Moulded & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming Polypropylene (PP)
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)







e-mail: info@sampling.com









Part No.	Nominal Spoon Volume	Colour	Pre-sterilised	Overall Length	Material	Quantity per Box
8088B-10	10ml	Blue	No	185mm	PP	100
8088B-10S	10ml	Blue	Yes	185mm	PP	100

Disposable Food Spoons are also available in other materials on request. Please contact us for details.

Tel: +44 (0)1675 466992



SteriWare® Volumetric Spoons

Single use, accurate measuring spoons







Volumetric Spoons allow small volumes to be accurately measured. The Volumetric Spoons are designed to be used straight from the bag.

- Moulded & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming HDPE
- BSE/TSE Free
- Full Batch Traceability

NB. Volumetric spoons are not certified measuring devices. User validation is required. If in doubt please contact us















Part No.	Flat Fill Volume	Bowl Diameter	Overall Length	Pre-sterilised	Material	Quantity per Box
8640H-01	1ml	18mm	153mm	No	HDPE	100
8640H-01S	1ml	18mm	153mm	Yes	HDPE	100
8640H-0123S	1.23ml	18mm	155mm	Yes	HDPE	100
8640H-0246S	2.46ml	23mm	160mm	Yes	HDPE	100
8640H-05	5ml	29mm	165mm	No	HDPE	100
8640H-05S	5ml	29mm	165mm	Yes	HDPE	100
8640H-10	10ml	35mm	171mm	No	HDPE	100
8640H-10S	10ml	35mm	171mm	Yes	HDPE	100
8640H-20	20ml	43mm	180mm	No	HDPE	100
8640H-20S	20ml	43mm	180mm	Yes	HDPE	100



SteriWare® Well Packed

All our SteriWare products are packed into high quality boxes

It is our priority that your SteriWare products will arrive safely and in good condition.

See the difference with SteriWare.



SteriWare® Micro-Spatulas

Ideal for handling small quantities of powders & granules





The Disposable Micro-Spatula is ideal for sampling small volumes. Its narrow sampling blade enables samples to be taken from very small containers such as vials.

- Moulded & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming materials
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)
- Different blade widths available from stock. Ideal for smalls vial or sample containers
- Also available in HDPE for extra chemical resistance







e-mail: info@sampling.com









Part No.	Nominal Sample Volume	Pre- Sterilised	Colour	Material	Blade Width x Length	Overall Length	Quantity per Box
8015V-170	0.3ml	No	White	PS	4 x 40mm	170mm	100
8015V-170S	0.3ml	Yes	White	PS	4 x 40mm	170mm	100
8015N-170	0.5ml	No	White	PS	6 x 40mm	170mm	100
8015N-170S	0.5ml	Yes	White	PS	6 x 40mm	170mm	100
8015A-170	2ml	No	White	PS	13 x 40mm	170mm	100
8015A-170S	2ml	Yes	White	PS	13 x 40mm	170mm	100
8015NR-170S	0.5ml	Yes	Red	PS	6 x 40mm	170mm	100
8015H-170	2ml	No	White	HDPE	13 x 40mm	170mm	100
8015H-170S	2ml	Yes	White	HDPE	13 x 40mm	170mm	100



SteriWare® Liquid Funnel

- Moulded & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming HDPE
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)
- Small hygienic side handle





Part No.	Top Diameter	Spout Diameter	Overall Height	Pre-Sterilised	Material	Quantity per Box
8370H-100	100mm	12mm	125mm	No	HDPE	100
8370H-100S	100mm	12mm	125mm	Yes	HDPE	100
8370H-200	200mm	12mm	180mm	No	HDPE	20
8370H-200S	200mm	12mm	180mm	Yes	HDPE	10

SteriWare® Blue Liquid Funnel

- Moulded & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming PP
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)



Part No.	Top Diameter	Spout Diameter	Overall Height	Pre-Sterilised	Material	Quantity per Box
8370B-100	100mm	12mm	125mm	No	Blue PP	50
8370B-100S	100mm	12mm	125mm	Yes	Blue PP	50

S Storile Clasarroom P S Storik Coordinates Coordinate

SteriWare® Powder Funnel

The disposable Powder Funnel is ideal for transferring powders. Available both sterile and non sterile. Made from chemically resistant food grade HDPE.

- Individually bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming HDPE
- Cleanroom manufacture and packing (ensures cleanliness)
- Available from stock for fast delivery worldwide











Part No.	Top Diameter	Spout Diameter	Pre-Sterilised	Material	Quantity per Box
8111H-200	200mm	40mm	No	HDPE	10
8111H-200S	200mm	40mm	Yes	HDPE	10

SteriWare® Pallet Knife

- Moulded & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming **HDPE**
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)











Part No.	Blade Length	Blade Width	Overall Length	Pre-Sterilised	Material	Quantity per Box
8175H-150	150mm	40mm	260mm	No	HDPE	100
8175H-150S	150mm	40mm	260mm	Yes	HDPE	100
8175H-200	200mm	45mm	300mm	No	HDPE	100
8175H-200S	200mm	45mm	300mm	Yes	HDPE	100

SteriWare® Scraper

- Moulded & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming **HDPE**
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)











Part No.	Blade Length	Blade Width	Overall Length	Pre-Sterilised	Material	Quantity per Box
8785H-75	75mm	75mm	190mm	No	HDPE	100
8785H-75S	75mm	75mm	190mm	Yes	HDPE	100
8785H-110	110mm	110mm	225mm	No	HDPE	100
8785H-110S	110mm	110mm	225mm	Yes	HDPE	100

SteriWare® Blue Scraper

- Moulded & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming PP
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)



e-mail: info@sampling.com











Part No.	Blade Length	Blade Width	Overall Length	Pre-Sterilised	Material	Quantity per Box
8785B-75	75mm	75mm	190mm	No	Blue PP	100
8785B-75S	75mm	75mm	190mm	Yes	Blue PP	100





The new LiquiDip sampler from Sampling Systems is ideal for taking cross sectional or point samples of liquids. The valve on the base of the sampler automatically closes when it is pushed against the bottom of the container.

- Individually bagged Made from FDA, EC 1935/2004 & EU 10/2011 conforming materials
- Cleanroom assembly and packing (ensures cleanliness) Available both sterile and non sterile
- Available from stock for fast delivery worldwide
- No seal required




LiquiDip Mono

The LiquiDip Mono is ideal for taking cross sectional samples.

Operation

- Simply push into your container until it reaches the bottom.
- Push sampler against the container base to close the valve.
- Remove sampler and pour out.







Part No.	Nominal capacity	Pre-Sterilised	Length	Material	Quantity per Box
8920H-450	80ml	No	450mm	HDPE	20
8920H-450S	80ml	Yes	450mm	HDPE	20
8920H-1100	225ml	No	1100mm	HDPE	20
8920H-1100S	225ml	Yes	1100mm	HDPE	20

LiquiDip Duo - Both Cross Sectional and Point Sampling


The LiquiDip Duo is a versatile sampler for taking both cross sectional samples and point samples.


Point Sampling -

- Close the top valve.
- Push sampler into the liquid to the point required.
- Open top valve and let liquid flow in.
- Close top valve and remove sampler

Cross Sectional Sampling -

- Ensure the top and bottom valves are open
- Push sampler into the container until it reaches the bottom.
- Push sampler against the container base to close the valve.
- Close top valve with hand to ensure liquid is trapped inside

















Part No.	Nominal Capacity	Pre-Sterilised	Length	Material	Quantity per Box
8921H-450	80ml	No	450mm	HDPE	20
8921H-450S	80ml	Yes	450mm	HDPE	20
8921H-1100	225ml	No	1100mm	HDPE	20
8921H-1100S	225ml	Yes	1100mm	HDPE	20



SteriWare® Jugs (Graduated)

Our range of class leading jugs are available pre sterilised so cleaning becomes a thing of the past. The ergonomic handle is rounded to make it comfortable to hold and use.

These jugs are graduated.

- Moulded and packed in a cleanroom
- Individually Bagged
- Graduation marks
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming HDPE
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)








Part No.	Nominal Volume	Pre-Sterilised	Diameter	Height	Material	Quantity per Box
8432P-500	500ml	No	90mm	130mm	PP	35
8432P-500S	500ml	Yes	90mm	130mm	PP	35

SteriWare[®] Jugs

These disposable Jugs have a wide base which makes them very stable. The handle is rounded to make it comfortable to hold.

These jugs are non-graduated.

- Moulded and packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming **HDPF**
- BSE/TSE Free
- Full Batch Traceability























SteriWare® ViscoThief

Single Use Sampler for High Viscosity Liquids

The Disposable ViscoThief is ideal for sampling viscous materials such as oils, creams, shampoo and honey.


Simple to operate. Takes a sample within seconds.

- Assembled & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming materials
- BSE/TSE Free
- Full Batch Traceability
- Suitable for use in ATEX areas (500mm and 1000mm lengths only)
- Ergonomic handle
- Available Sterile (gamma irradiated*)

Operation:

- I. Insert the sampler into the product
- 2. At the required depth pull up the handle. The sample will be drawn into the sampler
- 3. Withdraw sampler
- 4. Push down handle to expel the sample

Note: The further the handle is pulled the greater the sample volume









33

Part No.	Sampler Length	Pre-Sterilised	Max. Sample Volume	Outer Diameter	Material	Quantity per Box
8055H-500	500mm	No	100ml	21mm	HDPE	20
8055H-500S	500mm	Yes	100ml	21mm	HDPE	20
8055H-1000	1000mm	No	190ml	21mm	HDPE	20
8055H-1000S	1000mm	Yes	190ml	21mm	HDPE	20
8055H-1500	1500mm	No	300ml	21mm	HDPE	20
8055H-1500S	1500mm	Yes*	300ml	21mm	HDPE	20
8055P-500	500mm	No	100ml	21mm	PP	20
8055P-1000	1000mm	No	190ml	21mm	PP	20

For low viscosity liquids such as water use the LiquiThief (see page 35)

Tel: +44 (0)1675 466992

^{* 8055}H-1500S samplers are sterilised by Electron Beam

Part No.

8053H-50

8053H-50S

8053B-50

8053B-50S



SteriWare® Ladle

Efficient surface sampling of liquids

The SteriWare Ladle is ideal for the surface sampling of liquids. They can be used straight-from-the-bag; simply unwrap and

The one piece moulded design has been specially constructed to go through a standard 2'' lid bung. 2'' bungs are standard

features on many barrels and kegs.

- Moulded & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming materials
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)
- Available from stock





Pre-Sterilised

No

No





40







Qeanroom Items certificates
Quantity per Box
40
40
40

SteriWare Tweezers (Forceps)

Nominal Volume

50ml

50ml

50ml

50ml

Diameter

48mm

48mm

48mm

48mm

Colour

Natural

Natural

Blue

Blue

The disposable tweezers (forceps) from Sampling Systems are ideal for picking up items up to 25mm wide. The special design means they can pick up both small and large items. Available pre-sterilised as an option for the more demanding applications

- Individually bagged
- FDA and EU 10/2011 conforming material
- Cleanroom manufacture and packing (ensures cleanliness)
- Available from stock for fast delivery worldwide





Material of Construction

HDPE

HDPE

PP












Part No.	Length	Width	Pre-Sterilised	Material of Con- struction	Quantity per Box
8025H-115	115mm	10mm	No	HDPE	100
8025H-115S	115mm	10mm	Yes	HDPE	100



SteriWare® LiquiThief

Sampling Systems revolutionised liquid sampling with the introduction of the LiquiThief. This sampler is ideal for use with low viscosity liquids (e.g. water).


- Assembled & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming materials
- BSE/TSE Free
- Full Batch Traceability
- Suitable for use in ATEX areas (500mm and 1000mm lengths only)
- Available Sterile (gamma irradiated*)



Operation:

- 1. Insert the sampler into the product
- At the required depth pull up the handle. The sample 2. will be drawn into the sampler
- 3. Withdraw sampler
- 4. Push down handle to expel the sample

Note: The further the handle is pulled the greater the sample volume







e-mail: info@sampling.com



Part No.	Sampler Length	Pre-Sterilised	Max Sample Volume	Outer Diameter	Material	Quantity per Box
8050H-500	500mm	No	100ml	21mm	HDPE	20
8050H-500S	500mm	Yes	100ml	21mm	HDPE	20
8050H-1000	1000mm	No	190ml	21mm	HDPE	20
8050H-1000S	1000mm	Yes	190ml	21mm	HDPE	20
8050H-1500	1500mm	No	300ml	21mm	HDPE	20
8050H-1500S	1500mm	Yes*	300ml	21mm	HDPE	20
8050P-500	500mm	No	100ml	21mm	PP	20
8050P-1000	1000mm	No	190ml	21mm	PP	20

For high viscosity liquids such as oils and creams see the ViscoThief on page 33

* 8050H-1500S samplers are sterilised by Electron Beam

Tel: +44 (0)1675 466992



SteriWare® Jumbo Pipettes


Low Cost Disposable Liquid Samplers

Jumbo Pipettes are quick and easy to use. They are ideal for taking samples from low viscosity liquids.

The 1100mm size is ideal for sampling 200 litre (45 gallon) drums. It means you can reach the bottom of the container but your hand remains clear of the top.

- Assembled & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming HDPE
- BSE/TSE Free
- Full Batch Traceability
- Suitable for use in ATEX areas (450mm and 900mm lengths only)
- Highly visible colour coded handle
- Available Sterile (gamma irradiated)









8051H-1100 8051H-900 8051H-450

Unique Benefit

A unique feature of the Jumbo Pipette

To avoid handling errors one end of the Jumbo Pipette is colour coded blue




Part No.	Overall Length	Overall Diameter	Internal Diameter	Pre- Sterilised	Max. Sample Volume	Material	Quantity per Box
8051H-450	450mm	21mm	17mm	No	80ml	HDPE	50
8051H-450S	450mm	21mm	17mm	Yes	80ml	HDPE	50
8051H-900	900mm	21mm	17mm	No	180ml	HDPE	50
8051H-900S	900mm	21mm	17mm	Yes	180ml	HDPE	50
8051H-1100	1100mm	21mm	17mm	No	225ml	HDPE	50
8051H-1100S	1100mm	21mm	17mm	Yes	225ml	HDPE	50



Thumb Tube Pipettes

Thumb Tube Pipettes are a very quick and easy way of obtaining a liquid sample from a low/medium viscosity liquid.

- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming materials
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)





Operation

- Press thumb onto tube until you are at the sampling
- Raise thumb until levels equalise
- 3. Cover the end of the tube to seal in the sample

Tel: +44 (0)1675 466992





e-mail: info@sampling.com



SteriWare® Powder Bottle

Individually Bagged Bottles Made in a Cleanroom

SteriWare Powder Bottles are a new premium screw top bottle from Sampling Systems. They are designed to meet the requirements of the pharmaceutical and hygienic

Powder Bottle are moulded and packed in a Class 100,000 cleanroom. The bottles have a wide opening and so are ideal when working with powders.





- Powder tight
- Available in 250ml and 500ml sizes
- Other sizes to follow
- Manufactured & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming PP
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)















Part No.	Nominal Volume	Pre-Sterilised	Overall Height	Outer Diameter	Material	Qty per box
8890P-250	250ml	No	88mm	76mm	PP	50
8890P-250S	250ml	Yes	88mm	76mm	PP	50
8890P-500	500ml	No	106mm	94mm	PP	37
8890P-500S	500ml	Yes	106mm	94mm	PP	37



Sample kit

Containing sterile Scoop and a sterile Sample Bag

The Sample Kit contains everything you need to take powder samples. Everything in the kit has been sterilised by gamma irradiation to help ensure the quality of your samples.

The kit comprises of 10 outer bags and each outer bag contains a SteriWare PharmaScoop 30ml and a PureBag.

The PharmaScoop is made and packed in a Class 100,000 cleanroom and is made from FDA & EU acceptable polystyrene.

The PureBags have a large writing area and are sterile.

- PharmaScoop 30ml (see pages 8 & 9)
- PureBag 900ml (see page 124)
- Both items are pre-sterilised

Operation

- 1. Open outer bag and remove Scoop and PureBag
- 2. Write sample details on the PureBag
- 3. Use Scoop to take sample
- 4. Place Scoop and sample inside the PureBag
- 5. Seal the PureBag













Part No.	Nominal Scoop Volume	Scoop Material	PureBag Material	Qty per box
8480A-30S	30ml	PS (sterile)	LDPE (sterile)	10 scoops & 10 PureBags

Why Use a Disposable Sampler?

Quality

- Cross-contamination risk is eliminated the device can

- 0, 1 & 2 (contact Sampling Systems for full details)

Financial

reusable sampler than to buy a disposable sampler)

Speed

Tel: +44 (0)1675 466992



e-mail: info@sampling.com



SteriWare® Bowls

Ideal for handling and mixing Powders and Liquids

The Disposable Bowl is ideal for pre-mixing potent drugs and highly coloured substances prior to blending.

- Moulded & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming **HDPE**
- BSE/TSE Free
- Full Batch Traceability
- Suitable for use in ATEX areas
- Available Sterile (gamma irradiated)













Part No.	Nominal Volume	Diameter	Pre-Sterilised	Material of Construction	Quantity per Box
8017H-05	500ml	129mm	No	HDPE	100
8017H-05S	500ml	129mm	Yes	HDPE	100

Sterile Mixing Bowl

The 3 litre mixing bowl from Sampling Systems is ideal for laboratories, production and small scale work.

- Individually wrapped
- Sterilised by irradiation
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming HDPE
- Robust construction
- Call us for a free sample
- BSE/TSE free











Part No.	Nominal Volume	Diameter	Height	Pre-Sterilised	Material of Construction	Quantity per Box
8017H-30	3000ml	256mm	109mm	No	HDPE	15
8017H-30S	3000ml	256mm	109mm	Yes	HDPE	15





Powder Samplers





www.sampling.com

e-mail: info@sampling.com



PowderThief

Best Selling Powder Thief

The PowderThief was originated by Sampling Systems over 25 years ago and is now a world leader in powder sampling. It is extensively used throughout the pharmaceutical, chemical and food industries around the world.

The PowderThief is suitable for sampling free flowing powders and granules. A range of tips is available so that a single sampler body can be used to accurately sample a range of different volumes.

- For sampling free flowing powders
- Made from high quality 316L stainless steel
- Wide range of sizes

Tips - various sizes can be attached to the same body to allow different volumes to be sampled










Operation

- 1. Insert the sampler into the product, ensure that the tip is inside the outer tube.
- 2. At the required depth pull up the outer tube to expose the tip. Powder will flow in around the tip.
- 3. Push down the outer tube to trap the sample.
- 4. Withdraw sampler.
- 5. Pull up the outer tube to release the sample.









Sampler Bodies

Part No.	Sampler Length	Body Diameter
1030A-300	300mm	12.5mm
1030A-600	600mm	12.5mm
1030A-1000	1000mm	12.5mm
1030A-1500	1500mm	12.5mm
1030A-2000	2000mm	12.5mm
1030B-600	600mm	19mm
1030B-1000	1000mm	19mm
1030B-1500	1500mm	19mm
1030B-2000	2000mm	19mm
1030C-600	600mm	25mm
1030C-1000	1000mm	25mm
1030C-1500	1500mm	25mm
1030D-600	600mm	32mm
1030D-1000	1000mm	32mm
1030D-1500	1500mm	32mm

Options	Sto	aning brushes rage cases - Certification	See page 168 See pages 170-171 See page 180	
1030D-2000		2000mm	32mm	
1030D-1300		150011111	3211111	

Sampling Tips

A range of standard tip sizes is available for each body diameter. Special sizes available on request.

Part No.	Tip Sizes	Tip to suit Body Diameter
1030AT-025	0.25ml	12.5mm
1030AT-050	0.50ml	12.5mm
1030AT-075	0.75ml	12.5mm
1030AT-100	1.00ml	12.5mm
1030AT-150	1.50ml	12.5mm
1030BT-2	2ml	19mm
1030BT-3	3ml	19mm
1030BT-5	5ml	19mm
1030BT-8	8ml	19mm
1030BT-10	10ml	19mm
1030CT-10	10ml	25mm
1030CT-20	20ml	25mm
1030CT-25	25ml	25mm
1030DT-20	20ml	32mm
1030DT-25	25ml	32mm
1030DT-50	50ml	32mm
1030DT-100	100ml	32mm

... also available is a single use, disposable PowderThief

The Disposable PowderThief works in the same way as the stainless steel Powder Thief (above). Disposable samplers have the advantage that they can be used straight from the bag and never need to be cleaned, thereby saving you time and money as well as eliminating the risk of cross contamination.

See pages 20 & 21 for more information







e-mail: info@sampling.com

Tel: +44 (0)1675 466992

www.sampling.com

43



Mono Pocket Sampler

Single Point Zone Sampler

The Mono Pocket Sampler is ideal for taking bulk samples from a single point. The Mono Pocket Sampler is suitable for sampling free flowing powders and granules.

The robust body is made from 316L stainless steel and is available in 3 convenient lengths.

- For sampling free flowing powders
- Chemically resistant 316L stainless steel construction
- Easy clean design
- Fast delivery anywhere in the world (available from stock)

Operation

The Mono Pocket Sampler is quick and easy to use:

- 1. Close the sampler by turning the handle.
- 2. Push into the powder/granules
- 3. Rotate the handle to open the sampler
- Close the sampler by rotating the sampler
- 5. Remove the sampler
- 5. Transfer sample to bottle or bag











Part No.	Nominal Length	Nominal Sample volume	Sampler Diameter	Material
1430S-600	600mm	20ml	25mm	316L stainless steel
1430S-1000	1000mm	20ml	25mm	316L stainless steel
1430S-1500	1500mm	20ml	25mm	316L stainless steel
Additional Tips	See page 44 (for rounded of	or very pointed tips)		
Cleaning Brushes	See page 168			
Storage Cases	See pages 170-171			
XRF Certification	See page 180			

Additional Tips

Interchangeable tips for stainless steel samplers

Many stainless steel samplers are available with interchangeable tips. Choose the best tip for your product and equipment.

Samplers are supplied with a Standard Tip.

Standard Tip Ideal for use with most powders

Pointed Tip Use with hard, dense powders

Rounded Tip Use when you do not want to min

Use when you do not want to minimise the risk of damaging your equipment.









Part No.	Description	To Suit Sampler Diameter	Material
TIP-25S	Standard Tip - 25mm	25mm	316L ss
TIP-25R	Rounded Tip - 25mm	25mm	316L ss
TIP-25P	Long Pointed Tip - 25mm	25mm	316L ss
TIP-40S	Standard Tip - 40mm	40mm	316L ss
TIP-40R	Rounded Tip - 40mm	40mm	316L ss
TIP-40P	Long Pointed Tip - 40mm	40mm	316L ss



Sleeve Sampler

Large Volume Sampling From Depth

The Sleeve Sampler is ideal for sampling large volumes at great depths. The Sleeve Sampler is suitable for sampling free flowing powders and granules.

Various sized chambers can be attached to the same handle to allow different sample volumes to be taken.


- Single Point Sampler
- Suitable for sampling free flowing powders
- 316L stainless steel, bright finish
- Adjustable Length use extension rods to make the sampler the length you require

The heavy duty handle and extension rods have been designed to be extremely strong and robust to allow samples to be taken from depths up to 6m (after about 6m the sampler becomes too heavy).



Operation:

- 1. Screw the Sample Chamber onto the handle and insert the sampler into the product.
- At the required depth pull up the sampler slightly. This will force the sleeve down so that product can fall into the Sample Chamber.
- Remove sampler.
- To empty sampler either pour sample out of filling port or unscrew the tip.







Use extension rods (1035E-1000 or 1035E-1500) to increase the reach of the sampler



Handles & Extension Rods				
Part No.	Description	Length		
1035A-1000	Heavy Duty Handle - 316L ss	1000mm		
1035A-1500	Heavy Duty Handle - 316L ss	1500mm		
1035E-1000	Heavy Duty Extension Rod - 316L ss	1000mm		
1035E-1500	Heavy Duty Extension Rod - 316L ss	1500mm		
Storage Cases	See pages 170 - 171			
XRF Certification	See page 180			

Tel: +44 (0)1675 466992

Sample Chambers					
Part No.	Material	Chamber Volume			
1035T-100	316L ss	100ml			
1035T-150	316L ss	150ml			
1035T-200	316L ss	200ml			

e-mail: info@sampling.com



Point Sampler

Large Volume Sampling from a set point

The Point Sampler from Sampling Systems is ideal for taking samples at a specified depth. It can be used for sampling both free flowing and sticky, cohesive powders.

- Large 100ml sample size
- 316L stainless steel
- Suitable for use with free flowing and cohesive powders

Operation

- Ensure the sampling window is closed and then push sampler into the product to the required sampling depth
- Rotate sampler through 360° this will open the sampling window and push the surrounding product into the sample collecting chamber
- 3. Rotate the sampler backwards through 360° to close the sampling window
- 4. Withdraw the sampler







Part No.	Handle Length	Nominal Sample Volume	Material
1640A-1000	1000mm	100ml	316L stainless steel
1640A-2000	2000mm	100ml	316L stainless steel

Stainless Spoons 316L ss



- 316L stainless steel construction
- Crevice free
- Bowl & flat ends
- Satin finish

Part No.	Nominal Bowl Volume	Nominal Overall Length	Material
A506-300	10ml	300mm	316L stainless steel
A506-600	10ml	600mm	316L stainless steel
A506-1000	10ml	1000mm	316L stainless steel







Silo Rocket Sampler

500ml Sampler from Depth

Bulk sampling is easy with the Silo Rocket. The Silo Sampler is ideal for sampling pharmaceuticals, cosmetics and food stuffs. The design allows rapid point sampling of powders and granules in silos, tankers, lorries and general bulk bins. To take a sample simply insert the sampler into your material and then rotate the handle to take the sample. After sampling remove the sampler.

The Silo Rocket is manufactured from high grade 316L stainless steel. The tip is machined from solid to ensure that the sampler is easy to clean.

The Silo Rocket has an extra wide handle to give sufficient leverage when sampling dense powders.

- Suitable for use with free flowing and cohesive powders
- Made from 316L stainless steel
- Available in different lengths
- Easy to clean
- Available from stock for fast delivery worldwide







			316L Download certificates
Part No.	Handle Length	Nominal Volume	Material
1985A-1000	1000mm	500ml	316L ss
1985A-1500	1500mm	500ml	316L ss
1985A-2000	2000mm	500ml	316L ss

The world's largest range of stainless steel scoops



Tel: +44 (0)1675 466992





See pages 138 to 141 for more information

e-mail: info@sampling.com

47



Sack Master

The World's Best Range of High Quality Sack Samplers





The Sampling Systems Sack Master range has been specially designed to take samples through the side of a sack.

A unique range of sample collection methods are available.

- Single point sampler
- Suitable for sampling free flowing powders and granules
- 316L stainless steel or HDPE

Operation:

- 1. Insert the sampler though the side of the sack.
- 2. Angle sampler downwards to allow the product to flow into the sample collecting container
- 3. Seal the hole using an ultra adhesive label (see pages 174 178).

A. Sack Sampler with Plain End

- Sample collecting bag is held over end of sampler
- Plain end







B. Sack Sampler with End Cap

- Cap screws on to end of Sack Sampler
- Easily removed for cleaning
- Sample is retained in Sack Sampler









C. Sack Sampler with Bottle Adapter

- Adapter screws on to end of Sack Sampler
- Sample is collected in either a 250ml or 500ml
- After sampling unscrew bottle and screw on the plastic bottle cap



			Items		
Part No.	Length	Diameter	End Fitting		
1320C-01	420mm	25mm	Bottle Adapter*		
* Sampler supplied with one 250ml Sample Bottle (Part no. 8165A-250)					









Jumbo Sack Sampler

Wide diameter Sack Samplers

Our new range of Jumbo Sack Samplers have been introduced to meet the demand of sampling larger items such as nuts, grains and larger granules from sacks.

The Jumbo sack samplers are available in 2 lengths and 3 different styles:

- Suitable for sampling free flowing powders and granules
- Plain style Simply hold over a bag
- End Cap The sample is held in the sampler until the sample is deposited
- Bottle adapter Sample drops straight into the bottle



Part No.	Length	Diameter	End Fitting	Material
1309A-400	400mm	40mm	Plain	316L ss
1309B-400	400mm	40mm	End Cap	316L ss
1309C-400	400mm	40mm	Bottle Adapter	316L ss
1309A-800	800mm	40mm	Plain	316L ss
1309B-800	800mm	40mm	End Cap	316L ss
1309C-800	800mm	40mm	Bottle Adapter	316L ss

1309C-400 and 1309C-800 are supplied with a 1000ml sample bottle (spare bottle part no. 8126H-1000).





Disposable Sack Sampler

Pre-Sterilised Disposable Samplers

The disposable Sack Sampler is a hygienic, single use device that has been specially designed to take samples through the side of a sack.

- Suitable for sampling free flowing powders and granules
- Individually Bagged
- FDA & EU 10/2011 Conforming Materials
- BSE/TSE Free
- Full Batch Traceability
- Suitable for use in ATEX zones 0,1 and 2
- Available Sterile (gamma irradiated)

Operation:

- 1. Insert the sampler through the side of the sack.
- Angle sampler downwards to allow the product to flow into the sample collecting bag
- Seal the hole with an ultra adhesive label (see pages 174-178)



e-mail: info@sampling.com









Part No.	Length	Diameter	Material		Pre-Sterilised	Quantity per Box
8085A-100	400mm	25mm	HDPE		No	100
8085A-100S	400mm	25mm	HDPE		Yes	100
8085N-100	400mm	14mm	HDPE		No	100
8085N-100S	400mm	14mm	HDPE		Yes	100
8080A-450	Sample Collecting Ba	ag 450ml - for hygienic	use - sterile	Qty: 1000 ba	ags	
8080A-900	Sample Collecting Ba	ag 900ml - for hygienic	use - sterile	Qty: 1000 ba	ags	

Tel: +44 (0)1675 466992




Powder Max

Large volume sleeve sampler

Designed for use with free flowing powders, granules and grains. The Powder Max enables large samples to be quickly and easily taken.

The Powder Max is made from 316L stainless steel.

- Large 150ml sample size
- 316L stainless steel
- Suitable for use with free flowing powders and granules



Operation

- 1. Insert sampler into the product.
- This action forces the sleeve upwards covering the sample hole and stopping powder from entering.
- On pulling the sampler upwards, the sleeve moves down and the product can now enter the sampler.
- 4. Invert sampler to discharge the sample.







Part No.	Overall Length	Stainless Steel	Diameter	Max Sample Volume
1213A-01	1000mm	316L ss	40mm	150ml
Accessories	Cleaning brushes	See page 168		
	Storage Cases	See pages 170-171		
	XRF Certification	See page 180		





Telescopic Powder Sampler

Take Powder Samples up to 6m Deep


The Telescopic Powder Sampler is designed for use with free flowing powders, granules and grains. The handle can be quickly and easily extended to the desired length. The Telescopic Powder Sampler enables samples to be quickly and easily taken from depths of up to 6m.

- Telescopic rod extends up to 6m
- Range of different sized sample collecting Chambers
- 316L stainless steel construction with PTFE clutch

Operation

- Insert sampler into the product.
- This action forces the sleeve upwards covering the sample hole and stopping powder from entering.
- On pulling the sampler upwards, the sleeve moves down and the product can now enter the sampler.
- Withdraw the sampler
- Pull sleeve back to discharge powder







Telescopic sampler ideal for sampling large depths





51

Telescopic Handles

Part No.	Length	Material of Construction
5065S-1500	800 to 1500mm	316L stainless steel & PTFE
5065S-3000	1500 to 3000mm	316L stainless steel & PTFE
5065S-4500	1500 to 4500mm	316L stainless steel & PTFE
5065A-1200	600 to 1200mm	Aluminium & Plastic
5065A-2500	1250 to 2500mm	Aluminium & Plastic
5065S-2800	1020 to 3000mm	Aluminium & Plastic
5065A-3000	1000 to 3000mm	Aluminium & Plastic
5065A-4500	1500 to 4500mm	Aluminium & Plastic
5065A-6000	1500 to 6000mm	Aluminium & Plastic

Storage Cases	See pages 170-171
XRF Certification	See page 180

Sample Chambers

Part No.	Chamber Volume	Material
1035P-001	1ml	316L stainless steel
1035P-002	2ml	316L stainless steel
1035P-100	100ml	316L stainless steel
1035P-150	150ml	316L stainless steel
1035P-200	200ml	316L stainless steel

Special volumes available on request.



MicroThief


Ultra Low Volume Powder Thief

The MicroThief is suitable for taking very small volume samples of free flowing powders and granules. The MicroThief is easily adjusted so that the operator can vary the size of the sample being taken.

- Made from high quality 316L stainless steel
- Adjustable takes a range of sample sizes
- Simple to use

Operation

- Insert the sampler into the product, ensure that the tip is inside the sampler body.
- 2. At the required depth pull up the body to expose the tip. Powder will flow in around the tip.
- 3. Push down body of the sampler to trap the sample.
- 4. Withdraw sampler.
- 5. Pull up body to release the sample.















Download	
certificates	

Part No.	Nominal Sample Volume	Max. Sampling Depth	Material	Overall Diameter
1074A-350	Variable between 0.01 and 0.1ml	350mm	316L ss	5mm
1074A-500	Variable between 0.01 and 0.1ml	500mm	316L ss	5mm
Storage Cases	See page 170-171			
XRF Certification	See Page 180			



MicroMate

Ultra Low Volume Powder Sampler


The MicroMate is designed for low volume sampling of free flowing powders and granules. It is ideal for very low volume unit dose sampling.

The MicroMate can be easily adjusted so that it can take a range of sample sizes.

- Made from high quality 316L stainless steel
- Adjustable takes a range of sizes
- Simple to use



- Insert the sampler into the product. Ensure that the inner rod extends beyond the outer tube.
- At the required depth pull up the inner rod to draw the product into the sampler
- Withdraw sampler.
- Push down handle to release sample













Part No.	Nominal Sample Volume	Max. Sampling Depth	Material	Overall Diameter
1070A-350	Variable - up to 0.1ml	350mm	316L ss	5mm
1070A-500	Variable - up to 0.1ml	500mm	316L ss	5mm
Storage Cases	See page 170-171			
XRF Certification	See Page 180			

www.sampling.com

Tel: +44 (0)1675 466992



Measuring Scoop

Sampling Systems' Measuring Scoops are ideal for measuring fixed volumes of powder. They are made from high quality 316L stainless steel.

Special volumes are available on request.













Part No.	Volume of Scoop	Scoop Diameter	Scoop Depth	Overall Length	Material of Construction		
1900A-01	1ml	9mm	14mm	186mm	316L ss		
1900A-05	5ml	22mm	13mm	193mm	316L ss		
1900A-10	10ml	22mm	26mm	193mm	316L ss		
1900A-25	25ml	35mm	26mm	199mm	316L ss		
1900A-50	50ml	35mm	52mm	199mm	316L ss		
Please note these are not certified measuring containers. Contact us for more information							

Cement Sampler

Quickly and easily take samples from tankers

The lightweight cement sampler is the ideal choice when you are looking to quickly take a sample throughout a tanker.

- Lightweight
- Easy to use
- Cross sectional sample
- Patented design
- 2m long






The Cement Sampler allows fast sampling from tankers etc. It was designed for the cement industry but can be used on a wide range of free flowing powders .

The sample is a cross section through the tanker(from top to bottom). The sample size is approximately 8 litres from a bulk depth of 1.5 metres.

Easy handling: The open tube will penetrate the product to the desired depth. When retracting the patented valve is closed and the sample inside the tube can be withdrawn.

The cement sampler is suitable for free flowing powders with a bulk weight of



				•	
Part No.	Material of Construction	Outside Diameter	Weight	Maximum Sampler Volume	Sampler Length
1120A-01	PP & stainless steel	90mm	1.5kg	8 litres	2000mm

Note: The cement sampler is not suitable for hygienic GMP sampling



U-D Sleeve Sampler

The U-D Sleeve Sampler is extensively used in the pharmaceutical industry for accurate, small volume sampling of free flowing powders and granules. It is ideal for Unit Dose Sampling.


- Single Point Unit Dose Sampler
- Suitable for use with free flowing powders and granules
- 316L stainless steel
- Use extension rods to increase the length of the sampler

Operation

- Insert the sampler into the product.
- At the required depth pull up the sampler slightly (this upwards action will force the sleeve down the sample chamber and expose the ports) the product can then fall into the sample chamber.
- As the sampler is removed the excess powder will fall out of the overflow leaving an accurate volume of powder in the sample chamber.



U-D Sleeve Sampler Set (1500S-01) - The set includes a range of 10 interchangeable tips to allow different sample volumes to be taken. Extension rods allow samples to be taken from a depth of up to 3m.



Sampler

Push Sampler into the product



Self-levelling for an accurate sample volume



Different Volume Sampling Tips can be fitted to the same chamber







Part No.	Description	
1500S-01	U-D Sleeve Sampler Set	
	Includes: $1 \times T$ -bar handle - 600 mm $4 \times handle$ extension rods - 600 mm $1 \times T$ ype 1 sample chamber (for Tips 0.1 to 1.2 ml)	1 x Type 2 sample chamber (for Tips 1.3 to 2.5ml) 10 x Sampling tips* (0.1ml to 2.5ml - see below) 1 x High Quality Sampler Case - lockable
1500A-01	T Bar Handle 600mm	

1500A-01	T Bar Handle 600mm
1500A-02	Handle Extension 600mm
1500A-03	Sample Chamber - Type 1 (for Tips 0.1 to 1.2ml)
1500A-04	Sample Chamber - Type 2 (for Tips 1.3 to 2.5ml)
1500C-01	High Quality Sampler Case - lockable - with cut outs for sampler components
XRF Certification	XRF Certification (see page 180)

Sampling Tips	How to Order a Tip	:
Tips are available in all sizes from 0.1ml to 2.5ml in 0.1ml increments. (0.1ml, 0.2ml, 0.3ml, 0.4ml etc.)	Use part number Example:	1500W-XX where XX is the tip size 1500W-07 0.7ml tip 1500W-23 2.3ml tip

* When ordering 1500S-01 please list the ten Sampling Tips that you require

Tel: +44 (0)1675 466992

e-mail: info@sampling.com



U-D Cohesive Sampler

Unit Dose Sampler for Cohesive Powders

A popular sampler in the pharmaceutical industry for taking low volume (unit dose) cohesive powder samples. Allows accurate samples to be taken.


- Single Point Unit Dose
- 316L stainless steel
- Suitable for use with sticky, cohesive powders





Operation

- . Insert the sampler into the product.
- 2. At the required depth push down the handle and rotate it through 180°.
- 3. Pull up sampler slightly (to fill the cell), then rotate handle 180° (to lock cell in closed position).
- Remove sampler









Part No.	Description					
2000S-01	U-D Cohesive Sampler Set - consisting of: 1 off Handle, Sample Cells - 1 each of: 0.25ml, 0.5ml, 0.75ml and 1.0ml 1 off Standard Sampler Case					
2000A-1000	Sampler body with 1000mm handle length - 316L ss					
2000T-025	Sample Collecting Cell 0.25ml - 316L ss					
2000T-050	Sample Collecting Cell 0.5ml - 316L ss					
2000T-075	Sample Collecting Cell 0.75ml - 316L ss					
2000T-100	Sample Collecting Cell 1.0ml - 316L ss					
8020N-1100	Cleaning Brush - 1100mm length - narrow style					
	Storage Cases - see pages 170-171					
	XRF Certification - see page 180					



Multi Thief

Multilevel Powder Sampler with variable Sample Volumes

The Multi Thief is ideal for taking multilevel samples from free flowing powders and granules.

The sample volume can be quickly and easily changed by changing removable sample cells.

- 316L stainless steel construction
- Variable sample volumes 5ml to 60ml
- Range of sampler lengths
- Suitable for free flowing powders and granules






Operation:

- Select the correct volume inserts and fit them into the inner rod.
- 2. Slide the assembled inner rod into the outer tube
- 3. Insert the sampler into the product, turn the handle to expose the sampling cells to the product.
- 4. Turn the handle so no sampling inserts are exposed then remove the sampler from the product.
- 5. Remove the inner rod from the outer sleeve, the individual Sampling Inserts can then be easily removed for analysis.







Part No.	Sampler Length	Diameter	No. of Inserts Required	Material of Construction
1290K-1000	1000mm	40mm	3	316L stainless steel
1290K-1500	1500mm	40mm	4	316L stainless steel
1290K-2000	2000mm	40mm	4	316L stainless steel

Sample Inserts	
Inserts are availab	le any volume from 5ml up to 60ml
1290W-XX	Sample Insert where XX = sample volume in ml e.g. 1290W-25 = insert with 25ml sample volume
Additional Tips	See page 44 (for rounded or very pointed tips)
Cleaning Brushes	See page 168
Storage Cases	See pages 170-171
XRF Certification	See page 180

Tel: +44 (0)1675 466992



Slot Sampler

Multilevel Sampler gives a Single Composite Sample





Slot Samplers are supplied with pointed tips. Rounded Tips are available as an option.



A Slot Sampler taking a sample from a drum


The Slot Sampler is ideal for taking a large volume, cross sectional sample from a container. The sampler has a robust all stainless steel construction and is suitable for sampling free flowing powders and granules.

- Cross section, composite sample
- Suitable for taking large volume samples



Operation:

- 1. Insert the sampler into the product
- 2. Turn the handle to open the slot the product can now be collected in the central tube
- 3. Turn the handle to close the slot
- 4. Remove the sampler
- 5. Invert the sampler to discharge the sample





The Slot Sampler is available with a bottle holder. This enables the sample to be emptied directly into a bottle.



Sample being discharged from a Standard Slot Sampler without a Bottle Holder

- Improved Containment
- Save time

8165A-250

8165A-500

• Can be used with either a 250ml or 500ml bottle

Part No.	Bottle Holder	Sampler Length	Outer Diameter	Material	Maximum Sample Volume	No of Slots
1210A-300	No	300mm	25mm	316L stainless steel	45ml	3
1210A-600	No	600mm	25mm	316L stainless steel	110ml	3
1210A-1000	No	1000mm	25mm	316L stainless steel	190ml	4
1210A-1500	No	1500mm	25mm	316L stainless steel	300ml	5
1210A-2000	No	2000mm	25mm	316L stainless steel	370ml	5
1210B-600	Yes*	600mm	25mm	316L stainless steel	110ml	3
1210B-1000	Yes*	1000mm	25mm	316L stainless steel	190ml	4
1210B-1500	Yes*	1500mm	25mm	316L stainless steel	300ml	5
1210K-1000	No	1000mm	40mm	316L stainless steel	750ml	3
1210K-1500	No	1500mm	40mm	316L stainless steel	1000ml	4
1210K-2000	No	2000mm	40mm	316L stainless steel	1300ml	4
1210J-900	No	900mm	50mm	Aluminium	880ml	3
1210J-1500	No	1500mm	50mm	Aluminium	1700ml	5
1210J-2500	No	2500mm	50mm	Aluminium	2900ml	7

Additional Tips	See page 44 (for rounded or very pointed tips)			
Cleaning brushes	See page 168			
Storage Cases	See page 170-171			
XRF	Material certification verified by XRF (see page 180)			
* Don't forget to order a sample collecting bottle				

See page 17 for Disposable Slot Samplers

Sample collecting bottle - 250ml. HDPE

Sample collecting bottle - 500ml. HDPE

Tel: +44 (0)1675 466992



59



Pocket Sampler


Multilevel Sampler for taking discrete samples

The Pocket Sampler is used in thousands of pharmaceutical and industrial manufacturing facilities all over the world. The Pocket Sampler is ideal for taking discrete samples from free flowing powders and granules. The sampler is available in a range of sizes and designs.

Its robust stainless steel design means it will give years of service.

Operation:

- 1. Insert the sampler into the product
- At the required depth rotate handle to expose the collecting pockets, the product will flow into the collecting pockets
- 3. Rotate handle to close pockets and remove sampler
- 4. See below for details on how to empty the sampler





Emptying Rack

- Enables the samples to be deposited directly into collecting bottles
- All stainless steel construction
- Supplied complete with stainless steel funnels







Bayonet Handle

- Allows simple operation
- Quick disconnect system so sampler can be dismantled in seconds.
- Robust design

(Bayonet handle is available on the 1220A and 1220B models)

Sealing Sleeves

- Enables one pocket to be emptied at a time
- Simply clip on to cover the pockets that you do not want to empty
- Easy to remove

Tips

- Samplers are supplied with pointed tips as standard
- Rounded tips are available as an option















Part No.	Outer Tube	Inner Rod	Outer Diameter	Number of Pockets	Volume of each Pocket	Sampler Length
1220A-600	316L stainless	PTFE	25mm	3	15ml	600mm
1220A-900	316L stainless	PTFE	25mm	3	20ml	900mm
1220A-1500	316L stainless	PTFE	25mm	5	20ml	1500mm
1220B-300	316L stainless	316L stainless	25mm	3	10ml	300mm
1220B-600	316L stainless	316L stainless	25mm	3	15ml	600mm
1220B-900	316L stainless	316L stainless	25mm	3	20ml	900mm
1220B-1500	316L stainless	316L stainless	25mm	5	20ml	1500mm
1220J-900	316L stainless	316L stainless	40mm	3	90ml	900mm
1220J-1500	316L stainless	316L stainless	40mm	4	90ml	1500mm
1220J-2000	316L stainless	316L stainless	40mm	4	90ml	2000mm

Accessories	
8005A-01	Sealing Sleeve Set - Covers pockets - set of 3 sleeves (25mm diameter - suitable for 1220A and 1220B)
8005A-02	Sealing Sleeve Set - Covers pockets - set of 3 sleeves (40mm diameter - suitable for 1220J)
1220X-600	Emptying rack for 600mm sampler (25mm diameter - suitable for 1220A and 1220B)
1220X-900	Emptying rack for 900mm sampler (25mm diameter - suitable for 1220A and 1220B)
1220X-1500	Emptying rack for 1500mm sampler (25mm diameter - suitable for 1220A and 1220B)
1220Y-900	Emptying rack for 900mm sampler (40mm diameter - suitable for 12203)
1220Y-1500	Emptying rack for 1500mm sampler (40mm diameter - suitable for 12203)
1220Y-2000	Emptying rack for 2000mm sampler (40mm diameter - suitable for 12203)
LUG-1	Earthing connection point. See page 150

Additional Tips	See page 44 (for rounded or very pointed tips)
Cleaning brushes	See page 168
Storage Cases	See page 170-171
XRF	Material certification verified by XRF (see page 180)

Tel: +44 (0)1675 466992



AccuPod®

Minimise Sampling Error





The AccuPod® is the next generation in sampling technology. It combines a single use disposable Pod with a reusable stainless steel sample thief.

The AccuPod® is designed to minimise sampling error which can occur when a sample is transferred from one container to another. With the AccuPod® the sample remains in the pod until it is needed in the laboratory.

The AccuPod® is ideal for sampling free flowing powders and granules.



Coming soon please contact us for availability

The AccuPod® is simple to use.

- Insert the Pods into the sample thief
- Take sample
- After sampling click the lids onto the Pods
- Take the Pods to the laboratory
- Slide off the lid to access the sample



On Line Video



To find out more about the AccuPod® please

www.sampling.com/product_channel





It's as easy as 1, 2, 3







Pods

- Made from FDA, EU and EC compliant HDPE
- Initially available in 1ml and 5ml sizes. Other sizes to follow please contact us for details
- Supplied with lid (lid supplied loose in the bag)
- Individually bagged
- Made in a Class 8 (class 100,000) cleanroom
- Available pre sterilised (gamma irradiation)



Part No.	Nominal Volume	Sterile	Material	Pack Size
1360T-10	1ml	No	HDPE	ТВА
1360T-10S	1ml	Yes	HDPE	TBA
1360T-50	5ml	No	HDPE	ТВА
1360T-50S	5ml	Yes	HDPE	TBA

AccuPod® Sample Thief

- Made from 316L stainless steel
- Available in a range of different lengths
- Available from stock
- 25mm Diameter

Single Port

Part No.	Sampler Length	No. of Ports
1360A-600	600mm	1
1360A-1000	1000mm	1
1360A-1500	1500mm	1
1360A-2000	2000mm	1

Tel: +44 (0)1675 466992

Samplers with a bespoke number of ports available on request

Multi Port









Part No.	Sampler Length	No. of Ports
1360B-600	600mm	3
1360B-1000	1000mm	3
1360B-1500	1500mm	3
1360B-2000	2000mm	3



Unit Dose Sample Thief


Unit Dose Sampling made easy

The Unit Dose Sample Thief is a highly versatile sampler for taking multiple samples at multiple heights within the product.

The operator can quickly change the sample volume and the number of samples taken by simply changing the inner rod.

- Multilevel Unit Dose Sampling
- Ideal for sampling free flowing powders and granules
- Take one, two or three samples at each sampling height
- 316L stainless steel





- Select the correct Inner Rod and fit it inside the Outer Tube
- Insert the sampler into the product, turn the handle to expose the pockets to the
- Turn the handle to the original closed position, then remove the sampler from
- Remove the Inner Rod from the Outer Tube to expose the samples.

Maximum sample volume is 3ml per pocket

Ordering -

This sampler is made to order.

To place an order let us know:

- Length of sampler
- Number of sampling positions
- Number of samples to be taken at each sampling position (Do you require a Single, Double or Triple style sampler?)
- Volume of each sample

Please contact us to discuss you requirements.





Powder Trier

High Quality Trier - ideal for powders, granules & grains


The Sampling Systems Powder Trier is ideal for taking a large volume, cross sectional sample from a container. The sampler has a robust all stainless steel construction and is suitable for sampling cereals, grains, free flowing powders, granules and even slightly cohesive powders

- Cross section (composite sample)
- 316L stainless steel, bright finish
- Suitable for taking a large volume sample from compacted powders, grains etc.









Operation

- 1. Insert the sampler into the product
- 2. Turn the handle to open the slot the product can now be collected in the central tube

e-mail: info@sampling.com

- 3. Turn the handle to close the slot
- 4. Remove the sampler
- 5. Invert the sampler to discharge the sample

Note: The cutting scroll is not shown in the sketches







Part No.	Sampler Length	Number of Slots	Sampler Diameter	Maximum Sample volume	Material
1216A-600	600mm	3	25mm (excluding scroll)	110ml	316L ss
1216A-1000	1000mm	4	25mm (excluding scroll)	190ml	316L ss
1216A-1500	1500mm	5	25mm (excluding scroll)	300ml	316L ss

Additional Tips	See page 44 (for rounded or very pointed tips)
Cleaning brushes	See page 168
Storage Cases	See page 170-171
XRF Certification	See page 180

Tel: +44 (0)1675 466992



U-D Master

Unit Dose Sampling to meet FDA Guidelines

The patented U-D Master is designed for multilevel low volume sampling in the pharmaceutical industry. It is ideal for use with free flowing powders. By simply changing the sample inserts (cells) different volumes can be sampled. The sampler is available in two convenient diameters 22mm (Standard U-D Master) and 13mm (Micro U-D Master - please contact us for info).

- Manufactured from 316L stainless steel
- Satin polish (Ra< 1microns)
- Take Multiple Samples from the same Point
- · Range of sampler lengths
- Change the sample volume by changing the insert
- Special finishes and materials of construction available on request



Sample Inserts are available in a range of sizes from 0.1ml to 4.0ml, plus blank inserts



More than one sample can be taken from the same sampling point (see double or triple styles).



SINGLE Style Sampler

Collects ONE set of samples at each sampling point.

DOUBLE Style Sampler


Collects TWO sets of samples at each sampling point.

TRIPLE Style Sampler

Collects THREE sets of samples at each sampling point.

Operation:

- 1. Select the correct volume Inserts and fit them into the Inner Rod.
- Slide the assembled Inner Rod into the Outer Sleeve at the lowest sampling level
- Insert the sampler into the product, turn the handle to expose the sampling cells to the product.
- 4. Double and Triple Style samplers pull the handle to the next level to expose the next set of sampling cells.
- 5. Turn the handle so no Sampling Inserts are exposed then remove the sampler from the product.
- 6. Remove the Inner Rod from the Outer Sleeve, the individual Sampling Inserts can then be easily removed for analysis.



Drawing showing how the Double Style Sampler takes two samples from each sampling point.

U-D Master

identification

Sample Inserts are stamped with their volume for easy

Choose the right inserts to get the required sample volume









šL)	Video	Downle certifica

					Video
	Part No.	Sampler Length	Sampler Diameter	Number of Sampling Points	No. of Sampling Cells needed
SINGLE	1230A-300	300mm	22mm	5	5
Style Sampler	1230A-600	600mm	22mm	10	10
	1230A-900	900mm	22mm	6	6
	1230A-1200	1200mm	22mm	8	8
	1230A-1500	1500mm	22mm	10	10
	1230A-1800	1800mm	22mm	12	12
DOUBLE Chala Camples	1230B-600	600mm	22mm	5	10
Style Sampler	1230B-900	900mm	22mm	7	14
	1230B-1200	1200mm	22mm	8	16
	1230B-1500	1500mm	22mm	10	20
	1230B-1800	1800mm	22mm	12	24
TRIPLE	1230C-900	900mm	22mm	5	15
Style Sampler	1230C-1200	1200mm	22mm	7	21
	1230C-1500	1500mm	22mm	8	24
	1230C-1800	1800mm	22mm	10	30

Sample Inserts

Tel: +44 (0)1675 466992

Sample Inserts are available in 0.1ml increments from 0ml to 4ml.

Part Number is 1230T-XX (where XX = Cell Volume)

For Example - The Part Numbers for 1.2ml and 0.5ml Inserts are : 1230T -12 and 1230T-05 respectively 1230T-00 = Blank Insert

Accessories	Cleaning Brushes	See page 168
	Storage Case	See page 170-171
	XRF certification	See page 180





67



UD Tablet Maker

After Sampling make a Tablet to reduce Sampling Error

The U-D Tablet Maker is designed to compress the powder samples taken by the U-D Master. By compressing the sample it ensures that loose powder is not lost during handling, this helps to reduce sampling error.

Special Split Sample Cells need to be used in place of the standard sample cells. (Note: These inserts will only work with the standard U-D Master)

What Do I Need?

- The U-D Tablet machine (see table below)
- Special split samples cells (see table below)
- The correct tablet punches for the split sample cells (see table below)
- Sampler see Standard U-D Master (see pages 66 & 67)







Part No.	Description
1230TABLET	Tablet Compression Machine - manually operated - Size - 200mm x 400mm x 400mm high

Split Sample Inserts are available in 0.1ml increments from 0 to 3ml.

Part no. is 1230T-XXS (where XX= cell volume)
For example - The part number for 1.2ml and 0.5ml respectively are: 1230T-12S and 1230T-05S

1230P-01	Punch for use with 0.1ml split Sample Inserts
1230P-02	Punch for use with 0.2ml split Sample Inserts
1230P-03	Punch for use with 0.3, 0.4, 0.5 and 0.6ml split Sample Inserts
1230P-07	Punch for use with 0.7, 0.8, 0.9, 1.0 and 1.1ml split Sample Inserts
1230P-12	Punch for use with 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9 and 2.0ml split Sample Inserts
1230P-21	Punch for use with 2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9 and 3ml split Sample Inserts



Over 1 Million Stock Items

At our state of the art warehouse we keep over 1 million items in stock. Stock is controlled by

** SAMPLING SYSTEMS

Maxi Corer

The Maxi Corer is suitable for the surface sampling of powders and granules. It is can also take core samples.

- 316L stainless steel construction
- Two sizes
- Crevice free
- Satin finish







Part No.	Diameter	Overall Length	Scoop Length	Material
7010A-01	25mm	300mm	200mm	316L ss
7010A-02	25mm	600mm	500mm	316L ss

XRF Certification - See page 180

V Spatula

Multi Purpose Spatula

The V Spatula from Sampling Systems is ideal for surface sampling of powders and core sampling of viscous material like cheese, pastes and gels.

The 'V' shape allows easy discharge of the powders into containers or bags.

- 316L stainless steel
- Polished finish
- Fully welded, crevice free construction













Part No.	Blade Width	Overall Length	Blade Length	Material
1095S-150	35mm	230mm	145mm	316L ss

XRF Certification - See page 180

Tel: +44 (0)1675 466992



Powder Lance

Cross Sectional Sampler for Cohesive Powders

The Powder Lance can be used to take large volume samples of cohesive powders. The sampler can be used horizontally through a sack or it can be used vertically.


The sampler has a built in scraper to push the powder into the sampler.

- Cross sectional sampler
- Made from 316L stainless steel
- Suitable for sticky cohesive powders

Operation

- 1. Insert the sampler into the product.
- Rotate the sampler through 360°. The scraper forces the powder in to the sampler along the length of the slot.
- 3. Remove the sampler.
- 4. Unscrew the tip of the sampler.
- Push the Sample Ejection Rod into the Powder Lance to push out the sample









Part No.	Overall Sampler Length	Length of Sampling Slot	Max Sample Volume	Material
2250A-600	630mm	540mm	190ml	316L ss
2250A-1000	1030mm	930mm	300ml	316L ss
2250A-2000	2030mm	1500mm	520ml	316L ss
8570A-700	Sample Ejection Rod - 700mm length			316L ss
8570A-1100	Sample Ejection Rod - 1100mm length			316L ss

Additional Tips - see page 44 (for rounded or very pointed tips)

Cleaning Brushes - see page 168

Sampler Cases - see page 170-171

XRF Certification - see page 180



Cohesive Sampler

Single Point Sampler for Cohesive Powders

The Cohesive Sampler is able to take a sample from a known point within the product.


- Single Point Sampler
- 316L stainless steel
- Suitable for sticky, cohesive powders

Operation

- Insert sampler into product ensuring that the sample collecting chamber is in the closed position
- 2. At the correct sampling depth, turn the inner tube to expose the sample collecting chamber
- 3. Rotate the entire sampler through 360°. The scraper collects product and guides it into the sample collecting chamber.
- 4. Turn the inner tube to close the sample collecting chamber
- 5. Remove sampler
- 6. Pull out the inner tube and discharge the sample










Rotate the whole sampler to take the sample













J	
1	Download certificates
J	certificates

Part No.	Sample Volume	Sampler Length	Sampler Diameter	Material
2015A-05	5ml	1000mm	25mm	316L ss
2015A-10	10ml	1000mm	25mm	316L ss
2015A-25	25ml	1000mm	25mm	316L ss

Additional Tips - see page 44 (for rounded or very pointed tips)

Tel: +44 (0)1675 466992

Cleaning Brushes - see page 168

Sampler Cases - see page 170-171

XRF Certification - see page 180



Cohesive Pocket Sampler

Zone sampling of Cohesive powders

The Cohesive Pocket Sampler has been specially adapted from the Pocket Sampler (on pages 60 & 61) to enable the taking of samples from damp and cohesive powders.

Scrapers have been added to push the sticky powder into the sample pockets. Scrapers are fully welded to give a hygienic, GMP correct sampler.


- Multilevel (discrete samples)
- 316L Stainless steel construction
- Suitable for sticky, cohesive powders





Operation

- 1. Insert the sampler into the product
- 2. At the required depth rotate handle to expose the collecting pockets.
- Rotate the sampler through 360° so the product is pushed into the collecting pockets
- 4. Rotate handle to close pockets and remove sampler.













Part No.	Sampler Length	Number of Pock- ets	Nominal Volume of each Pocket	Diameter*	Material
2220B-600	600mm	3	15ml	25mm	316L ss
2220B-900	900mm	3	20ml	25mm	316L ss
2220B-1500	1500mm	5	20ml	25mm	316L ss

Additional Tips - see page 44 (for rounded or very pointed tips)

Cleaning Brushes - see page 168

Sampler Cases - see page 170-171

XRF Certification - see page 180

 $\ensuremath{^{*}}$ Diameter does not include scrapers. Scrapers are approximately 10mm high



Cohesive Slot Sampler

Composite sampling of Cohesive powders

The Cohesive Slot Sampler has been specially adapted from the popular Slot Sampler (on pages 58 & 59). Scrapers have been added to push the non flowing powder into the sample slots.

Scrapers are fully welded to give a hygienic, GMP correct sampler.

- Multilevel (composite samples)
- 316L Stainless steel construction
- Suitable for sticky, cohesive powders













Part No.	Sampler Length	Number of Sam- pling Slots	Maximum Sample Volume	Diameter*	Material
2210A-600	600mm	3	110ml	25mm	316L ss
2210A-1000	1000mm	4	190ml	25mm	316L ss
2210A-1500	1500mm	5	300ml	25mm	316L ss

Additional Tips - see page 44 (for rounded or very pointed tips)

Tel: +44 (0)1675 466992

Cleaning Brushes - see page 168

Sampler Cases - see page 170-171

XRF Certification - see page 180

st Diameter does not include scrapers. Scrapers are approximately 10mm high

73



FreeGlide®

The only In-Line Powder Sampler guaranteed not to jam

The FreeGlide is a patented in-line powder sampler. It is designed to be installed in a vertical pipe and to take samples as the powder fall down pipe. The FreeGlide has a number of innovative features that make it ideal for use in the food and pharmaceutical industries.

FreeGlide Features

- The sample is collected in a cup and so is not physically altered by the sampling process
- In between taking samples the full bore of the pipe is available for product flow
- The product contact parts are either 316L stainless steel or FDA acceptable polymers
- Available with manual or automated operation
- Available in a range of standard sizes
- Quickly dismantles for cleaning between batches







Diaphragms

At the heart of the FreeGlide is our patented diaphragm The diaphragm is made from a flexible polymer and it separates the product area from mechanical area. The diaphragm ensures that powder and dust does not ente the bearings and this keeps the sampler from jamming during use.


Diaphragms are available in three FDA acceptable polymers (silicone, Viton and EPDM).




Silicone (Blue) Silicone (White) EPDM (Black) Viton (Green)

75








Operation

Resting

When the FreeGlide is not in use the full bore of the downpipe is available for powder flow.



Sampling

The sampling cup is extended into the downpipe to catch the product as it falls.

Discharging

The sampling cup is then retracted and inverted. The powder sample falls down the discharge chute to where it is collected

Materials of Construction

Contact parts: • 316L stainless steel

• Silicone rubber, Viton or EPDM

Non contact parts: • 304 grade stainless steel

Other materials as required.

Operation: • Manual or Pneumatic actuation

ATEX • ExII 2GD T4 (extra cost option)



Download the full brochure at: www.sampling.com/download.html

Tel: +44 (0)1675 466992 www.sampling.com e-mail: info@sampling.com



Sample Lance







The Sample Lance is idea for taking cross sectional samples of powders and some pastes. It is manufactured from high quality 316L stainless steel.

The Sample Lance is available with a range of different handles. The Heavy Duty Handles is ideal when the powder is hard and dense. They give additional leverage when the sampler is pushed into the product. Sample Lances can be supplied without handles when the powder is light and fluffy. Heavy Duty handles are suitable for all other applications.

Operation is simple. Just push the sampler into the powder to take a core sample.

- Manufactured in 316L stainless steel
- Available in different sizes and handle combinations
- Can be used for sampling in production, goods in and general applications
- Available from stock

















Tel: +44 (0)1675 466992

www.sampling.com



Liquid Master

Ideal for Sampling Various Liquids

The Liquid Master is ideal for taking samples from low and medium viscosity liquids. It is available in a range of lengths and diameters to give a range of sample volumes.

The Liquid Master is easy to use and is designed to be quickly stripped down for cleaning.







Type: Single Point & Cross Sectional Sampling

Materials:316L stainless steel, Food grade PTFE or standard PP

Operation:


Technique 1 - Point Sampling

Insert the sampler. Press the push button to take the sample. Remove the sampler.

Technique 2 - Cross Sectional

Press the Push Button and then slowly insert the sampler into the product. As the sampler is pushed in a cross sectional sample is taken. Release the push button at the required depth to stop any more liquid from entering the Sampler. Remove the sampler.

NB. To take a large sample the sampler needs to be inserted deep into the product.









Sampler Tip Seal arrangement prevents sample from dripping

Push Button to open the valve in the tip and take the sample

Quick & easy to use









Part No.	Product Contact Material	Length	Maximum Sample Volume	Diameter
5035J-1000	PTFE/FEP	1000mm	500ml*	35mm
5035J-1500	PTFE/FEP	1500mm	1000ml*	35mm
5035J-2000	PTFE/FEP	2000mm	1500ml*	35mm
5035S-600	316L stainless steel & silicone O-ring	600mm	150ml**	25mm
5035S-1000	316L stainless steel & silicone O-ring	1000mm	270ml**	25mm
5035S-1500	316L stainless steel & silicone O-ring	1500mm	420ml**	25mm
5035S-2000	316L stainless steel & silicone O-ring	2000mm	500ml**	25mm
5035T-600	PTFE/FEP	600mm	150ml**	25mm
5035T-1000	PTFE/FEP	1000mm	270ml**	25mm
5035T-2000	PTFE/FEP	2000mm	420ml**	25mm
5035P-600	Polypropylene	600mm	150ml**	25mm
5035P-1000	Polypropylene	1000mm	270ml**	25mm
5035P-2000	Polypropylene	2000mm	420ml**	25mm

Cleaning Brushes - see page 168

Storage Cases - see page 170

XRF Certification - see page 180

www.sampling.com e-mail: info@sampling.com

^{*}A 5ml sample will be taken for every 10mm the Liquid Master is inserted into the product

^{**}A 3ml sample will be taken for every 10mm the Liquid Master is inserted into the product



Pump Sampler

Highly effective hand operated sample pump

Pump Samplers allow the liquids to be simply and quickly sampled. The chance of cross contamination is greatly reduced by using new dip-tube and bottles for each sample.

- Suitable for use with low to medium viscosity liquids.
- Single Point Sampler
- PE, PTFE or 316L stainless steel product contact parts

Operation:

- Cut the sampling tube to the required length or use the pre cut sterile tube.
- Screw the collecting bottle to the base of the hand pump.
- Insert one end of the sampling tube through the hand pump and into the collecting bottle.
- Drop the other end of the sampling tube into the product. At the required depth pump the handle. Several pumps will fill the sample collecting bottle.

Pump Efficiency

The Pump Sampler is highly efficient and is able to pump water to a height of about 4m



The pump is not a product contact part. Only the tube and collecting bottle come into contact with the product

PTFE Sampler Set

Part No. 5020T-01

Set Includes

- 1 off plastic hand pump with PTFE bottle adapter
- 1 off PFA Bottle (180ml)
- 1 off Sampling Tube PTFE 5m
- 1 off Tube cutter
- 1 off Stainless steel hose weight
- 1 off Carrying case







	Items certifica	ates
Part No.	Description	
5020T-01	PTFE Pump Sampler Set	
Spares:		
5020A-09	Hand Pump - Plastic	
5020A-11	Adapter for pump and PFA sample bottles (type 5020A-03 and 5020A-04)	
5020T-05	Sampling Tube - PTFE - 5m	
5020T-100	Sampling Tube - PTFE - 100m	
5020T-100USP	USP Class VI Sampling Tube - PTFE - 100m with cert	
5020A-07	Tube cutter	
Bottles:		
5020A-03	Sample bottle - PFA - 90ml	
5020A-04	Sample bottle - PFA - 180ml	

Use Your Existing Sample Collection Bottles

If you wish to use your own sample bottles then PTFE adapters are available for a wide variety of standard bottle neck sizes. However, if your bottle has an unusual thread we can make you a special PTFE adapter.

When ordering an adapter please post us one of your bottles.

We keep bottle adapters for GL45 threads in stock.

Part No.	Description
5020X-45P	Bottle adapter for bottles with GL45 thread. Suitable for the plastic pumps.
5020X-1	Special bottle adapter for plastic pump. Up to 50mm neck size
5020X-2	Special bottle adapter for plastic pump. Up to 100mm neck size
5020X-3	Special bottle adapter for plastic pump. Neck diameter larger than 100mm







PE Sampler Set

Part No. 5020P-01



Stainless Steel Sampler Set

Part No. 5020S-02



Pre-cut & Pre-sterilised Tube



Tel: +44 (0)1675 466992

Set Includes:

- 1 off plastic hand pump with PE bottle adapter
- 10 off PE Bottles (100ml)
- 1 off Sampling Tube PÉ 10m
- 1 off Tube cutter
- 1 off Stainless steel hose weight
- 1 off Carrying case



	ltems certificates
Part No.	Description
5020P-01	PE Pump Sampler Set (see above for contents)
Spares:	
5020A-09	Hand Pump Plastic (without adapter)
5020A-10	Adapter for pump and PE sample bottles (type 8130A)
5020P-100	Sampling Tube - PE - 100m with general cert
5020P-101	Sampling Tube - PE - 100m with batch cert
5020A-07	Tube cutter
Bottles:	
8130A-100	Sample bottle - PE - 100ml
8130A-250	Sample bottle - PE - 250ml
8130A-500	Sample bottle - PE - 500ml
8130A-1000	Sample bottle - PE - 1000ml

Set Includes:

- 1 off stainless steel hand pump and stainless steel bottle adapter
- 10 off PE Bottles (100ml)
- 1 off Sampling Tube PE 10m
- 1 off Tube cutter
- 1 off Stainless steel hose weight
- 1 off Carrying case



Part No.	Description
5020S-02	Stainless Steel Pump Sampler Set
Spares:	
5020S-01	Hand Pump Stainless Steel
5020P-100	Sampling Tube - PE - 100m
5020T-100	Sampling Tube - PTFE - 100m
5020A-07	Tube cutter
Bottles:	
8130A-100	Sample bottle - PE - 100ml
8130A-250	Sample bottle - PE - 250ml
8130A-500	Sample bottle - PE - 500ml
8130A-1000	Sample bottle - PE - 1000ml

Individually bagged LDPE tube ready to use straight from the bag. $\label{eq:loss} % \begin{subarray}{ll} \end{subarray} % \begin{subarray}{ll} \$

- Made from LDPE which conforms to FDA, EC 1935/2004 & EU 10/2011
- Individually bagged
- Available sterile

Part No.	Tube Length	Sterile	Qty Per Box
5020L-01	1m	No	100
5020L-01S	1m	Yes	100
5020L-02	2m	No	20
5020L-02S	2m	Yes	20
5020L-04	4m	No	15
5020L-04S	4m	Yes	15



TeleScoop

The Extendable Sampler For Liquid Sampling



The TeleScoop is suitable for taking samples from liquids and suspensions.

A range of light weight, aluminium telescopic handles is available which makes this the ideal sampler to use when sampling from places such as: overhead gantries, river banks, water outlets etc.

The attachments are all interchangeable with the telescopic rods.

Attachments for telescopic rods



Stainless Beaker

5065B-1000B

Sampling beaker made from hygienic 304 stainless steel



Angular Beaker 5065B

The beaker can be easily adjusted to the required angle



Bottle Holder 5065D

Suitable for bottles up to 95mm diameter. Price includes one 750ml LDPE bottle



Pendulum Beaker 5065C

Always swings to the upright position



Deep Catch Net 5065N

190 x 430mm Mesh size 2 to 5mm



Surface Net 5065M

310 x 280mm Mesh size 2 to 5mm



Multi Purpose

The heads can be quickly interchanged by our simple clip system.







Telescopic Rods

Easily adjustable to the required length. Robust, light weight aluminium or stainless steel construction.



TeleScoop Rods





Part No.	Description	Length	Material
5065A-1200	Telescopic Rod	720 to 1200mm	Aluminium & plastic
5065A-2500	Telescopic Rod	1320 to 2500mm	Aluminium & plastic
5065A-2800	Telescopic Rod	1020 to 2800mm	Aluminium & plastic
5065A-3000	Telescopic Rod	1230 to 3000mm	Aluminium & plastic
5065A-4500	Telescopic Rod	1720 to 4500mm	Aluminium & plastic
5065A-6000	Telescopic Rod	1820 to 6000mm	Aluminium & plastic
5065S-1500	Telescopic Rod	800 to 1500mm	316L stainless steel & PTFE
5065S-3000	Telescopic Rod	1500 to 3000mm	316L stainless steel & PTFE
5065S-4500	Telescopic Rod	1500 to 4500mm	316L stainless steel & PTFE

TeleScoop Attachments & Spares





Part No.	Description	Volume	Material
5065B-600	Angular Beaker	600ml	Polypropylene
5065B-1000	Angular Beaker	1000ml	Polypropylene
5065B-2000	Angular Beaker	2000ml	Polypropylene
5065B-1000B	Angular Beaker	1000ml	304 Stainless Steel
F06F0 600	5 11 5 1	600 1	
5065C-600	Pendulum Beaker	600ml	Polypropylene
5065C-1000	Pendulum Beaker	1000ml	Polypropylene
5065C-2000	Pendulum Beaker	2000ml	Polypropylene
5065C-1000B	Pendulum Beaker	1000ml	304 Stainless Steel
5065D-750	Bottle Holder	750ml	Polypropylene & Aluminium, LDPE bottle
8125A-750	Spare Bottle	750ml	LDPE
5065M-310	Surface Catch Net	310 x 280mm	Polypropylene & Polyamide
5065N-190	Deep Catch Net	190 x 430mm	Polypropylene & Polyamide

Tel: +44 (0)1675 466992



Bottle Sampler


Takes Samples Straight into the bottle

The Bottle Sampler takes samples straight into the bottle. The spring loaded mechanism means that liquid only flows in when the handle is squeezed allowing samples to be taken from set locations.

- Low to medium viscosity liquids.
- Single Point liquid sampling
- Sampler body 316L stainless steel, Bottle glass

Ideal for taking quick samples direct into the bottle. The sampler is available with a cover that goes over the bottle to stop the bottle from getting wet.








Bottle Sampler with protective Bottle Cover



Bottle Sampler without Bottle Cover











Part No.	Overall Length	Bottle Cover	Bottle Size
5031S-1000	1000mm	No	500ml
5031C-1000	1000mm	Yes	500ml
5031S-1500	1500mm	No	500ml
5031C-1500	1500mm	Yes	500ml

Accessories	
8020N-1100	Narrow cleaning brush - 1100mm
8020N-1600	Narrow cleaning brush - 1600mm
5031B-500	Spare 500ml Bottle
XRF Certification	See page 180



Cup Sampler

Suitable for high and low viscosity liquids and suspensions


The ever popular Cup Sampler is ideal for sampling liquids and suspensions. The device is manufactured from 316 stainless steel. The Cup Sampler enables discrete samples to be easily taken from known heights within the product.

- Single Point Liquid Sampler
- 316L stainless steel product contact parts




Operation

- Insert the sampler to the required depth.
- Squeeze handle which pushes the cup away from the lid, allowing the liquid to enter the cup.
- After filling remove the sampler. To empty the sampler either tip the sampler whilst squeezing the handle or unscrew the collecting cup.















Îtems	Downlos certificat
	_

Part No.	Overall Length	Nominal Cup Volume	Max. Diameter of Cup
5030A-600	600mm	100ml	55mm
5030A-1000	1000mm	100ml	55mm
5030A-1500	1500mm	100ml	55mm
5030J-1000	1000mm	500ml	80mm
5030J-1500	1500mm	500ml	80mm

Accessories	
8020N-1100	Narrow Cleaning Brush - 1100mm
8020N-1600	Narrow Cleaning Brush - 1600mm
Storage Cases	See page 170
XRF Certification	See page 180

Tel: +44 (0)1675 466992



Fluid Point Sampler

Take liquid samples from a known point







The Fluid Sampler is ideal for sampling pharmaceuticals, cosmetics and food stuffs. The design allows rapid point sampling from drums, kegs and most containers.

To take a sample simply insert the sampler into your liquid and then pull the handle to take the sample. After sampling push down the handle to eject the sample.

- Manufactured in 316L stainless steel with a silicone seal (FDA grade)
- Available in different lengths
- Easy to clean
- Available from stock for fast delivery worldwide




Part No.	Length	Diameter	Max. Sample Volume	Material
5551S-600	600mm	25mm	160ml	316L ss
5551S-1000	1000mm	25mm	300ml	316L ss
5551S-1500	1500mm	25mm	450ml	316L ss

Snapper

Snaps Shut to Capture Sediment & Sludge

The Snapper has been specially designed to take samples of sediment and sludge in rivers, wells, tanks etc.

- Simple to use
- Holds approximately 250ml
- Automatically snaps shut on contact with the sediment
- Spring loaded mechanism
- Use with the telescopic pole that extends up to 4.5m



	Dowklad Rems
Part No.	Description
5061A-250	Snapper - 250ml sample volume
5061T-4500	Telescopic rod. Extends up to 4.5m







Deep Water Sampler - 2.5L

Large volume environmental sampler

The deep water sampler is ideal for liquid and water sampling. It can be used in tanks, wells, containers, rivers and the sea.

Operation is simple. As the sampler is lowered into the liquid the material flows through it. When you start to pull the rope the bottom valve closes which means you take a sample from that point.

To discharge the liquid simply open the valve on the side. The Deep Water sampler is quick and easy to use.

- Graduated
- Supplied with 15m rope
- Transparent so its easy to inspect what has been sampled
- Made from robust plexiglass
- Ideal for chemical and environmental sampling
- Stratified sampling is quick and easy











Part No.	Nominal Volume	Diameter	Height	Weight	Material
5079A-2500	2500ml	130mm	340mm	1.3Kg	Plastic - Plexiglass

In Stream Sampler





Tel: +44 (0)1675 466992

The In Stream Sampler is a useful piece of equipment for taking samples from a product that is flowing. Alternatively it can be used to take samples directly from containers or vessels.

The In Stream Sampler is made from robust 316L stainless steel. It can be used for sampling both powders and liquids.

- Multi purpose sampler
- 316L stainless steel
- Crevice free interior
- Available from stock
- Polished finish



Part No.	Nominal Volume	Internal Diameter	Handle Length
A996-500	500ml	80mm	1000mm





Utility Dipper


Simple Liquid Sampler

An all stainless steel sampler suitable for sampling liquids and suspensions.

- Takes a sample at the surface of the liquid
- Made from 316L Stainless steel

Operation

- Insert the sampler into the product. The liquid will flow into the sampler.
- 2. Withdraw the sampler from the product
- 3. Raise the centre control rod to discharge the sample











Part No.	Overall Length	Nominal Cup Volume	Max. Diameter of Cup
5170A-50	460mm	50ml	32mm
5170A-100	540mm	100ml	32mm



Do you have a good idea?

Sampling systems are always happy to hear your ideas and suggestions.

However big or small your idea please contact us. The concepts for many of the samplers in our range originated from customer feedback, requests and ideas.





Multi Dipper 2

Multilevel Liquid Sampler

The Multi Dipper 2 is the ideal solution for taking liquid samples from different levels. The sample collection bottles remain closed until the operator uses the control chain to remove the stoppers.

High security stainless steel shackles are used to secure the plugs to the control chain

Product contact parts are:

Sampler frame 316L stainless steel Control Chain 316L stainless steel 316L stainless steel Plugs Plug Shackles 316L stainless steel

Sample Bottle **HDPE**




Operation

Part No.

5045A-1000

5045A-1500

- Screw the bottle into the holders
- Insert the plugs into the tops of the sample bottles
- Connect the Control Chain to the plugs 3.
- Insert the assembled sampler into the liquid to be sampled
- Pull on the Control Chain to open the bottles
- Remove from the liquid tank





e-mail: info@sampling.com



Tel: +44 (0)1675 466992

1000mm

1500mm

Overall Length



Bottles






Enviro Dipper

The Enviro Dipper is a simple and yet effective method of taking a surface sample. Simply lower the bucket into the liquid.

The stainless steel bucket can be ordered with either a stainless steel chain or a braided polypropylene cord.

Part No.	Description
A725-300	Stainless Steel Bucket - 300ml
5070S-10	Chain - 316 stainless steel - 10m - with 316ss shackle
5070S-25	Chain - 316 stainless steel - 25m - with 316ss shackle
5070S-50	Chain - 316 stainless steel - 50m - with 316ss shackle
5070P-10	Braided Cord - Polypropylene 10m
5070P-25	Braided Cord - Polypropylene 25m
5070P-50	Braided Cord - Polypropylene 50m
5070D-04	Standard heavy duty hand reel







Need your Order Quickly?

95% of orders are shipped on the day the order is received.

We have deals with all the major express carriers so we can offer fast cost effective shipping worldwide. We can ship anywhere in Europe and the USA on a next day delivery. The Far East, Middle East and South America is generally 2 – 3 days shipping time.

To check stocks and confirm lead times please contact us.





Handle |

Graduations

U-D Doser

Accurate Unit Dose Sampling

Ideal for accurately sampling specific volumes of liquids. Designed specifically for unit dose sampling of liquids in the pharmaceutical industry.

- Suitable for sampling low to medium viscosity liquids.
- Ideal for low volume (unit dose) sampling.
- Made from Sampler body 316 stainless steel, Syringe PP & PE

Sample Chamber is designed so that the outside of the syringe is not contaminated during sampling. The syringe can therefore be used as a carrying container for taking the sample back to the laboratory.

Operation



1. Select a new syringe



2. Connect the syringe to the push rod



3. Attach outer cover. The sampler is now ready for use.

Tel: +44 (0)1675 466992



4. Pull up handle to take the sample, the graduations allow an accurate sample to be taken

					316L Download certificates
5ml U-D D	oser	30ml U-D D	oser	60ml U-D Do	oser
Part No.	Length	Part No.	Length	Part No.	Length
5010A-600	600mm	5010B-600	600mm	5010C-600	600mm
5010A-1200	1200mm	5010B-1200	1200mm	5010C-1200	1200mm
5010A-1800	1800mm	5010B-1800	1800mm	5010C-1800	1800mm
Spare - 5ml syr	ringes	Spare - 30ml syri	nges	Spare - 60ml syrin	ges
5010S-05	Pack of 100	5010T-30	Pack of 56	5010T-60	Pack of 40
Options	Cleaning brushes	See page 168			
	Storage cases	See page 170			
	XRF Certification	See page 180			





Stainless Dipper GMP Correct Liquid Sampler

- 316L stainless steel construction
- Fully welded
- Satin finish





Part No.	Nominal Volume	Overall Length	Outside Cup Diameter
5005A-100	100ml	600mm	39mm
5005B-100	100ml	1000mm	39mm
5005A-250	250ml	600mm	64mm
5005B-250	250ml	1000mm	64mm
5005A-500	500ml	600mm	90mm
5005B-500	500ml	1000mm	90mm

PTFE Dipper

Excellent Chemical Resistance - GMP correct

- PTFE product contact parts
- Screw-in extension rods to increase the length of the handle





Part No.	Nominal Volume	Cup Diameter	Handle	
5100A-100	100ml	55mm	600mm long - removable	
5100A-250	250ml	70mm	600mm long - removable	
5100A-500	500ml	80mm	600mm long - removable	
5100A-1000	1000ml	105mm	600mm long - removable	
5100E-600	Handle Extension rod - 600mm long			
5100E-1000	Handle Extension	rod - 1000mm long		



Chemical Dipper Robust Polypropylene Dipper

- Ideal for general industrial applications
- Durable polypropylene construction

Part No.	Nominal Beaker Volume	Overall Length
5065F-250	250ml	1000mm
5065F-500	500ml	1000mm
5065F-1000	1000ml	1000mm



316L Stock Download certificates



PTFE Mini Dipper

Excellent Chemical Resistance - GMP correct

Ideal for surface sampling small volumes of liquids

- PTFE construction
- Chemically resistant





Part No.	Nominal Volume	Cup Diameter	Handle
5100A-10	10mm	25mm	155mm long - fixed in place

Disposable Ladle

Efficient surface sampling of liquids

The SteriWare Ladle is ideal for the surface sampling of liquids. They can be used straight-from-the-bag; simply unwrap and use.

The one piece moulded design has been specially constructed to go through standard 2" lid bungs which are commonly found on barrels and kegs.

- Moulded & Packed in a Cleanroom
- Individually Bagged
- Made from FDA, EC 1935/2004 & EU 10/2011 conforming materials
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)
- Available from stock





Part No.	Nominal Volume	Diameter	Colour	Pre-Sterilised	Material of Con- struction	Quantity per Box
8053H-50	50ml	48mm	Natural	No	HDPE	40
8053H-50S	50ml	48mm	Natural	Yes	HDPE	40
8053B-50	50ml	48mm	Blue	No	PP	40
8053B-50S	50ml	48mm	Blue	Yes	PP	40

Stainless Ladle

- Satin finish
- 304 or 316L stainless steel
- All stainless steel construction
- Crevice free construction







Part No.	Stainless Steel	Nominal Volume	Bowl Diameter	Handle Length
A326-150	316L	150ml	88mm	370mm
A324-50	304	50ml	63mm	275mm
A324-120	304	120ml	82mm	345mm
A324-150	304	150ml	92mm	350mm
A324-200	304	200ml	100mm	365mm



Sub Sampler

With Removable Glass Bottle

An ideal liquid sampler for most common liquids including water, oils, sludge etc.

- Manufactured from spark suppressant brass
- Bottle can be easily removed using patented click system 130mm diameter 300mm high 3 kg weight

Operation

- Lower Sub Sampler to the required depth.
- Pull up sharply on the lowering cable to pull the stopper out of the bottle.
- Wait a few seconds for the liquid to flow into the bottle
- Pull up the Sub Sampler and retrieve the sample







Part No.	Volume	Material	Dimensions (Diameter x Height)	Ex Rated
5073A-1000	1000ml	Nickel plated brass & glass	125 x 300mm	Yes*

st Make sure the sampler is properly earthed (grounded) use the Ex Hand Reel (5070D-05) and Copper cable (5070C)

Hand Reels, Cables & Chain

Hand reels and cables are essential accessories when using sub samplers (Bomb Samplers). The standard heavy duty hand reel is suitable for most situations. However if you are using the sampler in an Ex rated environment use the Hand Reel Ex with the copper

Do not use stainless steel chain for use in ATEX environments.







Part No.	Description
5070D-04	Standard Heavy Duty Hand Reel - made from polypropylene
5070D-05	Ex Hand Reel - for Ex use rated environments. Made from conductive plastic. Supplied with earthing leads and clip. Use with copper cable (5070C)

Part No.	Description
5070S-10	Chain - 316 stainless steel - 10m
5070S-25	Chain - 316 stainless steel - 25m
5070S-50	Chain - 316 stainless steel - 50m
5070D-10	PTFE coated stainless wire - 10m
5070D-25	PTFE coated stainless wire - 25m
5070D-50	PTFE coated stainless wire - 50m

Part No.	Description
5070P-10	Polypropylene - braided cord - 10m
5070P-25	Polypropylene - braided cord - 25m
5070P-50	Polypropylene - braided cord - 50m
5070C-10	Copper - braided cable - 10m
5070C-25	Copper - braided cable - 25m
5070C-50	Copper - braided cable - 50m



Sub Sampler Pro

The Best Selling Heavy Duty Liquid Sampler

The Sub Sampler Pro (sometimes called a 'Bomb Sampler') is used throughout the world for both chemical and environmental sampling. Its unique double action means it can sample from a set distance from the bottom of a container or alternatively at a mid-point.





A. Sample from the bottom of a container


- Use a Lowering Cable


The Sub Sampler Pro is lowered until the plunger assembly touches the bottom of the container. As the plunger assembly is pushed up the sample is able to enter the device. When the sampler is raised the plunger will drop down and seal the sampler.

B. Mid-height Sampling

- Use a Lowering Cable and a Control Line

Lower the Sub Sampler Pro into the liquid. At the required sampling depth pull on the control line to raise the plunger. This will allow the liquid to enter the sampler. Release the control line and the plunger will drop down and seal the sampler.







e-mail: info@sampling.com



Part No.	Nominal Volume	Material	Diameter x Length	Ex Rated
5072B-500	500ml	316L Stainless steel	66 x 300mm	No
5072A-500	500ml	Nickel plated brass	50 x 430mm	No
5072A-1000	1000ml	Nickel plated brass	75 x 438mm	Yes*

^{*} Make sure the sampler is properly earthed (grounded) use the Ex Hand Reel (5070D-05) and Copper cable (5070C) Don't forget to order your Hand Reel and Cable - see page 94

Tel: +44 (0)1675 466992



Pasteur Pipette

The single use pipettes are ideal for taking small surface samples and for general laboratory use.

- Easy to use
- Made from Low Density Polyethylene (LDPE)
- Two convenient volumes
- Non-sterile



Part No.	Nominal Volume	Length	Quantity Per box
8134A-1	1ml	155mm	500
8134A-3	3ml	155mm	500



SteriWare LiquiDip

The Self Closing Liquid Sampler

The new disposable LiquiDip sampler from Sampling Systems is ideal for taking cross sectional samples of liquids. The special valve at the end of the sampler automatically closes when pushed against the bottom of the container.

- Individually bagged
- FDA and EC conforming material
- Cleanroom assembly and packing (ensures cleanliness) Available both sterile and non-sterile
- Available from stock for fast delivery worldwide

See Page 30-31 for full details









Part No.	Length	Nominal Capacity	Pre-Sterilised	Material	Quantity per Box
8921H-450	450mm	80ml	No	HDPE	20
8921H-450S	450mm	80ml	Yes	HDPE	20
8921H-1100	1100mm	225ml	No	HDPE	20
8921H-1100S	1100mm	225ml	Yes	HDPE	20



SteriWare LiquiThief

Single Use Disposable Liquid Sampler

- Ideal for sampling low viscosity liquids and oils
- Fully welded construction (no adhesives or screws are used)
- Assembled in a medical clean room
- Each sampler is individually wrapped
- Made from FDA acceptable polymers
- Suitable for use in ATEX areas
- Simply pull the handle to take a sample
















					Sterile (Cleanroom)	Items
Part No.	Sampler Length	Pre- Sterilised	Max. Sample Volume	Material	Outer Diameter	Quantity Per box
8050H-500	500mm	No	100ml	HDPE	21mm	20
8050H-1000	1000mm	No	190ml	HDPE	21mm	20
8050H-500S	500mm	Yes	100ml	HDPE	21mm	20
8050H-1000S	1000mm	Yes	190ml	HDPE	21mm	20
8050P-500	500mm	No	100ml	PP	21mm	20
8050P-1000	1000mm	No	190ml	PP	21mm	20

SteriWare Jumbo Pipettes

Low Cost Disposable Liquid Samplers

The Jumbo Pipette is both quick and easy to use. It is ideal for taking samples from low viscosity liquids. The Jumbo Pipette is part of our SteriWare® range.

- Simple to use
- Three convenient lengths
- Individually wrapped
- Assembled in a medical cleanroom
- Available pre-sterilised
- Made from HDPE (FDA acceptable grade conforms to CFR 177.1520)
- Suitable for use in ATEX areas















Part No.	Overall Length	Overall Diameter	Internal Diameter	Pre-Steri- lised	Max. Sample Volume	Material	Quantity per Box
8051H-450	450mm	21mm	17mm	No	80ml	HDPE	50
8051H-450S	450mm	21mm	17mm	Yes	80ml	HDPE	50
8051H-900	900mm	21mm	17mm	No	180ml	HDPE	50
8051H-900S	900mm	21mm	17mm	Yes	180ml	HDPE	50
8051H-1100	1100mm	21mm	17mm	No	225ml	HDPE	50
8051H-1100S	1100mm	21mm	17mm	Yes	225ml	HDPE	50



Easy Pumps

Economical and versatile pumps

The Easy Pump Range is ideal for many laboratory applications where small to medium quantities of liquid need to be pumped. Easy pumps are available either hand or foot operated.

Each pump is supplied with a Universal Bung - this allows the pump to be used with any container which has a round opening between 30 and 70mm.

These pumps are designed to be easy to install, easy to use and easy to clean.







Hand Operated Easy Pumps

Part No.	Tube Diameter	Maximum length of Dip Tube	Tube Material	Capacity
5056A-18	18mm	700mm	Rigid PP	26L/min
5056A-12	12mm	700mm	Rigid PP	14L/min
5056B-16	16mm	700mm	Rigid PVDF	20L/min

Every EasiPump is supplied with a Universal Bung - for use with openings 30 to 70mm in diameter

Foot Operated Easy Pumps

Part No.	Tube Diameter	Maximum length of Dip Tube	Tube Material	Capacity
5058A-22	22mm	900mm	Rigid PP	30L/min
5058B-16	16mm	700mm	Rigid PVDF	20L/min
5058C-18	18mm	900mm	304 Stainless steel	26L/min

Every EasiPump is supplied with a Universal Bung - for use with openings 30 to 70mm in diameter

99



Stainless Pump

Stainless Barrel Pumps are ideal for quickly and easily transferring large volumes. The product contact parts of the pump are stainless steel (304 grade) and PTFE (for the piston gasket).

The Stainless Pump is ideal for hygienic applications.

Two Styles of Stainless Pump are available

Type 1 - Pump has a rigid stainless steel delivery tube

Type 2 - Pump has a flexible PTFE lined hose complete with a ball valve

Type 1	Type 2	Max. Submers-	Overall	Capacity	
Part No.	Part No.	ible Length	Length		
5900A-475	5900B-475	360mm	475mm	220ml/stroke	
5900A-685	5900B-685	570mm	685mm	350ml/stroke	
5900A-1030	5900B-1030	910mm	1030mm	560ml/stroke	

Anti-Static Set Part No.: 8200A-05



pump is properly earthed when working

with flammable liquids.

Note: Don't forget to order a suitable pump connector - see below

PP Barrel Pump

PP Barrel Pumps are ideal for quickly and easily transferring large volumes.

Two styles of delivery pipe are available:

- Type 1 with a rigid polypropylene delivery tube
- Type 2 with a flexible PVC discharge tube (complete with stopcock)

Type 1	Type 2	Max.	Overall	Capacity	
Part No.	Part No.	Submersible Length	Length		
5900A-01	5900B-01	500mm	595mm	200ml/stroke	
5900A-02	5900B-02	650mm	740mm	230ml/stroke	
5900A-03	5900B-03	800mm	895mm	260ml/stroke	
5900A-04	5900B-04	1000mm	1090mm	300ml/stroke	
5900A-05	5900B-05	1250mm	1340mm	300ml/stroke	

Note: Don't forget to order a suitable pump connector - see below





Pump Connectors



Brass Connector - R2" Internal Barrel Thread Suitable for Stainless Barrel Pump Part No. 8200S-01



PVC Bung - for 40 to 70mm openings Suitable for either PP or Stainless Barrel Pumps

(only suitable for non flammable liquids) Part No. 8200P-02



Gas Tight Barrel Connector - R2" Internal Barrel Thread & non-return valve with 1/8" thread Suitable for Stainless Barrel Pump Part No. 8200S-02



Tri-sure Internal Coarse Thread Part No. 8200P-04



R2" Internal Steel Barrel Thread Part No. 8200P-01

Mauser 2" Thread
Part No.8200P-03

Part No.	Description	Suitable for Stainless Pump	Suitable for PP Pump
8200S-01	Brass Connector. R2"	Yes	No
8200S-02	Gas Tight Connector. R2"	Yes	No
8200P-02	PVC bung	Yes	Yes
8200P-01	PP Connector. R2".	Yes	Yes
8200P-03	PP Connector. Mauser 2"	Yes	Yes
8200P-04	PP Connector. Tri sure	Yes	Yes

Tel: +44 (0)1675 466992 www.sampling.com e-mail: info@sampling.com



Road Tanker Sampling Valve

Safety Sampling Valve


Valve Outlet Types

Standard Outlet Valve is 1/2" nominal bore with screwed connections

Firesafe Outlet Valve is 1/2" nominal bore with welded connections

The Road Tanker Sampling Valve is designed to allow road tankers to be safely sampled before the tank is discharged.


Operation



- Connect the Road Tanker Sampling Valve to the main discharge valve on the road tanker.
- Ensure that the Sampling Valve is in the closed position, then open the main discharge valve







 Open the sampling valve and collect the sample

Part No.	Tanker Connection	Outlet Valve Type	Main Gasket Material
5740A-1	2½" BSP	Standard	Hard Leather
5740A-2	2½" BSP	Firesafe	Hard Leather
5740A-3	3" BSP	Standard	Hard Leather
5740A-4	3" BSP	Firesafe	Hard Leather
5740P-1	21/2" BSP	Standard	PTFE
5740P-2	21/2" BSP	Firesafe	PTFE
5740P-3	3" BSP	Standard	PTFE
5740P-4	3" BSP	Firesafe	PTFE

Disposable Bailer

Popular For Environmental Sampling

The sampler can either be manually pushed into the liquid or it can be lowered on the end of a cable. The Disposable Bailer is ideal for sampling from storage silos or from wells.


For viscous materials use the bailer fitted with an end weight (Part No. 5040W-1000)



The plastic ball in the end of the sampler is pushed out of the way when the sampler is lowered into the product.

When the sampler is removed the plastic ball seals the sampler

Note: This sampler is not suitable for high density liquids





Part No.	Nominal Volume	Weighted End	Individually Bagged	Material	Length	Diameter	Quantity Per Box
5040A-1000	1000ml	No	Yes	HDPE	950mm	40mm	24
5040W-1000	1000ml	Yes	Yes	HDPE	950mm	40mm	24

Cables & Handle Reel see page 94





Semi-Solid Samplers



Tel: +44 (0)1675 466992

www.sampling.com



MiniCorer

- Suitable for sampling wax, cheese, greases, powders, granules
- Made from 316L stainless steel
- High quality bright polish finish
- Crevice free construction

Operation:

- Rotate the handle as the sampler is pushed into the product. A core of the product will be cut.
- Remove sampler.









Part No.	Sampler Length	Maximum Sampler Diameter	Stainless Steel
7008A-01	190mm	18mm	316L
7008A-02	235mm	18mm	316L
7008A-03	295mm	18mm	316L
8505A-12	Storage Case		

Corer

- Suitable for sampling wax, cheese, greases, powders, granules
- Made from 316L stainless steel
- High quality bright polish finish
- Crevice free construction

Operation:

- Push the Outer tube into the product.
- Use the Push Rod to eject the core of product from the Outer











Part No.	Sampler Length	Maximum Sampler Diameter	Stainless Steel
7009A-01	230mm	12mm	316L
8505A-12	Storage Case		

Maxi Corers

- 316L stainless steel construction
- Two sizes
- Crevice free
- Satin finish












Part No.	Diameter	Overall Length	Blade Length	Stainless Steel
7010A-01	25mm	300mm	200mm	316L
7010A-02	25mm	600mm	500mm	316L



SteriWare ViscoThief

Avoid time consuming cleaning with our disposable range of ViscoThief samplers. The Disposable ViscoThief is a single use sampler that is designed for use with viscous materials.

- Suitable for creams, pastes and gels 10mm diameter sampling hole in the tip
- Fully welded construction (no adhesives or screws are used)
- Assembled in a medical clean room
- Each sampler is individually wrapped
- Made from HDPE (FDA acceptable grade conforms to CFR 177.1520)
- FDA acceptable silicone rubber is used for the piston seal -CFR 177.2600
- Suitable for use in ATEX areas





- Insert the sampler into the product 1.
- At the required depth pull up the handle. The sample 2. will be drawn into the sampler
- Withdraw sampler 3.
- Push down handle to expel the sample

Tel: +44 (0)1675 466992

















Part No.	Sampler Length	Pre-Sterilised	Max. Sample Volume	Material	Outer Diameter	Quantity per Box
8055H-500	500mm	No	100ml	HDPE	21mm	20
8055H-500S	500mm	Yes	100ml	HDPE	21mm	20
8055H-1000	1000mm	No	190ml	HDPE	21mm	20
8055H-1000S	1000mm	Yes	190ml	HDPE	21mm	20


003311 300	300111111	110	1001111	1101 2	21111111	20
8055H-500S	500mm	Yes	100ml	HDPE	21mm	20
8055H-1000	1000mm	No	190ml	HDPE	21mm	20
8055H-1000S	1000mm	Yes	190ml	HDPE	21mm	20
8055H-1500	1500mm	No	290ml	HDPE	21mm	20
8055H-1500S	1500mm	Yes	290ml	HDPE	21mm	20



Viscous Sampler

Reusable Sampler for creams, pastes & gels,

Ideal for sampling creams, shampoos, soaps, honey and other semi viscous materials. After sampling the sampler can be completely dismantled into its component parts for quick and thorough cleaning.







Operation:

- 1. Insert the sampler into the product.
- 2. At the required depth pull handle to draw product into the sampler.
- 3. Remove the sampler from the product. Run the cleaning ring down the sampler to remove any product that adheres to the side of the sampler
- 4. Push down the handle to push out the sample



			Download ortificates
Part No.	Overall Length	Material of Construction	Max. Sample Volume
7000S-600	600mm	316L stainless steel	160ml
7000S-1000	1000mm	316L stainless steel	300ml
7000S-1500	1500mm	316L stainless steel	450ml
7000P-600	600mm	PP	160ml
7000P-1000	1000mm	PP	300ml
7000P-2000	2000mm	PP	650ml
7000T-600	600mm	PTFE	160ml
7000T-1000	1000mm	PTFE	300ml
7000T-2000	2000mm	PTFE	650ml
Accessories			
Cleaning Brushes	See page 168		
Storage Cases	See page 170		
XRF Certification	See page 180		

See page 33 for a single use, disposable version of the Viscous Sampler

Note: For low viscosity liquids (e.g. water) use the Liquid Master - see pages 78 & 79



Ice Sampler

The ice sampler was specially designed for sampling icy and waxy materials. The sample cover can be easily removed to give access to the sample.

- Suitable for sampling ice, wax and other similar materials
- Single point sampler
- Made from 316L stainless steel
- The sample cover can be quickly removed to allow quick emptying

Operation:

- Rotate the handle as the sampler is pushed into the product. The scroll will cut into the product and the sample will be deposited in the sample collecting chamber.
- Removing the cylinder allows the sample to be accessed.











ı	
ı	Download certificates
,	

				ltems certificates
Part No.	Length	Sample Volume	Diameter of Sampling head	Stainless Steel
6000A-300	300mm	50ml	40mm	316L
6000A-550	550mm	50ml	40mm	316L
6000A-1050	1050mm	50ml	40mm	316L
Storage Cases	See page 170			
XRF Certification	See page 180			

Label It

Tel: +44 (0)1675 466992



See Pages 174 to 179 for our full range of labels



Ice Borer

- Suitable for ice, wax and other similar materials
- Made from 316L stainless steel

Operation:

- Rotate the handle as the sampler is pushed into the product. The sharp edge will cut into the product and the sample core will be deposited in the tube.
- Push the Discharge Rod down the Ice Borer to remove the sample.













Part No.	Description	Length	Outer Diameter	Material
6005A-500	Ice Borer	500mm	25mm	316L ss
6005A-1000	Ice Borer	1000mm	25mm	316L ss
8570A-700	Sample Discharge Rod	700mm	18mm	316L ss
8570A-1100	Sample Discharge Rod	1100mm	18mm	316L ss
Cleaning Brushes	See page 168			







Sample Lance

Durable Multi-purpose Sample










The Sample Lance is idea for taking cross sectional samples of pastes and soft waxy materials. It is manufactured from high quality 316L stainless steel.

The Sample Lance is available with a range of different handles. The Heavy Duty Handles is ideal when the powder is hard and dense. They give additional leverage when the sampler is pushed into the product. Sample Lances can be supplied without handles when the powder is light and fluffy. Heavy Duty handles are suitable for all other applications.

Operation is simple. Just push the sampler into the powder to take a core sample.



- Manufactured in 316L stainless steel
- Available in different sizes and handle combinations

- Can be used in the laboratory or on site
- Available from stock







Part No.	Length	Lance Opening Size	Handle Type	Width	Material
1660P-600	600mm	25%	Plain	25mm	316L ss
1660P-1000	1000mm	25%	Plain	25mm	316L ss
1665P-600	600mm	50%	Plain	25mm	316L ss
1665P-1000	1000mm	50%	Plain	25mm	316L ss
1660H-600	600mm	25%	Heavy Duty	25mm	316L ss
1660H-1000	1000mm	25%	Heavy Duty	25mm	316L ss
1665H-600	600mm	50%	Heavy Duty	25mm	316L ss
1665H-1000	1000mm	50%	Heavy Duty	25mm	316L ss



Ice Cream Sampler

The Ice Cream Sampler is ideal for sampling products like ice cream and soft waxes.

The Ice Cream Sampler has an all stainless steel construction and is designed to be easily dismantled for cleaning. The sampler comes complete with a plastic test tube.









Part No.	Diameter	Max. Sample Volume	Material of Construction		
6006A-100	25mm	30ml	316L stainless steel with clear polystyrene test tube		
6006A-101	Test Tube made from clear polystyrene (PS)				
8020J-600	Cleaning Brush				

Powered Ice Sampler

Efficient Large Volume Sampler



The Powered Ice Sampler is designed to be used with virtually any electric drill.

Manufactured from chemically resistant 316L stainless steel.

- · Fits all standard electric drills (drill not supplied)
- Takes samples in seconds
- Wide diameter for large cross sectional sample
- Available from stock
- Supplied with ejection rod









Part No.	Description	Length	Diameter	Material
6010A-240	Powered Ice sampler with discharge rod	240mm	50mm wide	316L stainless steel

Word Class Equipment worldwide







TeleScoop

The Extendable Sampler For Liquid Sampling

The TeleScoop is suitable for taking samples from liquids and suspensions.

A range of light weight, aluminium telescopic handles is available which makes this the ideal sampler to use when sampling from places such as: overhead gantries, river banks, water outlets etc.

The attachments are all interchangeable with the telescopic rods.



Attachments for telescopic rods



Angular Beaker 5065B

The beaker can be easily adjusted to the required angle



Stainless Beaker

Sampling beaker in a fixed position made from stainless steel



Pendulum Beaker 5065C

Always swings to the upright position



Bottle Holder 5065D

Suitable for bottles up to 95mm diameter. Price includes one 750ml LDPE bottle



Surface Net 5065M

310 x 280mm Mesh size 2 to 5mm



Deep Catch Net 5065N

190 x 430mm Mesh size 2 to 5mm



Multi Purpose

The heads can be quickly interchanged by our simple clip system.



Telescopic Rods

Easily adjustable to the required length.
Robust, light weight aluminium or stainless steel construction.



TeleScoop Rods





Part No.	Description	Length	Material
5065A-1200	Telescopic Rod	720 to 1200mm	Aluminium & plastic
5065A-2500	Telescopic Rod	1320 to 2500mm	Aluminium & plastic
5065A-2800	Telescopic Rod	1020 to 3000mm	Aluminium & plastic
5065A-3000	Telescopic Rod	1230 to 3000mm	Aluminium & plastic
5065A-4500	Telescopic Rod	1720 to 4500mm	Aluminium & plastic
5065A-6000	Telescopic Rod	1820 to 6000mm	Aluminium & plastic
5065S-1500	Telescopic Rod	800 to 1500mm	316L stainless steel & PTFE
5065S-3000	Telescopic Rod	1500 to 3000mm	316L stainless steel & PTFE
5065S-4500	Telescopic Rod	1500 to 4500mm	316L stainless steel & PTFE

TeleScoop Attachments & Spares



Part No.	Description	Volume	Material
5065B-600	Angular Beaker	600ml	Polypropylene
5065B-1000	Angular Beaker	1000ml	Polypropylene
5065B-2000	Angular Beaker	2000ml	Polypropylene
5065B-1000B	Angular Beaker	1000ml	304 Stainless Steel
5065C-600	Pendulum Beaker	600ml	Polypropylene
5065C-1000	Pendulum Beaker	1000ml	Polypropylene
5065C-2000	Pendulum Beaker	2000ml	Polypropylene
5065C-1000B	Pendulum Beaker	1000ml	304 Stainless Steel
5065D-750	Bottle Holder	750ml	Polypropylene & Aluminium, LDPE bottle
8125A-750	Spare Bottle	750ml	LDPE
5065M-310	Surface Catch Net	310 x 280mm	Polypropylene & Polyamide
5065N-190	Deep Catch Net	190 x 430mm	Polypropylene & Polyamide







e-mail: info@sampling.com

Tel: +44 (0)1675 466992

www.sampling.com



Sub Sampler

With Removable Glass Bottle

An ideal liquid sampler for most common liquids including water, oils, sludge etc.

- Manufactured from spark suppressant brass
- Bottle can be easily removed using patented click system
- 130mm diameter 300mm high 3 kg weight

Operation

Lower sampler into liquid. Pull reel to lift stopper. This allows liquid to flow into the glass bottle. Remove sampler and remove bottle.







Part No.	Nominal Volume	Material	Dimensions (Diameter x Height)
5073A-1000	1000ml	Nickel plated brass & glass	125 x 300mm

See below for cables and reels

Hand Reels, Cables & Chain

Hand reels and cables are essential accessories when using sub samplers (Bomb Samplers). The standard heavy duty hand reel is suitable for most situations. However if you are using the sampler in an Ex rated environment use the Hand Reel Ex with the copper cables.

Do not use stainless steel chain in ATEX environments.



Part No.	Description
5070D-04	Standard Heavy Duty Hand Reel - made from polypropylene
5070D-05	Ex Hand Reel - for Ex use rated environments. Made from conductive plastic. Supplied with earthing leads and clip. Use with copper cable (5070C)

Part No.	Description
5070S-10	Chain - 316 stainless steel - 10m
5070S-25	Chain - 316 stainless steel - 25m
5070S-50	Chain - 316 stainless steel - 50m
5070D-10	PTFE coated stainless wire - 10m
5070D-25	PTFE coated stainless wire - 25m
5070D-50	PTFE coated stainless wire - 50m

Part No.	Description
5070P-10	Polypropylene - braided cord - 10m
5070P-25	Polypropylene - braided cord - 25m
5070P-50	Polypropylene - braided cord - 50m
5070C-10	Copper - braided cable - 10m
5070C-25	Copper - braided cable - 25m
5070C-50	Copper - braided cable - 50m



Sub Sampler Pro

The Best Selling Heavy Duty Liquid Sampler

The Sub Sampler Pro (some times called a 'Bomb Sampler') is used throughout the world for both chemical and environmental sampling. Its unique double action means it can sample from a set distance from the bottom of a container or alternatively at a mid point in a container or well for example.

A. Sample from the bottom of a container

- Use a Lowering Cable


The Sub Sampler Pro is lowered until the plunger assembly touches the bottom of the container. As the plunger assembly is pushed up the sample is able to enter the device. When the sampler is raised the plunger will drop down and seal the sampler.



B. Mid-height Sampling

- Use a Lowering Cable and a Control Line


Lower the Sub Sampler Pro into the liquid. At the required sampling depth pull on the control line to raise the plunger. This will allow the liquid to enter the sampler. Release the control line and the plunger will drop down and seal the sampler.



Liquid flows in when the sampler hits the bottom











Part No.	Nominal Volume	Material	Diameter x Length	Ex Rated
5072B-500	500ml	316L Stainless steel	66 x 300mm	No
5072A-500	500ml	Nickel plated brass	50 x 430mm	No
5072A-1000	1000ml	Nickel plated brass	75 x 438mm	Yes*

 $^{^{*}}$ Make sure the sampler is properly earthed (grounded) use the Ex Hand Reel (5070D-05) and Copper cable (5070C)

Don't forget to order your Hand Reel and Cable - see page 112

Tel: +44 (0)1675 466992

e-mail: info@sampling.com



Soil Sampler Pro


Cross Sectional Soil Sampler

The Soil Sampler Pro is ideal for a wide range of soil sampling environments. It is built from high quality 316L stainless steel and comes with a wide robust handle which makes sampling easier.

The sampler comes with an optional discharge rod to help push soil out of the sampler after use.

- Lawns, meadows, light to medium soils
- Cross sectional sample
- Max Sample Volume: 170ml (approx.)
- Manufactured from high quality 316 stainless steel which means it is suitable for the toughest environments (including salty seawater areas)
- · Wide Handles provide extra leverage





- Rotate handle
- 3. Remove sampler
- 4. Use discharge rod to push sample out









Part No.	Description	Overall Length	Material	Diameter
1620A-01	Soil Sampler Pro	1000mm	316L stainless steel	25mm
8570A-1100	Sample Discharge Rod	1100mm	316L stainless steel	20mm

Enviro Dipper

The Enviro Dipper is a simple and yet effective method of taking a surface sample. Simply lower the bucket into the liquid.

The stainless steel bucket can be ordered with either a stainless steel chain or a braided polypropylene cord.





Part No.	Description
A725-300	Stainless Steel Bucket - 300ml
5070S-10	Chain - 316 stainless steel - 10m - with 316ss shackle
5070S-25	Chain - 316 stainless steel - 25m - with 316ss shackle
5070S-50	Chain - 316 stainless steel - 50m - with 316ss shackle
5070P-10	Polypropylene - Braided Cord - 10m
5070P-25	Polypropylene - Braided Cord - 25m
5070P-50	Polypropylene - Braided Cord - 50m
5070D-04	Standard heavy duty hand reel (polypropylene)



Cereal Trier (Slot Sampler)

- Multilevel sampler of grains, cereals and powders 316L stainless steel manufacture
- Robust design
- Available from stock



Part No.	Sampler Length	Outer Diameter	Maximum Sample Volume	Number of Slots
1210A-300	300mm	25mm	45ml	3
1210A-600	600mm	25mm	110ml	3
1210A-1000	1000mm	25mm	190ml	4
1210A-1500	1500mm	25mm	300ml	5
1210A-2000	2000mm	25mm	370ml	5
1210K-1000	1000mm	40mm	750ml	3
1210K-1500	1500mm	40mm	1000ml	4
1210K-2000	2000mm	40mm	1300ml	4






Snapper

Snaps Shut to Capture Sediment & Sludge

The Snapper has been specially designed to take samples of sediment and sludge in rivers, wells, tanks etc.

- Simple to use
- Holds approximately 250ml
- Automatically snaps shut on contact with the sediment
- Spring loaded mechanism
- Use with the telescopic pole that extends up to 4.5m

Tel: +44 (0)1675 466992



	tems certificates
Part No.	Description
5061A-250	Snapper - 250ml sample volume
5061T-4500	Telescopic rod. Extends up to 4.5m







Deep Water Sampler - 2.5L

Large volume environmental sampler

The deep water sampler is ideal for liquid and water sampling. It can be used in tanks, wells, containers, rivers and the sea.

Operation is simple. As the sampler is lowered into the liquid the material flows through it. When you start to pull the rope the bottom valve closes which means you take a sample from that point.

To discharge the liquid simply open the valve on the side. The Deep Water sampler is quick and easy to use.

- Graduated
- Supplied with 15m rope
- Transparent so its easy to inspect what has been sampled
- Made from robust plexiglass
- Ideal for chemical and environmental sampling
- · Stratified sampling is quick and easy













Part No.	Nominal Volume	Diameter	Height	Weight	Material
5079A-2500	2500ml	130mm	340mm	1.3Kg	Plastic - Plexiglass

In Stream Sampler





The In Stream Sampler is a useful piece of equipment for taking samples from a product that is flowing. Alternatively it can be used to take samples directly from containers or vessels.

The In Stream Sampler is made from robust 316L stainless steel. It can be used for sampling both powders and liquids.

- Multi purpose sampler
- 316L stainless steel
- Crevice free interior
- Available from stock
- Polished finish







Part No.	Nominal Volume	Internal Diameter	Handle Length
A996-500	500ml	80mm	1000mm





Disposable Bailer

Popular For Environmental Sampling

The sampler can either be manually pushed into the liquid being sampled or else it can be lowered on the end of a wire. Ideal for sampling from storage silos or well sampling.


For viscous materials use the bailer fitted with an end weight (Part No. 5040W-1000)



The plastic ball in the end of the sampler is pushed out of the way when the sampler is lowered into the product.

When the sampler is removed the plastic ball seals the sampler.

Note: This sampler is not suitable for high density liquids









See page 112 for Lowering Cables and Hand Reels

Part No.	Nominal Volume	Weighted End	Individually Bagged	Material	Length	Diameter	Quantity Per Box
5040A-1000	1000ml	No	Yes	HDPE	950mm	40mm	24
5040W-1000	1000ml	Yes	Yes	HDPE	950mm	40mm	24

Sample Kit

The Sampling Systems sample kit is ideal if you want a pre packed sample kit. In each over bag is an individually bagged sterile scoop and robust sterile sample bag (with metal closure system).

Ideal for taking samples of soil etc. The sample bag has a metal closure to seal the bag.

















Part No.	Nominal Scoop Volume	Scoop Material	PureBag Material	Qty per box
8480A-30S	30ml	PS (sterile)	LDPE (sterile)	10 scoops & 10 PureBags



Auger Soil Sampler

Robust Soil Sampling

The Sampling Systems range of auger samplers are ideal for soil sampling. The Auger Soil Sampler is made form painted steel.

Simply rotate the sampler into the soil to take a sample.

- Made from robust painted steel
- Available from stock
- Different sized heads can be attached to the standard handle
- Fast delivery worldwide









Part No.	Description
4710A-100	Auger Soil Sampler Head - 100mm diameter - painted steel
4710A-150	Auger Soil Sampler Head - 150mm diameter - painted steel
4710H-1000	T handle with rod 1000mm length - painted steel

Dutch Auger Soil Sampler

Made From Stainless Steel

The Dutch Auger Soil Sampler is ideal for general soil sampling. It can supplied as individual components or a cost effective set with carrying bag.

Different heads can be easily attached to the same body. 75mm and $100 \, \text{mm}$ diameter heads are available from stock.







Part No.	Description
2750K-01	Dutch Auger Soil Sampler Kit (Including 75mm and 100mm diameter heads, T handle, pallet knife, spanner, gloves and carry bag)
2750A-75	Dutch Auger Soil Sampler Head - stainless steel - 75mm diameter
2750A-100	Dutch Auger Soil Sampler Head - stainless steel - 100mm diameter
2750H-1000	T Handle with rod - 1000mm length





Bottles & Containers



Tel: +44 (0)1675 466992

www.sampling.com e-mail: info@sampling.com



Wide Mouth Containers



- Popular container for storing and transporting samples
- Suitable for use with powders and liquids HDPE Body with PP Lid
- Wide mouth design
- Translucent
- Made from food grade and FDA compliant material
- Certified BSE/TSE free
- Watertight



Part No.	Nominal Volume	Diameter	Quantity Per box
8126H-30	30ml	37mm	12
8126H-60	60ml	39mm	12
8126H-125	125ml	51mm	12
8126H-250	250ml	62mm	12
8126H-500	500ml	73mm	12
8126H-1000	1000ml	92mm	6
8126H-2000	2000ml	120mm	6

Multi Purpose Bottles PP




- Watertight container PP Body and Lid
- Made from food grade and FDA compliant material



Part No.	Nominal Volume	Diameter	Quantity Per box
8121P-4	4ml	15mm	12
8121P-8	8ml	25mm	12
8121P-15	15ml	25mm	12

PP Tubs



- White
- Crevice free interior





Part No.	Nominal Volume	Diameter
8180A-12	12ml	25mm
8180A-25	25ml	31mm
8180A-60	60ml	41mm
8180A-90	90ml	52mm
8180A-120	120ml	52mm
8180A-250	250ml	52mm
8180A-600	600ml	90mm
8180A-1000	1000ml	117mm





Sample Containers







- Versatile container
- PP Body with HDPE Lid Suitable for Liquid and powders
- Low cost

Note:

- 50ml container is powder-tight & watertight 100ml container is powder-tight only

Part No.	Nominal Volume	Quantity Per box
8131A-50	50ml	384
8131A-100	100ml	280

Wide Mouth Amber Bottles



- Amber Colour
- Suitable for use with powders and liquids
- HDPE Body with PP Lid
- Wide mouth design
- Watertight

Stock	
Stock	Downloa

Part No.	Nominal Volume	Diameter	Quantity Per box
8126H-30A	30ml	37mm	72
8126H-60A	60ml	39mm	72
8126H-125A	125ml	51mm	72
8126H-250A	250ml	62mm	72
8126H-500A	500ml	73mm	48
8126H-1000A	1000ml	92mm	24

Carboys



The Sampling Systems Carboys are manufactured from heavy duty polypropylene which is not only very tough physically but also has good chemical resistance.

- Available with or without stopcock
- All polymers are FDA compliant and USP Class VI
- Certified BSE/TSE free
- Can be autoclaved

				Items
Part No.	Nominal Volume	Stopcock Included	Diameter	Height
8132P-10	10 litres	No	250mm	390mm
8132P-10T	10 litres	Yes	250mm	390mm
8132P-20	20 litres	No	290mm	530mm
8132P-20T	20 litros	Voc	200mm	530mm

e-mail: info@sampling.com



Wide Mouth Square Bottle



- Polypropylene Body & Cap
- All polymers are FDA compliant Screw-on cap
- Watertight
- Supplied as 6 bottles per box



Part No.	Nominal Volume	Height	Width	Internal Neck Diameter
8235P-4000	4000ml	305mm	150mm	90mm

Aluminium Bottles



- PP cap with internal aluminium seal
- Screw-on cap





PTFE Pot




- Multi purpose containers & cap
- Crevice free interior
- Heavy wall construction



Part No.	Nominal Volume	Height	Diameter
A115-15	15ml	34mm	32mm
A115-30	30ml	62mm	32mm
A115-60	60ml	46mm	54mm
A115-120	120ml	62mm	62mm
A115-240	240ml	100mm	66mm
A115-480	480ml	125mm	80mm
A115-1000	1000ml	160mm	101mm
A115-2200	2200ml	260mm	120mm

PTFE Bottle



- Crevice free interior
- Heavy wall construction





Heavy wall construction					
Part No.	Nominal Volume	Height	Diameter		
A125-1	1ml	27mm	16mm		
A125-5	5ml	35mm	22mm		
A125-10	10ml	50mm	26mm		
A125-25	25ml	61mm	33mm		
A125-50	50ml	76mm	43mm		
A125-100	100ml	88mm	52mm		
A125-250	250ml	115mm	67mm		
A125-500	500ml	150mm	80mm		
A125-1000	1000ml	185mm	100mm		
A125-2000	2000ml	240mm	120mm		



SteriWare® Powder Bottles





Powder Bottles are a new premium, single use, screw top bottle from Sampling Systems. They are designed to meet the requirements of the pharmaceutical industry.

The Powder Bottles are made in a cleanroom to ensure cleanliness. They are all individually bagged.

- Powder tight
- Available in 250ml and 500ml sizes
- Other sizes to follow
- Manufactured, inspected & packed in a Cleanroom
- Individually Bagged FDA Conforming Materials
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)















123

Part No.	Nominal Volume	Pre-Sterilised	Overall Height	Outer Diameter	Material	Qty Per box
8890P-250	250ml	No	88mm	76mm	PP	50
8890P-250S	250ml	Yes	88mm	76mm	PP	50
8890P-500	500ml	No	106mm	94mm	PP	37
8890P-500S	500ml	Yes	106mm	94mm	PP	37



PureBag

Sterile Bags With metal Closure System

Our range of sterile PureBags are an ideal low cost alternative to standard containers. They have a robust metal closure system for easy and secure closing.


- Sterile
- · Leak-proof with unique metal closure system
- Made from a special super tough grade of LDPE
- Complies with FDA, USDA and HACCP guidelines
- Pyrogen free
- Suitable up to 80°C
- Wide range of sizes available from stock







Part No. (plain)	Part No. (with labelling area)	Nominal Volume	Width	Length	Quantity Per box
8080A-60	8080L-60	60ml	76mm	127mm	1000
8080A-150	8080L-150	150ml	76mm	178mm	1000
8080A-450	8080L-450	450ml	114mm	229mm	1000
8080A-900	8080L-900	900ml	114mm	305mm	1000
8080A-1200	8080L-1200	1200ml	114mm	382mm	1000
8080A-5500	N/A	5500ml	305mm	406mm	250
8080A-10500	N/A	10500ml	305mm	610mm	250



Pure Bag - Stand Up Sterile Free-Standing Bags

The Stand Up range makes transferring samples very easy. The Bags are designed so that stand up without any additional support.

- Sterile
- Leak-proof with unique metal closure system
- Made from a special super tough grade of LDPE
- Complies with FDA, USDA and HACCP guidelines
- Pyrogen free
- Suitable up to 80°C
- Available from stock
- Metal closure system for secure sealing







Part No.	Nominal Volume	Width	Length	Quantity Per box
8079A-450	400ml	114mm	229mm	1000
8079A-600	600ml	114mm	290mm	1000



Sampling Bags Non-Sterile Bags

The range of general purpose sampling bags from Sampling Systems are made from clear food grade polyethylene (PE). Suitable for food, chemical and pharmaceutical products. The bags come with an easy closure system along the top


- Supplied in packs of 100
- Made from FDA and EU conforming PE
- Range of convenient sizes
- Available from stock





Part No.	Dimensions	Quantity Per Pack
8246L-100	100 x 140mm	100
8246L-150	150 x 230mm	100
8246L-200	200 x 280mm	100
8246L-250	250 x 350mm	100
8246L-300	330 x 460mm	100







Web Site - For the Latest Products

Our web site is constantly being updated with the latest products. For more info please see **www.sampling.com**

125

e-mail: info@sampling.com



Mini-Pots





Mini-Pots are high quality containers that are made from 316L stainless steel. Mini-Pots have a crevice free interior and widely used in pharmaceutical and chemical laboratories around the world.

Mini-Pots are available in a wide range of sizes.

- Screw on lid
- Satin finish
- Multi purpose small volume containers 316L stainless steel
- Crevice free interior
- O ring available for improved sealing







Part No.	Nominal Volume	Body Diam- eter	Overall Height	Stainless Steel
A426-7	7ml	19mm	45mm	316L
A426-25	25ml	41mm	36mm	316L
A426-50	50ml	42mm	53mm	316L
A426-100	100ml	52mm	73mm	316L
A426-250	250ml	77mm	73mm	316L
A426-500	500ml	102mm	78mm	316L
A426-750	750ml	102mm	116mm	316L
A426-1000	1000ml	102mm	154mm	316L



Mini-Pots can be fitted with a silicone O ring. This makes the sealing more robust. The silicone is FDA compliant to CFR 177.2600.

Part No.	Suit Nominal Volume	Material
A426-25S	O ring for 25ml (A426-25)	Silicone
A426-50S	O ring for 50ml (A426-50)	Silicone
A426-100S	O ring for 100ml (A426-100)	Silicone
A426-250S	O ring for 250ml (A426-250)	Silicone
A426-500S	O ring for 500ml (A426-500)	Silicone
A426-750S	O ring for 1000ml (A426-750)	Silicone
A426-1000S	O ring for 50ml (A426-1000)	Silicone

SAMPLING SYSTEMS

Stainless Beakers (316L)





Our range of stainless steel beakers are made from high grade 316L stainless steel. Available in 4 convenient sizes in a polished finish. Ideal for use in the laboratory or production environment. These multi-purpose stainless steel beakers are ideal for the collection and storage of powders and liquids.

- Multi purpose containers
- 316L stainless steel
- Crevice free interior
- Available from stock
- Polished finish (Ra < 0.5 microns)



				Items
Part No.	Nominal Volume	Internal Diameter	Height	Stainless Steel
A736-500	500ml	80mm	97mm	316L
A736-1000	1000ml	147mm	145mm	316L
A736-2000	2000ml	150mm	150mm	316L
A736-3000	3000ml	200mm	100mm	316L

Powder Pots (316L Stainless)



316L Stock



The Sampling Systems range of Powder Pots are made from 316L stainless steel. Powder Pots have a screw on lid and are available in 4 sizes. The high quality polished finish means that they are ideal for use in laboratories or production environments.

- Multi purpose screw top containers
- 316L stainless steel
- Crevice free interior
- Available from stock
- Polished finish (Ra < 0.5 microns)

St
٠



Part No.	Nominal Volume	Max Diameter	Height	Stainless Steel
A166-250	250ml	80mm	70mm	316L
A166-500	500ml	106mm	72mm	316L
A166-750	750ml	106mm	97mm	316L
A166-1000	1000ml	106mm	148mm	316L

Pots with Lids



Tel: +44 (0)1675 466992

- 304 stainless steel
- Crevice free
- Simple drop on lid
- Satin finish







Part No.	Nominal Volume	Top Diameter	Height	Stainless Steel
A284-400	400ml	85mm	85mm	304
A284-650	650ml	100mm	100mm	304
A284-1250	1250ml	120mm	120mm	304
A284-2500	2500ml	150mm	150mm	304
A284-5000	5000ml	200mm	200mm	304



CONTAINERS With Tri Ferrule Clamped Lids



The Sampling Systems range of containers with tri-ferrule fittings are a very popular range for pharmaceutical, chemical and food industries. The high quality finish and 316L stainless steel construction make them ideal for most applications.

The tri ferrule lid profile means they have a robust lid system that also has the advantage that it can be clamped to other tri clamp systems. This gives a dust tight connection system.

The containers can also be electro-polished as an option.

Stainless Containers (50mm Top Diameter)





The A836 range are a popular selection of containers. Ideal for storing powders and liquids.

The 2" tri ferrule style lid is a popular feature as it allows it to be clamped to anything with the same profile.

The robust clamped lid gives a powder and water tight fit.

- · Multi purpose containers
- Robust construction
- Crevice free interior
- Standard 2" lid (Tri-ferrule style BS 4825-3)
- All welds ground and polished
- Complete with lid, silicone (FDA compliant) and clampband
- 316L stainless steel body and lid.







Part No.	Nominal Volume	Body Diameter	Height	Material
A836-250	250ml	83mm	103mm	316L stainless steel
A836-500	500ml	83mm	153mm	316L stainless steel
A836-1000	1000ml	102mm	183mm	316L stainless steel



Stainless Containers (100mm Top Diameter)

Our range of Stainless Containers is ideal for use with powders and liquids. The high quality crevice free finish makes these containers ideal for the most demanding of

Available from stock in a wide range of sizes.

- Multi purpose containers Robust construction
- Crevice free interior
- Standard 4" lid (Tri-ferrule style BS 4825-3)
- All welds ground and polished
- Complete with lid, silicone (FDA compliant) and clampband 316L stainless steel body and lid.







Robust lid is quick and easy to remove

Lid, clamp and seal included in price.

	Stock	
316L		Do
	Items	cer



129

Part No.	Nominal Volume	Body Diameter	Height	Material
A416-1	1 Litre	104mm	152mm	316L stainless steel
A416-2	2 Litres	104mm	227mm	316L stainless steel
A416-5	5 Litres	164mm	316mm	316L stainless steel
A416-8	8 Litres	212mm	283mm	316L stainless steel
A416-10	10 Litres	215mm	364mm	316L stainless steel
A416-15	15 Litres	275mm	360mm	316L stainless steel
A416-20	20 Litres	275mm	440mm	316L stainless steel

Tel: +44 (0)1675 466992 www.sampling.com e-mail: info@sampling.com



316L Stainless PharmaBottles®

Stainless PharmaBottles® are ideal for use with powders and liquids. Each container has a high polish finish and a watertight screw on lid.

Stainless PharmaBottles® are supplied with an FDA acceptable silicone gasket in the lid.

- Multi purpose containers
- 316L stainless steel body and lid
- Robust construction
- Crevice free interior
- All welds ground and polished
- Complete with screw on lid
- Silicone (FDA acceptable) gasket in lid











Part No.	Nominal Volume	Internal Neck Diameter	Height	Stainless Steel
A846-500	500ml	48mm	154mm	316L
A846-1000	1000ml	48mm	178mm	316L

See page 128 for stainless bottles with clamp top lids



Clamp Containers





- Multi purpose containers
- 316L stainless steel
- Crevice free interior
- Supplied with lid, clamp and silicone seal (FDA acceptable grade)
- Wide 4" (100mm) diameter tri-clamp lid BS 4825-3
- Satin finish
- Side handles (excluding 1 and 2 litre sizes)
- Neck has a 60° angle to promote powder discharge





Part No.	Nominal Volume	Diameter	Height	Material
A566-01	1 litres	133mm	109mm	316L stainless steel
A566-02	2 litres	130mm	185mm	316L stainless steel
A566-05	5 litres	180mm	262mm	316L stainless steel
A566-10	10 litres	210mm	366mm	316L stainless steel
A566-20	20 litres	303mm	463mm	316L stainless steel
A566-25	25 litres	303mm	535mm	316L stainless steel

Latest Technology

With over 1 million parts in stock we use the latest technology to control stock.

Over 95% of the range is available from stock for fast delivery worldwide.

We can deliver to most parts of the world in 2 - 3 days with Europe and North America being a next day service (if the order is received by 1.30pm GMT).

Tel: +44 (0)1675 466992



131



Containers with GL45 Threads

Our range of GL45 containers have the advantage that the lid can be fully removed for full cleaning. The lid comes with a built in adapter so they will mate with standard GL45 threads.


The containers are available in a variety of sizes and come as a standard with a highly polished finish.



- Multi purpose containers
- Heavy duty construction
- Crevice free interior
- 316L stainless steel construction
- Lid can be completely removed for full cleaning

External GL45 Thread (with screw on Cap and silicone seal)







Internal GL45 Thread (not supplied with a Cap)

	`	• •	' '
Part No.	Nominal Volume	Body Diameter	Height
A418-1	1 Litre	104mm	182mm
A418-2	2 Litres	104mm	257mm
A418-5	5 Litres	164mm	346mm
A418-8	8 Litres	212mm	313mm
A418-10	10 Litres	215mm	394mm
A418-15	15 Litres	275mm	360mm
A418-20	20 Litres	275mm	470mm





Toggle Drums





The Sampling Systems range of heavy duty toggle drums are ideal for storage and production. As standard they come with a fully welded handle, silicone seal (FDA grade) and lid. The lid is secured by using the pull down latches (toggle clamps). Manufactured from high grade 316L stainless steel the containers are suitable for most applications.

The toggle drums have a high quality, polished finish which enables complete and thorough cleaning. Large stocks are kept for quick delivery.

- Multi purpose open top drums
- Heavy duty construction
- Crevice free interior
- 316L stainless steel body and lid Silicone gasket (food grade, FDA acceptable)
- Lid can be completely removed for full cleaning







133

Part No.	Nominal Volume	Number of Toggles	Internal Diameter	Nominal Height	Material (Body & Lid)
A926-2	2 Litres	2	140mm	160mm	316L stainless steel
A926-5	5 Litres	4	196mm	200mm	316L stainless steel
A926-8	8 Litres	4	196mm	300mm	316L stainless steel
A926-10	10 Litres	4	230mm	270mm	316L stainless steel
A926-15	15 Litres	4	230mm	380mm	316L stainless steel
A926-20	20 Litres	4	300mm	300mm	316L stainless steel
A926-25	25 Litres	4	300mm	380mm	316L stainless steel
A926-50	50 Litres	4	395mm	430mm	316L stainless steel
A926-100	100 Litres	6	470mm	610mm	316L stainless steel
A926-200	200 Litres	6	570mm	800mm	316L stainless steel
A926-300	300 Litres	6	710mm	800mm	316L stainless steel



Mini-Drums

- Multi purpose containers
- Crevice free interior
- Neat recessed fitting lid
- Complete with a swing carrying handle







recommend the use of

Use 3 toggle clamps per Mini-Drum

toggle clamps



O-Ring Seals

- Silicone seal FDA grade
- Prices on request

O-rings are also available in Viton and Nitrile - ask for details

Mini-Drums Without Toggle Clamps



Nominal Volume	Height	Diameter	304 stainless steel	316L stainless steel
			Part No.	Part No.
1 litre	155mm	100mm	A434-1	A446-1
2 litres	175mm	130mm	A434-2	A446-2
3 litres	185mm	155mm	A434-3	A446-3
5 litres	240mm	175mm	A434-5	A446-5
6 litres	280mm	175mm	A434-6	A446-6
8 litres	285mm	200mm	A434-8	A446-8
10 litres	295mm	220mm	A434-10	A446-10
12.5 litres	285mm	237mm	A434-12	A446-12
15 litres	285mm	267mm	A434-15	A446-15

Mini-Drums With Toggle Clamps and Silicone Seal



Nominal Volume	Height	pht Diameter		316L stainless steel
			Part No.	Part No.
1 litre	155mm	100mm	A624-1	A626-1
2 litres	175mm	130mm	A624-2	A626-2
3 litres	185mm	155mm	A624-3	A626-3
5 litres	240mm	175mm	A624-5	A626-5
6 litres	280mm	175mm	A624-6	A626-6
8 litres	285mm	200mm	A624-8	A626-8
10 litres	295mm	220mm	A624-10	A626-10
12.5 litres	285mm	237mm	A624-12	A626-12
15 litres	285mm	267mm	A624-15	A626-15



Storage Containers

- Multi purpose containers
- Light duty construction
- Crevice free interior
- Two sturdy handles
- Close fitting recessed lid with handle
- Flat bottom with chime ring to give added protection
- Toggle Clamps and seals are optional extras



Storage Containers Without Toggle Clamps



Nominal Volume	nal Volume Height Diameter	304 stainless steel	316L stainless steel	
		Part	Part No.	Part No.
20 Litres	390mm	265mm	A454-20	A466-20
25 Litres	390mm	300mm	A454-25	A466-25
30 Litres	455mm	300mm	A454-30	A466-30
50 Litres	560mm	350mm	A454-50	A466-50
75 Litres	625mm	400mm	A454-75	A466-75
100 Litres	675mm	445mm	A454-100	A466-100

Storage Containers With Toggle Clamps and Silicone Seal



135

Nominal Volume		304 stainless steel	316L stainless steel	
			Part No.	Part No.
20 Litres	390mm	265mm	A694-20	A696-20
25 Litres	390mm	300mm	A694-25	A696-25
30 Litres	455mm	300mm	A694-30	A696-30
50 Litres	560mm	350mm	A694-50	A696-50
75 Litres	625mm	400mm	A694-75	A696-75
100 Litres	675mm	445mm	A694-100	A696-100



Stainless Storage Drums - 316L ss







Stainless Storage Drums are a new addition to our range. These drums have a very high quality finish and are supplied with sturdy side handles, lid, gasket and clampband.

The robust, hygienic design means they are suitable for the most demanding of applications.



- Open top pharmaceutical and chemical grade drums
- From 5L to 200L (larger sizes on request)
- High quality, heavy duty construction Product contact parts 316L stainless steel
- Crevice free interior
- Lid secured with clampband (304 stainless steel)
- Lid gasket FDA acceptable silicone rubber
- Hygienic top rim
- Supplied with side handles
- Fully welded GMP correct construction







Part No.	Nominal Volume	Internal Diameter	Nominal Height	Material (Body & Lid)	Lid Gasket
A126-05	5 Litres	196mm	200mm	316L stainless steel	Silicone - FDA acceptable
A126-10	10 Litres	223mm	280mm	316L stainless steel	Silicone - FDA acceptable
A126-15	15 Litres	230mm	380mm	316L stainless steel	Silicone - FDA acceptable
A126-20	20 Litres	298mm	300mm	316L stainless steel	Silicone - FDA acceptable
A126-25	25 Litres	298mm	379mm	316L stainless steel	Silicone - FDA acceptable
A126-50	50 Litres	393mm	435mm	316L stainless steel	Silicone - FDA acceptable
A126-100	100 Litres	470mm	610mm	316L stainless steel	Silicone - FDA acceptable
A126-150	150 Litres	570mm	612mm	316L stainless steel	Silicone - FDA acceptable
A126-200	200 Litres	570mm	800mm	316L stainless steel	Silicone - FDA acceptable





Accessories



Tel: +44 (0)1675 466992

www.sampling.com

e-mail: info@sampling.com



Open PharmaScoops®



Open PharmaScoops are a popular alternative to our best selling PharmaScoops (page 139). Open PharmaScoops are designed to be easy to clean due to their crevice free design. They have a broad ergonomic handle which makes them comfortable to use even when wearing gloves.

Huge stocks for fast worldwide delivery.

- Heavy duty construction 316L stainless steel Crevice free

- Satin finish
- Rounded corners for easy cleaning
- GMP correct











Part No.	Nominal Capacity	Width	Body Length	Overall Length	Material
A336-250	250ml	100mm	150mm	270mm	316L ss
A336-500	500ml	125mm	190mm	320mm	316L ss
A336-750	750ml	110mm	235mm	350mm	316L ss
A336-1000	1000ml	125mm	235mm	360mm	316L ss
A336-1500	1500ml	155mm	255mm	365mm	316L ss
A336-2000	2000ml	145mm	310mm	430mm	316L ss
A336-4000	4000ml	185mm	275mm	400mm	316L ss



PharmaScoops®



PharmaScoops are high quality stainless steel scoops. They are ideal for dispensing and for sampling.

- High quality scoops Heavy duty construction
- 316L stainless steel
- Crevice free
- Satin finish
- Rounded corners for easy cleaning
- GMP correct





PharmaScoops are a worldwide best seller in the pharmaceutical, food and chemical industries.







139

Part No.	Nominal Capacity	Body Diameter	Body Length	Overall Length	Material
A316-10	10ml	25mm	45mm	75mm	316L ss
A316-50	50ml	38mm	70mm	110mm	316L ss
A316-100	100ml	50mm	100mm	180mm	316L ss
A316-250	250ml	75mm	120mm	235mm	316L ss
A316-500	500ml	95mm	140mm	240mm	316L ss
A316-750	750ml	95mm	210mm	330mm	316L ss
A316-1000	1000ml	110mm	235mm	340mm	316L ss
A316-1250	1250ml	125mm	195mm	305mm	316L ss
A316-1700	1700ml	135mm	230mm	355mm	316L ss
A316-2500	2500ml	185mm	215mm	320mm	316L ss
A316-5000	5000ml	220mm	230mm	355mm	316L ss



Scorpion PharmaScoops®



- Heavy duty construction
- 316L stainless steel
- Hygienic crevice free construction
- Satin finish
- · Rounded corners for easy cleaning





Long Handled PharmaScoops®



- Extra Long handle
- Crevice free
- 316L stainless steel construction
- Rounded corners for easy cleaning
- GMP correct







Part No.	Nominal	Body	Body	Handle
	Capacity	Diameter	Length	Length
A396-1000	1000ml	110mm	235mm	600mm

Maximum

Width

110mm

Weighing PharmaScoops®



- Free-standing scoop, ideal for use with weighing scales
- 316L stainless steel
- Rounded corners
- Crevice free construction
- Satin finish

Part No.

A376-500

Robust handle









Square PharmaScoops®



- Heavy duty construction
- Made from 316L stainless steel
- Crevice free
- Satin finish
- Rounded corners for easy cleaning

Nominal

Capacity

500ml

GMP correct







Part No.	Nominal Capacity	Width	Body Length	Overall Length
A366-1	1500ml	160mm	190mm	315mm
A366-11	1500ml	160mm	190mm	315mm

A366-1 All 316L stainless steel

A366-11 316L stainless steel Body and 304 stainless steel Handle

PTFE Scoops



- Crevice free
- PTFE construction (FDA acceptable and USP Class VI)
- Rounded corners for easy cleaning
- GMP correct



Part No.	Nominal Capacity	Body Diameter	Body Length	Overall Length
A333-100	100ml	65mm	95mm	195mm
A333-500	500ml	100mm	140mm	265mm

Industrial Scoops



- Light duty construction Stainless steel Fully welded construction

Part No.	Nominal Capacity	Body Width	Body Length	Overall Length
A643-100	100ml	60mm	115mm	180mm
A643-200	200ml	75mm	135mm	205mm
A643-300	300ml	90mm	150mm	230mm
A643-500	500ml	110mm	180mm	270mm

Economy Scoops



- Light duty construction
- 304 stainless steel


Important Note - Economy Scoops are not crevice free and are therefore not suitable for GMP applications





Part No.	Nominal Capacity	Diameter	Overall Length
A304-120	120ml	50mm	195mm
A304-450	450ml	75mm	255mm
A304-1000	1000ml	120mm	315mm
A304-1500	1500ml	120mm	345mm
A304-2000	2000ml	150mm	365mm

Ice Scoops



304 stainless steel



Part No.	Nominal	Body	Body	Overall
	Capacity	Diameter	Length	Length
A314-100	100ml	50mm	100mm	180mm

Scorpion Scoop Eco



- 304 stainless steel Satin finish
- Suitable for general, light duty use



Part No.	Nominal Capacity	Body Width	Body Length	Overall Height
A334-1000	1000ml	120mm	230mm	200mm



SteriWare PharmaScoops®



SteriWare PharmaScoops are high quality, single use, disposable plastic scoops. All SteriWare PharmaScoops are manufactured and packed in a cleanroom. They are widely used in the pharmaceutical and food industries all over the world.

SteriWare PharmaScoops are ideal for use with potent drugs as well as highly coloured or perfumed products.

- Manufactured and packed in a medical cleanroom to ensure cleanliness
- Individually wrapped
- Made from tough, virgin PS or PP (FDA acceptable, EU 10/2011 and EC 1935/2004)
- Available non-sterile or pre-sterilised (validated procedure using gamma irradiation)
- Ergonomic design
- Suitable for use in ATEX areas
- GMP correct
- Available from stock

No pre-cleaning is required. Simply unwrap and use (see pages 8 - 11 for the complete range)

















Part No.	Nominal Capacity	Pre-sterilised	Colour	Material	Quantity Per Box
8045A-30	30ml	No	White	PS	100
8045A-30S	30ml	Yes	White	PS	100
8045A-60	60ml	No	White	PS	100
8045A-60S	60ml	Yes	White	PS	100
8045A-125	125ml	No	White	PS	100
8045A-125S	125ml	Yes	White	PS	100
8045A-250	250ml	No	White	PS	100
8045A-250S	250ml	Yes	White	PS	100
8045A-500	500ml	No	White	PS	100
8045A-500S	500ml	Yes	White	PS	100
8045A-1000	1000ml	No	White	PS	100
8045A-1000S	1000ml	Yes	White	PS	100
8045A-2500	2500ml	No	White	PS	60
8045A-2500S	2500ml	Yes	White	PS	60
00450 60	60.1		0.1	DC.	400
8045R-60	60ml	No	Red	PS	100
8045R-60S	60ml	Yes	Red	PS	100
8045R-500S	500ml	Yes	Red	PS	100
8045R-1000	1000ml	No	Red	PS	100
8045R-1000S	1000ml	Yes	Red	PS	100
8045R-2500S	2500ml	Yes	Red	PS	60
8045P-500	500ml	No	White	PP	100
8045P-1000	1000ml	No	White	PP	100
8045B-60	60ml	No	Blue	PP	100
8045B-60S	60ml	Yes	Blue	PP	100
8045B-125S	125ml	Yes	Blue	PP	100

www.sampling.com

Tel: +44 (0)1675 466992

e-mail: info@sampling.com



SteriWare® Ladle

The SteriWare Ladle is ideal for the surface sampling of liquids. They can be used straight-from-the-bag; simply unwrap and use.

The one piece moulded design has been specially constructed to go through standard 2" lid bungs which are commonly found on barrels and kegs.

- Moulded & Packed in a Cleanroom
- Individually Bagged
- FDA & EU 10/2011 Conforming Materials
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)
- Available from stock

















Stainless Ladle

- Satin finish
- 304 or 316L stainless steel
- All stainless steel construction
- Crevice free construction





Part No.	Nominal Volume	Stainless Steel	Bowl Diameter	Handle Length
A326-150	150ml	316L	88mm	370mm
A324-50	50ml	304	63mm	275mm
A324-120	120ml	304	82mm	345mm
A324-150	150ml	304	92mm	350mm
A324-200	200ml	304	100mm	365mm



Stainless Dippers

- 316L stainless steel
- Crevice free cup



				items certificates
Part No.	Nominal Volume	Stainless Steel	Cup Diameter	Overall Length
5005A-100	100ml	316L	39mm	600mm
5005B-100	100ml	316L	39mm	1000mm
5005A-250	250ml	316L	64mm	600mm
5005B-250	250ml	316L	64mm	1000mm
5005A-500	500ml	316L	90mm	600mm
5005B-500	500ml	316L	90mm	1000mm





Bailers



- Crevice free
- Satin finish
- Flat cut rim on bowl
- 316L Stainless Steel





Part No.	Nominal Volume	Max. Bowl Diameter	Overall Length
A296-1	1 litre	170mm	285mm
A296-2	2 litre	215mm	340mm
A296-4	4 litre	270mm	415mm

In Stream Sampler





The In Stream Sampler is a useful piece of equipment for taking samples from a product that is flowing. Alternatively it can be used to take samples directly from containers or vessels.


The In Stream Sampler is made from robust 316L stainless steel. It can be used for sampling both powders and liquids.

- Multi purpose sampler
- 316L stainless steel
- Crevice free interior
- Available from stock
- Polished finish





Part No.	Nominal Volume	Internal Diameter	Handle Length
A996-500	500ml	80mm	1000mm



Medicine Cups (Small Volume)



Our medicine cups are ideal for putting small amounts of tablets, granules or powder into. The flat base design means they are ideal for weigh scales.

www.sampling.com

- 304 stainless steel
- Crevice free
- Polished







Part No.	Nominal Volume	Diameter	Height
A764-30	30ml	50mm	25mm





SteriWare Pallet Knife

- Moulded & Packed in a Cleanroom
- Individually Bagged
- FDA, EC 1935/2004 & EU 10/2011 **Conforming Materials**
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)















Part No.	Blade Length	Blade Width	Overall Length	Pre-Sterilised	Material	Quantity per Box
8175H-150	150mm	40mm	260mm	No	HDPE	100
8175H-150S	150mm	40mm	260mm	Yes	HDPE	100
8175H-200	200mm	45mm	300mm	No	HDPE	100
8175H-200S	200mm	45mm	300mm	Yes	HDPE	100

Disposable Scraper

- Moulded & Packed in a Cleanroom
- Individually Bagged FDA, EC 1935/2004 & EU 10/2011 Conforming Materials
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)

















Part No.	Blade Length	Blade Width	Overall Length	Pre-Sterilised	Material	Quantity per Box
8785H-75	75mm	75mm	190mm	No	HDPE	100
8785H-75S	75mm	75mm	190mm	Yes	HDPE	100
8785B-75	75mm	75mm	190mm	No	Blue PP	100
8785B-75S	75mm	75mm	190mm	Yes	Blue PP	100
8785H-110	110mm	110mm	225mm	No	HDPE	100
8785H-110S	110mm	110mm	225mm	Yes	HDPE	100

GMP Pallet Knives

- Crevice free, all stainless steel construction
- Satin finish



Part No.	Blade Length	Blade Width	Overall Length
A330-100	100mm	25mm	185mm
A330-130	130mm	20mm	225mm
A330-150	150mm	25mm	255mm
A330-200	200mm	32mm	325mm
A330-250	250mm	38mm	380mm
A330-300	300mm	45mm	440mm
A330-350	350mm	50mm	495mm

Pallet Knife with Plastic Handle

- Stainless steel blade with plastic handle
- Satin finish



Part No.	Blade Length	Blade Width	Overall Length
A200-100	100mm	20mm	190mm
A200-200	200mm	30mm	310mm
A200-300	300mm	35mm	415mm

Pallet Knife with Wooden Handle

- Stainless steel blade with wooden handle
- Satin finish





Part No.	Blade Length	Blade Width	Overall Length
A201-100	100mm	20mm	190mm
A201-200	200mm	30mm	310mm
A201-300	300mm	35mm	415mm

Stainless Steel Scrapers

- Crevice free, stainless steel construction
- Satin finish



147



Part No.	Stainless Steel	Blade Width	Overall Length
A350-75	420S45	75mm	232mm
A350-100	420S45	100mm	277mm
A656-100	316L	100mm	235mm





Powder Funnels





- Satin finish
- Tri ferrule fitting at spout base (BS4825-3)







Part No.	Stainless Steel	Top Diameter	Tri Ferrule Size	Height
A716-100	316L	100mm	1.5"	107mm
A716-200	316L	200mm	1.5"	232mm
A716-300	316L	300mm	2"	310mm

Disposable Powder Funnel



The Sampling Systems Powder Funnel is ideal for transferring powders. Available both sterile and non sterile. Made from chemically resistant food grade plastic.

- Individually bagged FDA and EC conforming material
- Cleanroom manufacture and packing (ensures cleanliness)
- Available from stock for fast delivery worldwide











Items	ertificates
per	

Part No.	Top Diameter	Spout Diameter	Pre-Sterilised	Material	Quantity per Box
8111H-200	200mm	40mm	No	HDPE	10
8111H-200S	200mm	40mm	Yes	HDPE	10

Powder Funnel

- Ideal for loading powder into drums, containers or kegs
- Crevice Free



Part No.	Top Diameter	Outlet Diameter	Material
8023P-80	80mm	23mm	PP
8023P-100	100mm	26mm	PP
8023P-150	150mm	30mm	PP
8023H-200	200mm	40mm	HDPE
8023P-250	250mm	50mm	PP
8023P-350	350mm	65mm	PP

*** SAMPLING SYSTEMS

SteriWare Liquid Funnel

- Moulded & Packed in a Cleanroom
- Individually Bagged
- FDA & EU 10/2011 Conforming Materials
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)









					Cleaning Cheaning	
Part No.	Top Diameter	Spout Diameter	Colour	Pre-Sterilised	Material	Quantity per Box
8370H-100	100mm	10mm	Natural	No	HDPE	100
8370H-100S	100mm	10mm	Natural	Yes	HDPE	100
8370B-100	100mm	10mm	Blue	No	PP	50
8370B-100S	100mm	10mm	Blue	Yes	PP	50
8370H-200	200mm	15mm	Natural	No	HDPE	20
8370H-200S	200mm	15mm	Natural	Yes	HDPE	10

Liquid Funnels

- 304 stainless steel
- Satin finish
- Fluted spout to aid product discharge



Part No.	Top Diameter	Spout Diameter	Height
A244-50*	50mm	8mm*	65mm
A244-100	100mm	12mm	120mm
A244-120	120mm	12mm	140mm
A244-150	150mm	12mm	160mm
A244-200	200mm	20mm	200mm
A244-250	250mm	20mm	325mm
A244-310	310mm	20mm	325mm



Liquid Funnel

- PP construction
- Crevice Fee
- Re-usable

Stock	Download certificates





PTFE Funnel

- Crevice free interior
- Heavy wall construction

- 1	
	Download
	certificates





^{*} A244-50 does not have a fluted spout.



Funnel With Strainer



Our Funnels with strainer are ideal for removing large particles.

- 304 stainless steel
- Polished





Part No.	Top Diameter	Height	Hole Size	Material
A904-165	165mm	165mm	4mm	304 ss

Sieving Tool



- Ideal for pushing powders through mesh screens
- 316L stainless steel
- Rounded corners
- Crevice free construction
- Satin finish







Part No.	Disc Diameter	Handle Length	Material
A516-120	120mm	160mm	316L ss

Earthing Lugs



- Extra cost option for any stainless steel sampler or item of dispensing
- Provides a convenient connection point for earthing (grounding) wires
- Ideal when working with flammable solvents or in ATEX rated environments
- Earthing lugs can be welded to almost any stainless steel device







Part No.	Description
LUG-1	Earthing Lug - 316L stainless steel

Bowls



- Crevice free design
- Polished finish
- Range of sizes
- 304 Stainless Steel







Part No.	Nominal Volume	Diameter	Height	Material
A534-1000	1000ml	170mm	85mm	304 ss
A534-2000	2000ml	220mm	110mm	304 ss
A534-4000	4000ml	270mm	130mm	304 ss

SAMPLING SYSTEMS

Buckets (316L stainless Steel)





Stainless Buckets are made from heavy gauge 316L stainless steel and so are very durable.

- Made from 316L stainless steel
- Crevice free interior
- Swing handle
- Flat base
- Not graduated





اء	Download
.]	certificate

				Trems (erundres
Part No.	Nominal Volume	Max Diameter	Height	Material
A586-10	10 litres	300mm	233mm	316L ss
A586-12	12 litres	310mm	262mm	316L ss
A586-15	15 litres	330mm	305mm	316L ss

Buckets



- Crevice free interior
- Graduated
- Supplied with skirt band
- Robust design
- 304 stainless steel







Part No.	Nominal Volume	Top Diameter	Height	Material
A264-6	6 litres	280mm	190mm	304 ss
A264-10	10 litres	300mm	295mm	304 ss
A264-12	12.5 litres	330mm	315mm	304 ss
A264-15	15 litres	350mm	360mm	304 ss

Buckets with Spouts



Tel: +44 (0)1675 466992

- Bucket with pouring spout
- Made from 316L stainless steel
- Crevice free interior
- Not graduated
- Swing handle
- Supplied with skirt band







Part No.	Nominal Volume	Overall Diameter	Height	Material
A686-15	15 litres	310mm	333mm	316L ss
A686-20	20 litres	330mm	387mm	316L ss



Spoons Disposable & reusable



SteriWare Sample Spoons

- Moulded & Packed in a Cleanroom
- Individually Bagged, 100 per Box
- Made from FDA & EU 10/2011 Conforming Materials
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)

See pages 24 - 25 for full information

Part No.	Nominal Volume	Colour	Pre-sterilised
8088A-03	3ml	White	No
8088A-03S	3ml	White	Yes
8088A-10	10ml	White	No
8088A-10S	10ml	White	Yes
8088B-10	10ml	Blue	No
8088B-10S	10ml	Blue	Yes
8088R-10S	10ml	Red	Yes



SteriWare Micro-Spatulas

- Moulded & Packed in a Cleanroom
- Individually Bagged, 100 per Box Made from FDA & EU 10/2011 Conforming Materials
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)

See page 27 for full information

Part No.	Nominal Volume	Pre- Sterilised	Blade Width x Length
8015V-170	0.3ml	No	4 x 40mm
8015V-170S	0.3ml	Yes	4 x 40mm
8015N-170	0.5ml	No	6 x 40mm
8015N-170S	0.5ml	Yes	6 x 40mm
8015A-170	2ml	No	13 x 40mm
8015A-170S	2ml	Yes	13 x 40mm



Accessories



Stainless Spoons 304ss

- 304 stainless steel construction
- Crevice free
- Bowl & flat ends
- Satin finish







Part No.	Nominal Bowl Volume	Nominal Overall Length	Material
A504-1	2ml	155mm	304 ss
A504-2	10ml	210mm	304 ss
A504-3	2ml	300mm	304 ss
A504-4	10ml	305mm	304 ss
A504-5	10ml	500mm	304 ss

Stainless Spoons 316L ss







- 316L stainless steel construction
- Crevice free
- Bowl & flat ends
- Satin finish

Part No.	Nominal Bowl Volume	Nominal Overall Length	Material
A506-300	10ml	300mm	316L ss
A506-600	10ml	600mm	316L ss
A506-1000	10ml	1000mm	316L ss

Micro-Spatulas



- Stainless Steel
- Range of sizes
- Crevice free
- Bright polish finish



Part No.	Material	Blade Width	Blade Length	Overall Length
A100-1	304	9mm	50mm	210mm
A100-2	304	5mm	45mm	210mm
A100-3	304	2.5mm	35mm	150mm
*A100-20	304	12mm	40mm	175mm
*A106-20	316L	12mm	40mm	175mm

Volumetric Spoons



Tel: +44 (0)1675 466992

- Crevice free
- Satin finish
- Supplied as a set
- Each spoon is engraved with volume



Part No.	Stainless Steel	Volume	Bowl Diameter	Overall Length
A335-1	304	1.25ml 5ml 15ml 100ml	23mm 33mm 46mm 79mm	107mm 112mm 118mm 127mm

e-mail: info@sampling.com

Note: Volumetric Spoons are not certified measuring devices



JUGS Disposable & reusable



SteriWare Jugs (Graduated)

Our graduated SteriWare Jugs are moulded and packed in a Cleanroom. These ergonomically designed jugs can be used straight from the bag.

- Graduation marks
- Individually Bagged
- FDA, EC 1935/2004 & EU 10/2011 conforming materials
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)













Part No.	Nominal Volume	Pre-Sterilised	Top Diameter	Height	Material	Quantity per Box
8432P-500	500ml	No	90mm	130mm	PP	35
8432P-500S	500ml	Yes	90mm	130mm	PP	35

Disposable Jugs (Non Graduated)

Disposable Jugs have a wide base which makes them very stable. The handle is rounded to make it comfortable to hold.

These jugs are non-graduated.

- Individually Bagged FDA & EU 10/2011 Conforming Materials
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)















Part No.	Nominal Volume	Pre-Sterilised	Diameter	Height	Material	Quantity per Box
8049H-2000	2000ml	No	129mm	152mm	HDPE	20
8049H-2000S	2000ml	Yes	129mm	152mm	HDPE	16

SAMPLING SYSTEMS

Stainless Jugs



- Straight sided jugs with side handles
- 304 or 316L stainless steel construction
- Most sizes are graduated



Part No.	Stainless Steel	Nominal Volume	Graduated	Top Diameter	Height
A204-500	304	500ml	Yes	75mm	135mm
A204-1000	304	1000ml	Yes	100mm	135mm
A204-2000	304	2000ml	Yes	135mm	170mm
A204-3000	304	3000ml	No	120mm	230mm
A204-5000	304	5000ml	No	140mm	265mm
A206-500	316L	500ml	Yes	75mm	135mm
A206-1000	316L	1000ml	Yes	100mm	135mm
A206-2000	316L	2000ml	Yes	135mm	170mm

Jugs 316L ss



- Crevice free interior
- Polished finish
- 316L stainless steel







Part No.	Stainless Steel	Nominal Volume	Graduated	Top Diameter	Height
A186-500	316L	500ml	No	105mm	100mm
A186-1000	316L	1000ml	No	120mm	140mm
A186-2000	316L	2000ml	Yes	160mm	175mm

Conical Jugs



Tel: +44 (0)1675 466992

- Made from 304 stainless steel
- Crevice free design
- Polished finish
- Graduated









Part No.	Stainless Steel	Nominal Volume	Graduated	Top Diameter	Height
A154-500	304	500ml	Yes	115mm	115mm
A154-1000	304	1000ml	Yes	150mm	140mm
A154-2000	304	2000ml	Yes	171mm	200mm



Instrument Trays



The Sampling Systems range of stainless steel trays are ideal for carrying tools etc.

- Range of sizes
- Available from stock
- Crevice free design
- High quality polished finish



Part No.	Dimensions (L x W x H)	Material
A674-215	215 x 160 x 18mm	304 Stainless
A674-295	295 x 197 x 18mm	304 Stainless
A674-395	395 x 275 x 11mm	304 Stainless
A674-490	490 x 320 x 15mm	304 Stainless

Stainless Trays - General Purpose



The general purpose range of trays are ideal for everything from mixing formulations to carrying waste.


- Range of sizes
- Available from stock
- Crevice free design
- High quality polished finish
- Durable





Part No.	Dimensions (L x W x H)	Material
A684-223	223 x 155 x 43mm	304 Stainless
A684-240	240 x 160 x 50mm	304 Stainless
A684-310	310 x 197 x 47mm	304 Stainless
A684-340	340 x 210 x 62mm	304 Stainless

Tablet Counting Triangle



- Quick and easy way to count round tablets
- Suitable for all sizes of round tablets
- 316L stainless steel
- Satin finish
- Easily used by right handed and left handed people
- Etched with a guide to show the number of tablets in the tray







Part No.	Side Length	Material
A356-275	275mm	316L ss

SAMPLING SYSTEMS

Shallow Trays



- All purpose shallow tray
- Crevice free
- 304 stainless steel construction
- Satin finish



Part No.	Stainless Steel	Length	Width	Depth
A224-220	304	220mm	150mm	10mm
A224-290	304	290mm	210mm	10mm

Deep Trays



- Multi-purpose deep tray
- Crevice free
- 304 or 316L stainless steel construction
- Satin finish

				304 Stock Download certificates
Part No.	Stainless Steel	Length	Width	Depth
A234-220	304	220mm	150mm	45mm
A234-355	304	355mm	250mm	55mm
A234-395	304	395mm	280mm	70mm
A234-475	304	475mm	315mm	90mm
A234-530	304	530mm	325mm	100mm
A236-220	316L	220mm	150mm	45mm
A236-355	316L	355mm	220mm	55mm

SteriWare Tray

The disposable Tray is ideal for hygienic applications within hospitals and in the manufacture of pharmaceutical products.

- Moulded & Packed in a Cleanroom
- Individually Bagged
- FDA, EC 1935/2004 & EU 10/2011 Conforming Materials
- BSE/TSE Free
- Full Batch Traceability
- Available Sterile (gamma irradiated)





e-mail: info@sampling.com









Part No.	Dimensions (L x W x H)	Nominal Volume	Pre-Sterilised	Material	Quantity per Box
8081P-3000	310 x 265 x 55mm	3000ml	No	PP	40
8081P-3000S	310 x 265 x 55mm	3000ml	Yes	PP	40



Stirring Paddles

- 316L stainless steel
- Crevice free construction
- Satin finish
- Now available with holes for improved stirring











Part No.	Overall Length	Blade Width	Blade Length	Blade Type
A344-1000	1000mm	125mm	240mm	Plain
A344-1500	1500mm	150mm	300mm	Plain
A916-1000	1000mm	125mm	240mm	With Holes
A916-1500	1500mm	150mm	300mm	With Holes

Stirrer

- Manufactured from chemically resistant PP
- Hygienic one piece design











Part No.	Blade	Blade	Overall
	Length	Width	Length
8331P-1	290mm	133mm	1200mm

Paddle

- Manufactured from chemically resistant PP
- Hygienic one piece design











Part No.	Blade	Blade	Overall
	Length	Width	Length
8332P-1	290mm	133mm	1200mm

Shovel

- Robust yet lightweight
- Manufactured from chemically resistant PP
- Hygienic one piece design









Part No.	Head Width	Head Length	Overall Length
8228P-27	270mm	330mm	1100mm
8228P-33	330mm	370mm	1100mm

Nominal Volume

2 litres

Bailer

- PP Construction
- Crevice free design
- Smooth finish

Part No.

8333P-2













Tweezers (Forceps)

- Polished finish
- Range of sizes
- 304 stainless steel



Part No.	Stainless Steel	Length	Blade Length
A394-100	304	100mm	70mm
A394-200	304	200mm	155mm
A394-300	304	300mm	240mm

Disposable Tweezers (Forceps)

The new disposable tweezers (forceps) from sampling systems are ideal for picking up items up to 25mm, Its unique design means it can pick up both small and large items. Available presterilised as an option for the more demanding applications

- Individually bagged FDA and EC conforming material
- Cleanroom manufacture and packing (ensures cleanliness)
- Available from stock for fast delivery worldwide



Part No.	Length	Width	Pre-Sterilised	Material	Quantity per Box
8025H-115	115mm	10mm	No	HDPE	100
8025H-115S	115mm	10mm	Yes	HDPE	100

Scissors



- Two pointed blades
- Polished finish
- Range of sizes
- 420 stainless steel

items (eruncates	
Blade Length	
45mm	

159

Part No.	Stainless Steel	Overall Length	Blade Length
A364-150	420	150mm	45mm
A364-200	420	200mm	100mm
A364-275	420	275mm	150mm

Rounded Scissors



- One rounded blade and one pointed blade
- Polished finish
- 420 stainless steel



Part No.	Stainless Steel	Overall Length	Blade Length
A555-150	420	150mm	70mm



Cleaning Coupons



- Test and validate your cleaning regime with our range of Cleaning Coupons
- Available in all popular materials and various sizes
- Custom made coupons available on request

Metal Plastic

Part No.	Material	Size	Part No.	Material	Size
8644AL-50	Aluminium (bright polish)	50 x 50mm	8644H-50	HDPE	50 x 50mm
8644AL-100	Aluminium (bright polish)	100 x 100mm	8644H-100	HDPE	100 x 100mm
8644S4-50S	304 stainless (satin finish)	50 x 50mm	8644N-50	Nylon	50 x 50mm
8644S4-100S	304 stainless (satin finish)	100 x 100mm	8644N-100	Nylon	100 x 100mm
8644S4-50B	304 stainless (bright polish)	50 x 50mm	8644PP-50	PP (polypropylene)	50 x 50mm
8644S4-100B	304 stainless (bright polish)	100 x 100mm	8644PP-100	PP (polypropylene)	100 x 100mm
8644S6-50S	316 stainless (satin finish)	50 x 50mm	8644PVC-50	PVC	50 x 50mm
8644S6-100S	316 stainless (satin polish)	100 x 100mm	8644PVC-100	PVC	100 x 100mm
8644S6-50B	316 stainless (bright finish)	50 x 50mm	8644T-50	Teflon (PTFE)	50 x 50mm
8644S6-100B	316 stainless (bright polish)	100 x 100mm	8644T-100	Teflon (PTFE)	100 x 100mm

Satin finish is similar to 240 grit (Ra < 1 micron). Bright polish is Ra < 0.2 microns

Thermometer with Stainless probe

Suitable for Liquids and Solids

The Sampling Systems thermometer is a robust, accurate device and is ideal for general laboratory use.

- Hygienic stainless steel probe
- Range: -39.9 to 149.9°C (accurate up to 124.9°C)
- Supplied with traceable certificate of calibration
- Light weight (only 45g)
- Highly accurate
- Housed in high impact ABS plastic case
- Clear display



Part No.	Length	Probe Diameter	Material	Battery Life	Sensor Type
8702A-1	246mm	3mm	Stainless steel with ABS case	3000 Hours	Thermistor

Titrating Burette Automatic



The Sampling Systems range of automatic burettes are ideal when dosing small amounts of liquids.

- Highly accurate. Complies with category B DIN ISO 385
- As standard fitted with the micro-doser for highly accurate work as well as a general discharge button
- Shatter-proof
- Material contact parts are manufactured from PE plastic, borosilicate and
- Suitable for both left and right handed people
- Highly visible graduations
- Supplied with a sturdy stand





Press button for general discharge

Screw in for accurate discharge

Part No.	Capacity	Precision	Height
8703A-05	5 ml	+/- 0.030 ml	480 mm
8703A-10	10 ml	+/- 0.030 ml	570 mm
8703A-15	15 ml	+/- 0.045 ml	490 mm
8703A-25	25 ml	+/- 0.045 ml	610 mm
8703A-50	50 ml	+/- 0.075 ml	870 mm

Grab-It Swab Holder

- Ideal for holding cloth swabs
- Lightweight aluminium & plastic construction

Stock	
Items	

Part No.	Description
8420A-750	Grab-It 750mm long
8420A-1300	Grab-It 1300mm long





Sampler Rack Safe storage of Samplers

Our Sampler Rack is ideal for hanging up samplers when they are not being used. Stainless steel and plastic construction. The standard rack can hold up to 5 samplers.

Samplers are attached by a simple push clip design. Comes complete with hole fixings.

Suitable for samplers from 10mm to 35mm diameter and up to 4kg in weight.



Part No.	Description
8820A-01	Sampler Rack - 900mm long - holds up to 5 samplers
8820A-02	Sampler Rack - 500mm long - holds up to 3 samplers

Tel: +44 (0)1675 466992



e-mail: info@sampling.com



TeleSwab

Telescopic swabbing tool

Taking swabs from high and difficult to reach places has always been a problem. The TeleSwab has an extendable handle which allows operators to quickly and easily take swabs from previously inaccessible places.

Ideal for environmental swabbing and for use with large items of processing equipment.

The sampler comes complete with an extendable handle that can be extended to the correct length for easy swabbing. An adjustable adapter allows the swabs etc. to be angled to meet the contours of the item being sampled.





The PTFE Template tool allows a fixed area to be swabbed.

Note: Make sure that you include the hole dimensions at the time of ordering.







What do I need?

Two kits are available, each kit contains:

Kit 1 - Part No. 8011K-01

1x Telescopic Pole (8011A-3)

1x Angle Adapter (8011A-5)

1x Swab Holder (8011A-4B)

Kit 2 - Part No. 8011K-02

1x Telescopic Pole (8011A-3)

1x Template holder (8011A-6)

1 x Swabbing Template (8011A-7) - hole cut to customer's requirements

1 x Angle adapter



Angle adapter allows end section to be set at the correct angle



Part No.	Description
8011K-01	Kit 1 - Extendable TeleSwab Pole with swab holder (Note: swabs are not included)
8011K-02	Kit 2 - Extendable TeleSwab Pole with swabbing template
Casas	
Spares	
8011A-4B	Universal Swab Holder - 316 stainless steel construction
8011A-5	Adjustable angle adapter to hold Swab Holder - aluminium
8011A-6	Template holder - stainless steel
8011A-7	Swabbing Template - PTFE - hole cut to customer's requirements
8505A-01	Storage Case

Other types of swab holders and accessories are available. Please contact us for details.



Sieve-It Test Sieves

High Quality test sieves for accurate and efficient particle size analysis.

- Woven wire mesh sieves
- Construction: All stainless steel or brass frame and stainless steel mesh
- Range of aperture sizes available (20 microns to 4mm)
- Certificate of Conformity supplied with each sieve
- Other styles of sieve available on request (Perforated Plate Sieves, Microplate Sieves, Grain
- Test sieves manufactured to every major International standard (inc. ISO, BSI, & ASTM)





200mm Diameter Test Sieves (Woven Wire)			
All Stainless Steel		Brass Frame & Stainless Mesh	
Part No.	Aperture	Part No.	Aperture
8700S-01	4mm	8700B-01	4mm
8700S-02	2mm	8700B-02	2mm
8700S-03	1mm	8700B-03	1mm
8700S-04	850 microns	8700B-04	850 microns
8700S-05	710 microns	8700B-05	710 microns
8700S-06	600 microns	8700B-06	600 microns
8700S-07	500 microns	8700B-07	500 microns
8700S-08	425 microns	8700B-08	425 microns
8700S-09	300 microns	8700B-09	300 microns
8700S-10	250 microns	8700B-10	250 microns
8700S-11	180 microns	8700B-11	180 microns
8700S-12	150 microns	8700B-12	150 microns
8700S-13	125 microns	8700B-13	125 microns
8700S-14	106 microns	8700B-14	106 microns
8700S-15	90 microns	8700B-15	90 microns
8700S-16	75 microns	8700B-16	75 microns
8700S-17	53 microns	8700B-17	53 microns
8700S-18	32 microns	8700B-18	32 microns
8700S-19	25 microns	8700B-19	25 microns
8700S-20	20 microns	8700B-20	20 microns

Sieve Height

e-mail: info@sampling.com

Sieve Receiver 316L

Tel: +44 (0)1675 466992

Sieve Receivers collect the product that passes through the sieve stack. They are suitable for use with 200mm diameter sieves.

- Made from 316L stainless steel
- Crevice free interior







Part No.	Diameter	Height	Stainless Steel
A736-3000	200mm	100mm	316L





Seal-It



The Seal-It Impulse Bag Sealer is a quick, easy and clean way to seal your samplers and equipment in plastic lay flat tubing.

- Ensure clean samplers remain clean until they are required for use.
- Seal used samplers so they do not contaminate clean areas on their way to the wash area
- Ensure the integrity of your samples (samples that are sealed in a bag can not be contaminated or adulterated on their way to the testing laboratory)



Cut the lay-flat tubing to length & seal one end



Place the item to be sealed in the bag



Seal the open end of the bag



Items secured and ready for storage

Part No.	Description
6060A-200	Impulse Bag Sealer - 200mm sealing surface - 230v 50Hz supplied with UK 3 pin plug (Type G)
6060A-300	Impulse Bag Sealer - 300mm sealing surface - 230v 50Hz supplied with UK 3 pin plug (Type G)

Part No.	Description	Material	Width	Length	Rolls per case
6060B-75	Layflat Tubing	Polyethylene	75mm	300m	1
6060B-100	Layflat Tubing	Polyethylene	100mm	335m	1
6060B-150	Layflat Tubing	Polyethylene	150mm	335m	1
6060B-300	Layflat Tubing	Polyethylene	300mm	335m	1

Sampling Systems` Etch-It system is the ideal way to permanently mark both stainless steel and aluminium.

Hygienic, GMP correct, crevice free etchings can be done in seconds.

Etching Masks and Etching Paper

An Etching Mask is required as a template for your text.

Etching Masks can be quickly and easily made using the Etch-It printer. These masks can be used up to two or three times.

1. Make an Etching Mask



Produce your own etching masks quickly and easily. Simply type the text you require and print it straight on to the etching paper. The etching paper is supplied in a special cassette

- Range of font types and sizes
- Quick and easy to use
- Etching paper supplied in an easy to load cassette
- Requires 230v 50Hz electrical supply or 8 x Batteries Size AA (R6) not supplied
- Supplied with 3 pin UK (Type G) plug

2. Etch



On Line Video



www.sampling.com/product_channel



1. Plug In the leads



2. Attach Lead on item that is to be etched



3. Place the Etching Mask and apply the etching fluid using the Electrolyte Applicator



4. Clean etching area thoroughly using demineralised water

Part No.	Description
8096A-1	Etch-It Starter Kit containing:
	1 x Etch-It power unit (requires 230v 50Hz) - Supplied with 3 pin UK (Type G) plug
	1 x Cassette of etching paper (3m paper per cassette)
	1 x Bottle of etching fluid - 1000ml
	1 x Set of leads for attaching to equipment to be etched
	1 x Electrolyte Applicator
	1 x Etch-It printer (requires 230v 50Hz or 8 Batteries size AA (R6) - not supplied)
Consumables:	
8096A-2	Cassette of etching paper (3m paper per cassette)
8096A-3	Bottle of etching fluid - 1000ml
Please contact us for sp	pecial custom made, high quality Etching Masks that can be repeatedly used.

Tel: +44 (0)1675 466992



Stainless Sample Splitter





The Sampling Systems range of sample splitters (Rifflers) come in a range of sizes. The Rifflers are ideal for food, environmental and chemical use.

Sample Splitters are used when dividing and reducing the bulk sample. Operation is very simple. Simply drop the sample into the top and the sample is split into two. The split sample drops into the riffle boxes underneath. Generally we recommend that the width of the slots are 2.5 to 3 times bigger than the diameter of the largest particle being split.

- Manufactured in stainless steel
- Available in different sizes from stock
- Can be used in the laboratory or on site
- Supplied with 2 receptacles

Manufactured from stainless steel. Due to the method of construction we do not recommend this for GMP pharmaceutical use.



Part No.	Number of Slots	Slot Width	Material
8601S-06	16 slots	6mm	Stainless Steel
8601S-10	16 slots	10mm	Stainless Steel
8601S-20	12 slots	20mm	Stainless Steel
8601S-30	12 slots	30mm	Stainless Steel

Rifflers

The Sampling Systems range of steel Rifflers are durable and efficient.

- Manufactured from painted steel
- Available in different sizes from stock
- Can be used in the laboratory or on site
- Supplied with 2 receptacles



Part No.	Number of Slots	Slot Width	Material
8600M-7	12	7mm	Painted Steel
8600M-10	12	10mm	Painted Steel
8600M-15	12	15mm	Painted Steel
8600M-20	10	20mm	Painted Steel
8600M-25	10	25mm	Painted Steel
8600M-30	10	30mm	Painted Steel
8600M-40	8	40mm	Painted Steel
8600M-50	8	50mm	Painted Steel
8600M-65	8	65mm	Painted Steel
8600M-75	8	75mm	Painted Steel
8600M-80	8	80mm	Painted Steel

167

*** SAMPLING SYSTEMS

Blend-It Sample Blender



The Blend-It sample blender is ideal for small scale blending work. This includes blending samples, small scale production work and research and development.

The Blend-It is not only rugged and simple to use but it will allow samples and production batches to be prepared under standard repeatable conditions.

The Blend-It is commonly used in pharmaceutical and chemical applications.

- Efficient asymmetric blending action
- Speed fixed at 28 r.p.m.
- Digital Timer
- Requires 230v 50Hz supply (other voltages on request)
- Easily portable weight 12kgs
- CE Mark
- Blending Containers made from 316L stainless steel



The Blend-It Sample Blender is very easy to use:

- 1. Fill the blending container half to two thirds with powder
- 2. Clamp Blending Container to the Blend-It Drive Unit
- 3. Set the Blend Time on the digital timer
- 4. Press the Start button
- 5. The container will blend at 28 rpm until the timer reaches zero. The blender will then automatically stop.

Note: The volume of powder being blended must not exceed two thirds of the total container volume

Part No.	Description
8750L-01	Blend-It Sample Blender Drive Unit (supplied with 3 pin UK Type G plug)
8750E-01	Blending Container - 1 litre - 316L stainless steel - silicone 'O' ring seal
8750E-02	Blending Container - 2 litres - 316L stainless steel - silicone 'O' ring seal

Tel: +44 (0)1675 466992 www.sampling.com e-mail: info@sampling.com



Cleaning Brushes

It is essential to ensure that your sampler is properly cleaned. Sampling Systems supply a range of brushes that are ideal for cleaning both stainless steel and plastic samplers.

Use the appropriate diameter and length for your sampler.

- Hygienic nylon bristles
- · Robust aluminium handle
- Available in a range of lengths and diameters







Quick Clip

Quick Clips provide an instant removable seal for use with layflat tubing or bags. Ideal for use in ATEX rated areas where a heat sealer can not be used.

- Seals bags fast
- Water and powder tight
- Range of sizes
- Robust
- Reusable
- Metal detectable option









Part No.	Sealing Length	Metal Detectable	Colour	Quantity Per Bag
8219A-110	110mm	No	White	100
8219A-220	220mm	No	White	100
8219A-330A	330mm	Yes	Blue	10

SAMPLING SYSTEMS

Drum Covers

Temporary Covers for Containers

The Sampling Systems range of Drum Covers are ideal for when you need to quickly seal a drum after sampling or dispensing.

The elasticated rim means they quickly fit around drums, kegs and barrels. Drum Covers are made from antistatic LDPE that is food grade (BRC/IOP approved). The covers are ideal at minimising cross contamination and they provide an extra protective cover to the top of the drum when it is not in use.

Drum Covers can also be used to minimise dust when sampling - just cut a small hole in the cover and then take your sample. The hole can be sealed by using one of our UA labels. (see pages 174 to 178).

- Light-weight temporary cover
- Made from an antistatic grade of LDPE
- Semi opaque
- Ideal for drums, kegs, bins, totes, IBCs etc.
- Quick and easy to apply
- Available from stock





Sack Clip

Sealing sacks after sampling or dispensing is often tricky and difficult. Our new Sack Clip is a quick, simple and effective way of closing sacks. Simply close sack between the jaws of the Sack Clip.

- Quick and easy to apply
- Quick and easy to remove
- Ratchet mechanism and secondary positive lock for double security
- Robust
- Reusable
- · Metal detectable option









169

Part No.	Metal Detectable	Sealing Length	Colour	Quantity Per Box
8010A-1	No	100mm	White	10
8010M-1	Yes	100mm	Blue	10



SAMPLER CASES For safe storage and transportation



These cases are ideal for the safe storage and transportation of samplers and other equipment. They are also ideal for ensuring that your clean samplers remain clean whilst they are being stored or carried around the factory. All cases are supplied with foam inners to protect the samplers.

Aluminium Sampler Case

The Sampling Systems range of heavy duty cases are ideal for storing samplers.

- Lockable
- Aluminium outer
- Foam lined to protect your samplers
- Strong and robust
- Supplied with a sturdy carrying handle





Part No.	Description	Internal Dimensions L x W x H
8509A-500	Aluminium Sampler Case 500mm	490 X 220 X 80mm
8509A-1200	Aluminium Sampler Case 1200mm	1200 X 220 X 80mm
8509A-1700	Aluminium Sampler Case 1700mm	1750 X 295 X 80mm

171



Mini Case

- Ideal for storing small samplers
- Simple clasps keep the case closed
- Economic



Part No.	Description	Internal Dimensions L x W x H
8505A-12	Mini Sampler Case	250 x 175 x 40mm

Standard Sampler Case

- Rugged plastic construction
- Four sliding clasps keep the case shut



Part No.	Description	Internal Dimensions L x W x H
8505A-01	Standard Sampler Case	1210 x 225 x 96mm

Superior Sampler Case

- Lockable (2 keys supplied)
- High impact resistant outer
- Metal hinges for a long life
- Very high quality finish



Part No.	Description	Internal Dimensions L x W x H
8500A-01	Superior Sampler Case	870 x 285 x 116mm

Jumbo Case

- Rugged plastic construction
- Extends up to 2400mm
- Excellent Value



Part No.	Description	Internal Dimensions L x W x H	Dimensions Extended
8502A-01	Jumbo Sampler Case	1800x140x140mm	2400 x140 x140mm

Tel: +44 (0)1675 466992 www.sampling.com e-mail: info@sampling.com



Special Samplers

Cost Effective Custom Design Service



- Sampling Systems has over 25 years of designing and building custom made samplers. Whatever you require please contact us.
- Our in house designers have a huge library of past designs to work with.
- Latest 3D design software
- 3D printer to build prototypes
- Please call to discuss your requirements





Custom Design and Sizes

We have designed samples for virtually every type of product imaginable.

We can make custom versions of our standard samplers. They can be longer, shorter, wider, thinner etc.

Special Materials

Most of our samplers are manufactured from 316L stainless steel. We can also manufacture items from alloys such as hastelloy, titanium, PTFE etc.

Special Finishes

Whatever your finish we can help. Everything from electro-polished, pickled and passivated, mirror polish etc.











Labels




www.sampling.com

Tel: +44 (0)1675 466992

e-mail: info@sampling.com





Which type of label is right for me?

Sampling Systems offer two types of standard label backing:

- Ultra Adhesive Labels
- PharmaLabels

1. Ultra Adhesive (UA) Labels

- Robust foil-backed labels
- Standard label are available in two sizes: 95mm x 95mm or 150mm x 150mm
- Very high strength adhesive will even stick on very dusty surfaces
- Working Temperature Range -20 to +70°C (-5 to +160°F)





2. PharmaLabels (with food grade glue)

PharmaLabels are a range of paper labels with a special FDA acceptable adhesive. PharmaLabels are ideal for applications where the adhesive might come into contact with the product.

- Medium strength adhesion
- FDA acceptable adhesive (CFR175.105)
- Working Temperature Range -40 to +70°C (-40 to +160°F)





Quality Control Labels

Quality Control Labels are available printed on either Ultra Adhesive or PharmaLabels.

- Large writing area
- Available in two convenient sizes
- Each roll individually packed
- Available from stock for next day delivery
- Ideal for sealing dusty or split sacks (UA labels)





Part No.	Label Type	Colour	Text	Label Size	Labels per Roll
8220A-01	Ultra Adhesive	Red	Quality Control	95 x 95mm	500
8220P-01	Pharma Label	Red	Quality Control	95 x 95mm	500
8220A-001	Ultra Adhesive	Red	Quality Control	150 x 150mm	250
8220P-001	Pharma Label	Red	Quality Control	150 x 150mm	250

Ultra Adhesive = very strong glue

Pharma Labels = food grade, medium strength glue



Part No.	Label Type	Colour	Text	Label Size	Labels per Roll
8220A-02	Ultra Adhesive	Green	Quality Control	95 x 95mm	500
8220P-02	Pharma Label	Green	Quality Control	95 x 95mm	500
8220A-002	Ultra Adhesive	Green	Quality Control	150 x 150mm	250
8220P-002	Pharma Label	Green	Quality Control	150 x 150mm	250

Ultra Adhesive = very strong glue

Pharma Labels = food grade, medium strength glue



Part No.	Label Type	Colour	Text	Label Size	Labels per Roll
8220A-03	Ultra Adhesive	Yellow	Quality Control	95 x 95mm	500
8220P-03	Pharma Label	Yellow	Quality Control	95 x 95mm	500
8220A-003	Ultra Adhesive	Yellow	Quality Control	150 x 150mm	250
8220P-003	Pharma Label	Yellow	Quality Control	150 x 150mm	250

Ultra Adhesive = very strong glue

Pharma Labels = food grade, medium strength glue



Part No.	Label Type	Colour	Text	Label Size	Labels per Roll
8220A-04	Ultra Adhesive	Blue	Quality Control	95 x 95mm	500
8220P-04	Pharma Label	Blue	Quality Control	95 x 95mm	500
8220A-004	Ultra Adhesive	Blue	Quality Control	150 x 150mm	250
8220P-004	Pharma Label	Blue	Quality Control	150 x 150mm	250

Ultra Adhesive = very strong glue

Pharma Labels = food grade, medium strength glue



Part No.	Label Type	Colour	Text	Label Size	Labels per Roll
8220A-05	Ultra Adhesive	Black	Quality Control	95 x 95mm	500
8220P-05	Pharma Label	Black	Quality Control	95 x 95mm	500
8220A-005	Ultra Adhesive	Black	Quality Control	150 x 150mm	250
8220P-005	Pharma Label	Black	Quality Control	150 x 150mm	250

Ultra Adhesive = very strong glue

Pharma Labels = food grade, medium strength glue



Tel: +44 (0)1675 466992

Part No.	Label Type	Colour	Text	Label Size	Labels per Roll
8220A-06	Ultra Adhesive	White	n/a	95 x 95mm	500
8220P-06	Pharma Label	White	n/a	95 x 95mm	500
8220A-006	Ultra Adhesive	White	n/a	150 x 150mm	250
8220P-006	Pharma Label	White	n/a	150 x 150mm	250

Ultra Adhesive = very strong glue

Pharma Labels = food grade, medium strength glue

e-mail: info@sampling.com



Process Labels



Process Labels are designed to help prevent errors during the manufacturing process.

- Colour coded for improved recognition by operators
- Printed on Ultra Adhesive labels
- Each roll individually wrapped
- Available from stock for next day delivery
- Ideal for sealing dusty sacks (UA labels)







Part No.	Label Type	Colour	Text	Label Size	Labels per Roll
8220A-30	Ultra Adhesive	Green	Released	95 x 95mm	500

Ultra Adhesive = very strong glue





SAMPLED					
Maneral	Corrainer of				
Batch / Lot N	Limber:				
Espay Date	Part Number				
Quartity	Incas & Date				

Part No.	Label Type	Colour	Text	Label Size	Labels per Roll
8220A-31	Ultra Adhesive	Blue	Sampled	95 x 95mm	500
8220P-31	Pharma Label	Blue	Sampled	95 x 95mm	500
8220P-031	Pharma Label	Blue	Sampled	150 x 150mm	250

Ultra Adhesive = very strong glue

Pharma Labels = food grade, medium strength glue







Part No.	Label Type	Colour	Text	Label Size	Labels per Roll
8220A-32	Ultra Adhesive	Orange	Quarantine	95 x 95mm	500

Ultra Adhesive = very strong glue





Part No.	Label Type	Colour	Text	Label Size	Labels per Roll
8220A-33	Ultra Adhesive	Black	Rejected	95 x 95mm	500

Ultra Adhesive = very strong glue









Part No.	Label Type	Colour	Text	Label Size	Labels per Roll
8220A-34	Ultra Adhesive	Yellow	In-Process	95 x 95mm	500

Ultra Adhesive = very strong glue





Part No.	Label Type	Colour	Text	Label Size	Labels per Roll
8220A-35	Ultra Adhesive	Red	Dispensed	95 x 95mm	500

Ultra Adhesive = very strong glue







Part No.	Label Type	Colour	Text	Label Size	Labels per Roll
8220A-51	Ultra Adhesive	Red / Yellow	Allergen	95 x 95mm	500

Ultra Adhesive = very strong glue





Part No.	Label Type	Colour	Text	Label Size	Labels per Roll
8220A-52	Ultra Adhesive	Red	Dirty	95 x 95mm	500

Ultra Adhesive = very strong glue





Part No.	Label Type	Colour	Text	Label Size	Labels per Roll
8220A-53	Ultra Adhesive	Green	Clean	95 x 95mm	500

Ultra Adhesive = very strong glue





Tel: +44 (0)1675 466992

Part No.	Label Type	Colour	Text	Label Size	Labels per Roll
8220A-54	Ultra Adhesive	Blue	Not For Human Use	95 x 95mm	500

e-mail: info@sampling.com

Ultra Adhesive = very strong glue



Clear Labels

A see-through label with a food grade adhesive



Clear Labels are ideal for sealing bags and sacks. These labels are made from a clear polypropylene film and they have an FDA acceptable adhesive. Clear Labels are ideal for sealing sampling holes. The label is transparent so that printing underneath the label can still be easily read.

Clear Labels are suitable for some types of NIR. Contact us for a free sample to test.



- Each roll is individually wrapped
- 95mm x 95mm size
- Adhesive conforms to FDA CFR175.105



Part No.	Label Type	Colour	Size	Number of Labels per Roll
8220C-01	Pharma Labels	Clear	95 x 95mm	500

Pharma Labels = food grade, medium strength glue

Custom Labels



Simply sketch your design on paper and email it to Sampling Systems and we will do the rest.

- Custom labels to your design specification
- Available as PharmaLabels or UA Labels
- Any size or shape of label is possible
- Single colour or full colour printing is available
- Minimum order 5 rolls
- Typical delivery time is 2 weeks
- Contact Sampling Systems for further information

UA Tape

Ultra Adhesive Tape for sealing sacks



UA (ultra adhesive) Tape is ideal for sealing holes in sacks and bags. The tape comes in a roll that is 50m long so you just cut off as much as you need.

- Tape uses the same glue as Ultra Adhesive labels
- Available in 2 widths 95mm and 50mm
- Available from stock







Part No.	Adhesive	Colour	Tape Length	Tape Width
8224A-50	Ultra Adhesive (UA)	White	50m (approx.)	50mm
8224A-95	Ultra Adhesive (UA)	White	50m (approx.)	95mm

Label Dispensers

Label Dispensers are useful for storing labels and they provide a flat writing area. Label Dispensers are made from sturdy aluminium and are available in two sizes.





Part No.	Label Type
8220A-07	Label Dispensers for 95mm wide labels
8220A-17	Label Dispensers for 150mm wide labels



ID Tape

Helps prevent handling errors

Sampling Systems ID Tape is available in a range of styles. Containers, bags etc. can be easily labelled with highly visible tape. Quickly identify the status of a container to prevent it being used in error.

- Use with standard tape dispensers
- High strength adhesive
- 10 rolls per box

QUARANTINE
SAMPLED





e-mail: info@sampling.com





Part No.	Text	Text Colour	Length per Roll	Width	Rolls per Box
8221A-01	Quarantine	Red	66m	50mm	10
8221A-02	Sampled	Red	66m	50mm	10
8221A-03	Released	Red	66m	50mm	10
8221A-04	Rejected	Red	66m	50mm	10



Material Identification Service

Positive Material Identification using X-Ray Fluorescence

X-Ray Fluorescence (XRF) is an FDA approved material identification technique.

Our XRF analyser can quickly identify different grades of stainless steel as well as hundreds of other alloys.

XRF is a non-marking, non-destructive technique and so can be used to test finished products.

What's wrong with Mill Certificates?


We have never been happy with supplying Mill Certificates because:

- They were frequently difficult to read (due to being faxed and copied many times)
- They were reliant on everybody in the supply chain being meticulous in their record keeping
- It was too easy for mistakes to be made

Is it 304 or 316 stainless steel? We can tell you!

XRF Reports

We will issue a certificate identifying the alloy used for each part of your equipment. Please note that XRF is only suitable for testing metallic components.





Part No.	Description
XRF-PMI	XRF testing per sampler

Key



Sterile



Cleanroom Produced



Material: PE



Material: PP



Material: HDPE



Food Grade



304 stainless steel



316L stainless steel



Next day delivery Download certificates





Chemical Resistance Chart

`	J O		••••		cai		•••	и. с					
	Polyethylene (LDPE & HDPE)	Polypropylene (PP)	Polyvinyl Chloride (PVC)	PTFE	Polystyrene (PS)	Silicone Rubber	Viton®	ЕРОМ	Nitrile	316 Stainless Steel (V4A)	304 Stainless Steel (V2A)	Hastelloy C22	Aluminium
Acetaldehyde	3	1	4	1	4	2	4	2	4	1	1	1	2
Acetic Acid (Glacial)	4	1	4	1	4	2	4	2	3	1	3	1	2
Acetic Acid (Dilute)	1	2	4	1	1	1	2	1	3	1	3	1	2
Acetone (Dimethyl Ketone)	4	1	4	1	4	4	4	1	4	1	1	1	1
Aluminium Chloride	2	1	1	1	1	2	1	1	1	2	2	1	4
Ammonia (Liquid)	3	1	1	1	2	?	4	?	3	1	2	2	1
Amyl Acetate	3	2	4	1	4	4	4	1	4	1	1	1	1
Benzene	3	4	3	1	4	4	1	4	4	2	2	2	2
Calcium Hypochlorite	1	1	2	1	1	2	1	1	3	2	3	2	4
Carbon Tetrachloride	4	4	4	1	4	4	1	4	4	2	2	1	4
Chloroform (Trichloromethane)	3	3	4	1	4	4	1	4	4	1	1	1	2
Citric Acid	4	1	2	1	1	1	1	1	1	1	2	1	3
Cod Liver Oil	?	1	1	1	2	2	1	1	1	1	1	1	1
Cupric Acid	2	1	1	1	?	1	1	?	2	2	4	1	4
Cyclohexane	2	4	4	1	2	4	1	4	2	1	1	2	1
Cyclohexanone	4	4	4	1	4	4	4	2	4	1	1	1	1
Diesel	3	1	1	1	2	4	1	4	1	1	1	2	1
Diethylamine	4	1	4	4	?	2	1	3	3	1	1	1	2
Epsom Salts (Magnesium Sulfate)	1	1	1	1	?	1	1	1	1	2	1	2	2
Ethanol (Ethyl alcohol)	1	1	3	1	1	2	1	1	3	1	1	1	2
Ethanolamine	?	4	4	1	?	2	4	2	2	1	1	2	2
Ether (Ethyl Ether)	4	4	4	1	4	4	3	3	4	1	1	2	2
Ethylene Glycol	4	1	1	1	1	4	1	1	1	2	2	1	2
Ethylene Oxide	1	4	4	1	4	4	4	3	4	2	2	1	4
Ferrous Sulfate	1	1	1	1	1	1	1	1	1	2	2	2	2
Formic Acid (Methanoic Acid)	4	1	1	1	2	2	3	2	3	1	2	1	1
Gasoline	1	1	1	2	4	4	1	4	1	1	1	1	4
Hexane	4	2	2	1	4	4	1	4	1	1	1	1	1
Hydrochloric Acid (20%)	1	2	1	1	1	4	1	1	?	4	4	1	4
Hydrochloric Acid (Conc.)	?	2	4	1	2	4	1	1	4	4	4	1	4
Hydrofluoric Acid (20%)	1	1	2	1	4	4		1	4	4	4	2	4
Hydrogen Peroxide (10%)	1 3	1	1	1	1	1	1	1	4	2	2	1	1
Hydrogen Peroxide (90%)	1	1	1	1	1	1	1	1	?	1	1	?	?
Isopropanol (Isopropyl Alcohol)	3	2	1	1	2	4	1	4	1	1	1	2	1
Kerosene	1	1	2	1	?	1	1	1	1	4	4	2	4
Magnesium Chloride	1	1	1	1	2	2	1	1	1	1	1	1	1
Methanol (Methyl alcohol)	2	2	4	1	4	4	4	1	4	1	1	1	2
Methyl Ethyl Ketone Milk	1	2	1	1	1	1	1	1	1	1	1	1	1
Naphtha	1	2	1	2	3	?	4	4	2	1	1	1	2
Nitric Acid (10%)	2	1	1	1	2	3	1	2	4	1	1	1	1
Nitric Acid (Conc.)	3	4	2	1	4	4	1	4	4	1	1	2	4
Nitrobenzene	3	2	4	1	?	4	2	4	4	2	2	4	2
Paraffin	2	1	2	1	2	?	2	1	2	1	1	2	1
Phenol (Carbolic Acid)	4	2	4	1	4	4	1	2	4	2	2	1	1
Phosphoric Acid (Conc)	2	1	2	1	1	4	1	2	4	4	3	1	3
Picric Acid	1	2	4	1	?	4	1	1	3	2	2	2	3
Potassium Chloride	1	1	1	1	1	1	1	1	1	1	2	1	4
Potassium Dichromate	1	1	1	1	?	1	1	1	1	2	2	2	2
Pyridine	2	1	4	1	4	4	4	2	4	1	1	2	2
Sodium Carbonate	2	1	1	1	1	1	1	1	1	1	1	1	4
Sodium Fluoride	1	1	1	1	2	?	1	1	1	4	4	1	2
Sodium Hydroxide (Caustic Soda)	4	1	1	1	2	1	2	1	4	2	3	1	4
Sodium Hypochlorite 20%	1	1	1	1	2	2	1	2	2	3	3	1	4
Starch	2	1	1	1	1	1	1	1	1	1	1	1	1
Sulfuric Acid (10%)	1	1	1	1	1	4	1	2	2	3	4	2	4
Sulfuric Acid (Hot Conc.)	4	4	4	1	4	4	1	4	4	3	4	4	4
Tetrachloroethane	?	3	3	1	?	4	1	4	4	1	2	1	3
Tetrahydrofuran (THF)	3	3	4	1	4	4	4	3	4	1	1	1	?
Toluene (Methylbenzene)	3	3	4	1	4	4	3	4	4	1	1	1	1
Xylene (Dimethylbenzene)	2	2	4	1	4	4	4	4	4	2	2	1	1

Key

1 = Excellent 2 = Good 3 = Fair 4 = Poor, not recommended for prolonged contact ? = No data

Important Notice: Sampling Systems do not accept any responsibility for any errors in this table. It is the responsibility of the end user to carry out their own compatibility tests.

Tel: +44 (0)1675 466992 www.sampling.com e-mail: info@sampling.com



Index by Name

Description	Page	
AccuPod	62-63	
Auger Soil Sampler	118	
Bags	124-125	
Bailer	145	
Beakers	127	
Blend-It	167	
Bottle Sampler	84	
Bottles	120-136	
Bowls	40, 150	
Brushes Buckets	168 151	
Carboy	151	
Cases	170-171	
Cement Sampler	54	
Cereal Trier	115	
Clamp Containers	131	
Cleaning Coupons	160	
Cohesive Pocket Sampler	72	
Cohesive Sampler	71	
Cohesive Slot Sampler	73	
Corer	102	
Cup Sampler Custom Labels	85 178	
	87, 116	
Deep Water Sampler Dippers	92-93, 144	
Disposable Bailer	100, 117	
Disposable Products	8-40	
Drum Cover	169	
Dutch Auger Soil Sampler	118	
Earthing Lugs	150	
EnviroDipper	90, 114	
Environmental Sampling	110-118	
Etch-It	165	
Fluid Point Sampler	86	
Forceps FreeGlide	see Tweezers 74-75	
Funnels	148-150	
Disposable Funnels	28	
GL45 Containers	132	
Grab It	161	
Hand Reel & Cables	94, 112	
Ice Borer	106	
Ice Cream Sampler	108	
Ice Sampler	105	
ID Tape	179	
In Stream Sampler	87, 116, 145	
Jugs Jumbo Dinotto	32, 154-155	
Jumbo Pipette Knife	36 23	
Label Dispensers	179	
Labels	174-179	
Ladles	34, 144	
Liquid Master	78-79	
LiquiDip	30-31	
LiquiThief	35	
Maxi Corer	69, 102	
Measuring Scoop	54	
Micro Spatulas	27	
MicroMate	53	
MicroThief	52	
Mini Corer	102	
Mini-Drums	134	
Mini-Pots Mono Pocket Sampler	126	
Mono Pocket Sampler Mono Slot Sampler	44 16	
mono siot sampler	89	
	0,7	
Multi Dipper 2	57	
Multi Dipper 2 MultiThief	57 158	
Multi Dipper 2 MultiThief Paddles	158	
Multi Dipper 2 MultiThief Paddles Pallet Knife Pasteur Pipette	158 29, 146-147	
Multi Dipper 2 MultiThief Paddles Pallet Knife	158 29, 146-147 96	
Multi Dipper 2 MultiThief Paddles Pallet Knife Pasteur Pipette Pharma Bottle	158 29, 146-147 96 130	
Multi Dipper 2 MultiThief Paddles Pallet Knife Pasteur Pipette Pharma Bottle Pocket Sampler	158 29, 146-147 96 130 60-61	

Name	
Description	Page
Powder Lance	19, 70
Powder Bottle	38, 123
Powder Max	50
Powder Pots	127
Powder Probe	18
Powder Sampler Powder Safe	22 14
Powder Spatula	12-13
Powder Thief	20-21, 42-43
Powder Trier	65
Powered Ice Sampler	108
PP Tubs	120
PTFE Dipper	92
PTFE Pot Pump Sampler	122 80-81
Pumps	98-99
Quick Clip	168
Road Tanker Sampler	100
Riffler	166
Sack Clip	168
Sack Master	48
Sack Sampler	15, 48-49
Sample Lance Sample Splitter	76, 107 166
Sampler Rack	161
Sampling Kit	39, 117
Scissors	159
Scoops - plastic disposable	8-11
Scoops - stainless steel	138-141
Scraper	29, 146-147
Seal-It	164
Shovel Sieve-It Test Sieves	158 163
Sieving Tool	150
Silo Rocket	47
Sleeve Sampler	45
Slot Sampler	17, 58-59
Snapper	86, 115
Soil Samplers	114, 118
Soil Sampler Pro	114
Spades Spatulas	see Scoops 12-13
Spoons	24-25, 152-153
Stainless Containers	128-129
Stainless Storage Drums	136
SteriWare Products	8-40
Stirrer	158
Storage Containers	135
Sub Sampler Sub Sampler Pro	94, 112 95, 113
Tablet Counting Triangle	156
TeleScoop	82-83, 110-111
Telescopic Sampler	51
TeleSwab	162
Thermometer	160
Thumb Tube Pipettes	37
Tips Toggle Drums	133
Trays	23, 156-157
Titrating Burette	161
Tweezers	34, 159
UD Cohesive Sampler	56
UD Doser	91
UD Master	66-67
UD Sleeve Sampler	55
UD Tablet Maker Unit Dose Sample Thief	68 64
Utility Dipper	88
V Spatula	69
ViscoThief	33
Viscous Sampler	104
Volumetric Spoon	26
XRF testing service	180



Index by Part Number

		Index
Part No.	Page	Pa
1030	42-43	80
1035	45	80
1070 1074	53 52	80
1095	69	80
1120	54	80
1210	58-59	80
1213	50	80
1216	65	80
1220 1230	60-61 66-68	80
1290	57	80
1309	49	80
1320	48	80
1360	62-63	80
1430	44	80
1500 1620	55 114	80
1640	46	80
1660	76, 107	80
1665	76, 107	80
1900	54	80
1985	47	81
2000 2015	56 71	81
2013	73	81
2220	72	81
2250	70	81
2750	118	81
4222	169	81
4710 5005	118 92, 144	81
5010	91	81
5020	80-81 , 94	82
5030	85	82
5031	84	82
5035 5040	78-79 100, 117	82
5045	89	82
5054	37	82
5055	37	82
5056	98	83
5058	98	83
5061 5065	86, 115 51, 82-83 , 110-111	83
5065F	92	83
5070	90, 94 , 112	84
5072	95, 113	84
5073	94, 112	85
5079	87, 116	85
5100 5170	92, 93 88	85
5551	86	85
5740	100	86
5900	99	86
6000	105	86
6005	106	86
6006 6010	108 108	87
6060	164	87 87
7000	104	87
7008	102	87
7009	102	88
7010	69, 102 61	88
8005 8010	169	89
8011	162	89 A1
8015	27	A1
8017	40	A1
8020	168	A1
8022	149	A1

<	by i	Part Nun
	Part No.	Page
	8023	148
	8025	34, 159
	8039 8045	23 8-11 , 142-143
	8049	32, 154
	8050	35
	8051	36
	8053	34 , 93, 144
	8055	33 , 103
	8060 8063	20-21 19
	8064	18
	8069	16
	8073	17
	8079	124
	8080	124
	8081 8085	23, 157 15 , 49
	8088	24-25
	8095	12-13
	8096	165
	8097	14
	8110 8111	122 28, 148
	8121	120
	8126	120, 121
	8130	81
	8131	121
	8132 8134	121 96
	8165	48, 59
	8175	29
	8180	120
	8200	99
	8219 8220	168 175-179
	8221	179
	8228	158
	8235	122
	8240	22
	8246 8331	125 158
	8332	158
	8333	158
	8370	28, 149
	8420	161
	8432 8480	32, 154 39, 117
	8500	171
	8502	171
	8505	171
	8509 8570	170 70 , 106, 114
	8600	166
	8601	166
	8640	26
	8644	160
	8700	163
	8702 8703	160 161
	8750	167
	8785	29
	8820	161
	8890	38, 123
	8920 8921	30-31 30-31
	A100	153
	A105	149
	A106	153
	A115	122
m	A125	122

Part No.	Page
A126 A154	136
A166	155 127
A186	155
A200	147
A201	147
A204 A206	155 155
A224	157
A234	157
A244	149
A264 A284	151 127
A296	145
A304	141
A314	141
A316 A324	139 93, 144
A326	93
A330	147
A333	141
A334 A335	141 153
A336	138
A344	158
A346	140
A350	147
A356 A364	156 159
A366	140
A376	140
A394	159
A396 A416	140 129
A417	132
A418	132
A426	126
A434 A446	134 134
A454	135
A466	135
A504	153
A506 A516	46, 153 150
A534	150
A555	159
A566	131
A586	151
A624 A626	134 134
A643	141
A656	147
A674	156
A684 A686	156 151
A694	135
A696	135
A716	148
A725 A736	90, 114 127
A764	145
A836	128
A846	130
A904 A916	150 158
A916 A926	133
A996	87, 116, 145
LUG-1	150
TIP	44 180
XRF	180

1. Contact Sampling Systems for a copy of our Terms & Conditions.

Tel: +44 (0)1675 466992

- 2. Sampling Systems operates a process of continual improvement and so we reserve the right to vary specifications at any time.
- Whilst every effort has been made to ensure the accuracy of the information given in this catalogue, Sampling Systems will not accept any responsibility for any inaccuracies.

e-mail: info@sampling.com



Wherever you are we are local



ADDRESS:
Sampling Systems Ltd.
4 & 5 Forge Mills Park,
Coleshill,
Warwickshire.
B46 1JH
UK

TELEPHONE:01675 466992 (from UK)
1-888-414-6448 (Toll Free from USA)
+44 (0)1675 466992 (International)

EMAIL: info@sampling.com

WEB: www.sampling.com

